Optical Engineering

2002 Author Index (Volume 41)

KEY TO INDEX USE

Each principal author's entry includes coauthors, title of paper, and location of the paper in Volume 41. A "See" reference means the person is a coauthor of the referenced paper.

A

Abbate, Giancarlo — See Sirleto, Luigi, **41** (11), 2890-8 (2002).
Abdulhalim, I. — Operation of lateral effect photosensitive position sensors using differential time delay mode. — I. Abdulhalim, S. Millward, G. Moores, L. Firth, and F. Placido; **41** (12), 3265-9 (2002).
Abe, Shingo — See Iijima, Ryuta, **41** (11), 2743-8 (2002).
Abe, Yukio — See Iwai, Katsumasa, **41** (7), 1471-2 (2002).
Aboudi, Jacob — See Menachem, Zion, **41** (9), 2169-80 (2002).
Abousleman, Glen P. — See Ma, Lei, **41** (11), 2856-65 (2002).
Adachi, Jingo — See Davis, Jeffrey A., **41** (11), 2983-6 (2002).
Aharoni, Herzl — See Snyman, Lukas Willem, **41** (12), 3230-40 (2002).
Ahmad, Ziauddin — See Heath, Donald F., **41** (12), 3104-10 (2002).
Ahmed, Mohamed — Video indexing using a high-performance and low-computation color-based opportunistic technique. — Mohamed Ahmed and Ahmed Karmouch; **41** (2), 505-17 (2002).
Ahouzi, Esmail — See Attaleb, Abdelaziz, **41** (12), 3250-9 (2002).
Aiazzi, Bruno — Estimating noise and information of multispectral imagery. — Bruno Aiazzi, Luciano Alparone, Alessandro Barducci, Stefano Baronti, and Ivan Pippi; **41** (3), 656-68 (2002).
Aikio, Janne — See Kololuoma, Terho, **41** (12), 3136-40 (2002).
Alam, Mohammad S. — Special section guest editorial: Advances in Pattern Recognition Techniques, Devices, and Algorithms. — Mohammad S. Alam and Mohammad A. Karim; **41** (1), 10-2 (2002).
— See Doh, Yang-Hoi, **41** (1), 26-31 (2002).
— See Alsamman, Abdul Rahman, **41** (1), 87-93 (2002).
— See Qian, Feng, **41** (10), 2607-12 (2002).
— See Alsamman, A. F., **41** (11), 2768-77 (2002).
Alameda, Jennifer B. — See Bajt, Saša, **41** (8), 1797-804 (2002).
Alasaarela, Ilkka — Comparison of distributed fiber optic sensing methods for location and quantity information measurements. — Ilkka Alasaarela, Pentti Karioja, and Harri Kopola; **41** (1), 181-9 (2002).
Alda, Javier — See López-Alonso, José Manuel, **41** (9), 2152-7 (2002).
Al-Dwayyan, Abdullah S. — See Raja, M. Yasin Akhtar, **41** (3), 704-10 (2002).
Alexander, Cheryl D. — See Dietz, Kurt L., **41** (10), 2641-51 (2002).
Allison, Sidney G. — Novel piezoelectric actuators for tuning an optical fiber Bragg grating. — Sidney G. Allison, Robert L. Fox, Mark E. Froggatt, and Brooks A. Childers; **41** (10), 2448-55 (2002).
Almeida-Guerra, Paola — Use of SPOT images as a tool for coastal zone management and monitoring of environmental impacts in the coastal zone. — Paola Almeida-Guerra; **41** (9), 2144-51 (2002).
Alonso, José — See Canabal, Héctor, **41** (4), 822-6 (2002).
Alparone, Luciano — See Aiazzi, Bruno, **41** (3), 656-68 (2002).
Alsamman, A. F. — Invariant face recognition using a neural network based on the fringe-adjusted joint transform correlator. — A. F. Alsamman and Mohammad S. Alam; **41** (11), 2768-77 (2002).
Alsamman, Abdul Rahman — Invariant face recognition using a projection-slice synthetic-discriminant-function-based algorithm. — Abdul Rahman Alsamman and Mohammad S. Alam; **41** (1), 87-93 (2002).
Alvarez-Borrego, Josué — Invariant recognition of polychromatic images of *Vibrio cholerae* O1. — Josué Alvarez-Borrego, Rosa Reyna Mouriño-Pérez, Gabriel Cristóbal-Pérez, and José Luis Pech-Pacheco; **41** (4), 827-33 (2002).
Alvertos, Nicolas — Method for aligning any-order polynomial surfaces in three-dimensional space. — Nicolas Alvertos; **41** (4), 886-98 (2002).
Ammer, Thomas — Chip-level integrated diffractive optical microlenses for multimode vertical-cavity surface-emitting laser to fiber coupling. — Thomas Ammer, Michael T. Gale, and Markus Rossi; **41** (12), 3141-50 (2002).
Andersen, Geoff P. — Large-aperture holographically corrected membrane telescope. — Geoff P. Andersen, Randall J. Knize, Arthur L. Palisoc, and Costas Cassapakis; **41** (7), 1603-7 (2002).
Andersen, Torben — See Goncharov, Alexander V., **41** (5), 1065-72 (2002).
Anderson, Bill — See Tuell, Michael T., **41** (7), 1473-4 (2002).
Andreadis, Ioannis — See Vardavoulia, Maria I., **41** (7), 1536-45 (2002).
Ang, Y. H. — See Bi, M., **41** (7), 1528-35 (2002).
Apple, Jeff A. — See Dietz, Kurt L., **41** (10), 2641-51 (2002).
Araki, Kenichi — See Toyoda, Masahiro, **41** (1), 145-9 (2002).
Arcand, Antoine — See Bao, Xiaoyi, **41** (7), 1496-501 (2002).
Arizaga, Ricardo — Display of local activity using dynamical speckle patterns. — Ricardo Arizaga, Nelly Lucía Cap, Héctor Rabal, and Marcelo Trivi; **41** (2), 287-94 (2002).
Armbruster, Vincent — See Chen, Chii-Chang, **41** (11), 2930-4 (2002).
Arnold, Michael — See Schauwecker, Bernd, **41** (1), 237-43 (2002).
Arola, Antti — See Krotkov, Nickolay A., **41** (12), 3028-39 (2002).
Arola, Dwayne D. — See Zhang, Dongsheng, **41** (5), 1115-21 (2002).
Asakura, Toshimitsu — See Jutamulia, Suganda, **41** (1), 13-6 (2002).
Asundi, Anand — See Zhao, Bing, **41** (4), 751-9 (2002).
— Strain contouring using Gabor filters: principle and algorithm. — Anand Asundi and Wang Jun; **41** (6), 1400-5 (2002).
Attaleb, Abdelaziz — Optimization of the polychromatic discrimination capability in multichannel pattern recognition. — Abdelaziz Attaleb, Esmail Ahouzi, Juan Campos, Ignacio Moreno, and María J. Yzuel; **41** (12), 3250-9 (2002).
Aubreton, O. — See Lew Yan Voon, Lew F. C., **41** (5), 924-5 (2002).
Aznárez, José A. — See Larruquert, Juan I., **41** (6), 1418-24 (2002).
Azzam, Rasheed M. A. — See El-Saba, Aed M., **41** (1), 200-4 (2002).

B

Baba, Justin Shekwoga — Laser polarization noise elimination in sensitive polarimetric systems. — Justin Shekwoga Baba, Jung-Rae Chung, and Gerard L. Coté; **41** (5), 938-42 (2002).
Babkina, Tatyana M. — See Voloshinov, Vitaly B., **41** (6), 1273-80 (2002).
Babot, Daniel — See Zhu, Yue Min, **41** (4), 760-70 (2002).
Bae, Joongwoo — See Park, Byeong Hoon, **41** (6), 1339-45 (2002).
Baek, Seung Duk — See Park, Byeong Hoon, **41** (6), 1339-45 (2002).
Baek, Seungin — See Jeong, Yoonchan, **41** (8), 1815-20 (2002).
Báez-Rojas, Javier — See Padilla-Vivanco, Alfonso, **41** (12), 3241-9 (2002).
Bahar, Ezekiel — Nanostructures with small- and large-scale periodic and random rough surfaces and lateral fluctuations in the permittivity and permeability-scattered near fields. — Ezekiel Bahar; **41** (8), 1918-25 (2002).
Bahn, Ji-Eun — See Son, Jung-Young, **41** (3), 680-5 (2002).
Bai, Jing — See Zhou, Jun, **41** (10), 2577-81 (2002).
Bai, Lifen — See Li, Qingxiang, **41** (6), 1289-94 (2002).
Bajt, Saša — Improved reflectance and stability of Mo-Si multilayers. — Saša Bajt, Jennifer B. Alameda, Troy W. Barbee, Jr., W. Miles Clift, James A. Folta, Ben Kaufmann, and Eberhard A. Spiller; **41** (8), 1797-804 (2002).
Baker, John C. — Commercial observation satellites: broadening the sources of geospatial data. — John C. Baker, Kevin M. O'Connell, and Jose A. Venzor, Jr. ; **41** (9), 2077-82 (2002).
Bali, L. M. — Optoelectronic refractometer characterized by high sensitivity over a wide range of refractive index. — L. M. Bali, Anchal Srivastava, R. K. Shukla, P. Srivastava, A. Kulshreshtha, Atul Srivastava, and M. Kumar; **41** (10), 2627-35 (2002).
Baltazar, Rosario — See Camacho P., Alma A., **41** (11), 2899-902 (2002).
Bao, Xiaoyi — Simultaneous strain and temperature monitoring of the composite cure with a Brillouin-scattering-based distributed sensor. — Xiaoyi Bao, Chao Huang, Xiaodong Zeng, Antoine Arcand, and Pearl Sullivan; **41** (7), 1496-501 (2002).
Bao, Zheng — See Xing, Mengdao, **41** (2), 493-504 (2002).
Bao Varela, Carmen — See Rivas-Moscoso, José Manuel, **41** (2), 303-13 (2002).
Barbee, Troy W., Jr. — See Bajt, Saša, **41** (8), 1797-804 (2002).
Barchers, Jeffrey D. — See Gerwe, David R., **41** (9), 2238-51 (2002).
Barducci, Alessandro — See Aiazzi, Bruno, **41** (3), 656-68 (2002).
Barner, Kenneth E. — See Siddique, Junaid I., **41** (11), 2749-63 (2002).
Barni, Mauro — Watermarking techniques for electronic delivery of remote sensing images. — Mauro Barni, Franco Bartolini, Enrico Magli, and Gabriella Olmo; **41** (9), 2111-9 (2002).
Baronti, Stefano — See Aiazzi, Bruno, **41** (3), 656-68 (2002).
Bartolini, Franco — See Barni, Mauro, **41** (9), 2111-9 (2002).
Baxter, Glenn W. — See Lee, Chris J., **41** (4), 848-51 (2002).
Beckers, Jacques M. — See Goncharov, Alexander V., **41** (5), 1065-72 (2002).
Beghdadi, Azeddine — See Boudraa, Abdel-Ouahab, **41** (12), 3161-7 (2002).
Belenky, Alexander — See Shcherback, Igor, **41** (6), 1216-9 (2002).
Bellach, B. — See Lew Yan Voon, Lew F. C., **41** (5), 924-5 (2002).
Belsher, John F. — See Gamiz, Victor L., **41** (5), 973-80 (2002).
Benatmane, Abderrazzaq — See Flury, Manuel, **41** (10), 2407-18 (2002).
Ben-David, M. — See Gannot, Israel, **41** (1), 244-50 (2002).
Bentabet, Layachi — See Zhu, Yue Min, **41** (4), 760-70 (2002).
Berger, Christian — Design of telecentric imaging systems for noncontact velocity sensors. — Christian Berger; **41** (10), 2599-606 (2002).
Berger, Daniel — See Schmalwieser, Alois W., **41** (12), 3040-50 (2002).
Berghmans, Francis — See Fernandez, Alberto Fernandez, **41** (6), 1246-54 (2002).
Berndt, Jerry — See Harrison, Lee, **41** (12), 3096-103 (2002).
Bernini, Romeo — Reconstruction technique for stimulated Brillouin scattering distributed fiber-optic sensors. — Romeo Bernini, Aldo Minardo, and Luigi Zeni; **41** (9), 2186-94 (2002).
Beyette, F. R., Jr. — See Lee, B. K., **41** (4), 742-3 (2002).
Bhanu, Bir — Increasing the discrimination of synthetic aperture radar recognition models. — Bir Bhanu and Grinnell Jones, III; **41** (12), 3298-306 (2002).
Bhartia, Pawan K. — See Krotkov, Nickolay A., **41** (12), 3028-39 (2002).
— See Chubarova, Nataly Ye., **41** (12), 3070-81 (2002).
Bhatnagar, P. K. — See Sharma, Yagya Deva, **41** (7), 1668-73 (2002).
Bi, M. — Wavelet-based image compression using classified interpolative vector quantization. — M. Bi, S. H. Ong, and Y. H. Ang; **41** (7), 1528-35 (2002).
Biber, Alice — See Snyman, Lukas Willem, **41** (12), 3230-40 (2002).
Biermann, Mark L. — Design and analysis of a diffraction-limited cat's-eye retroreflector. — Mark L. Biermann, William S. Rabinovich, Rita Mahon, and G. Charmaine Gilbreath; **41** (7), 1655-60 (2002).
Bifano, Thomas G. — See Perreault, Julie A., **41** (3), 561-6 (2002).
Billert, Oleg — Adaptive multiple filtering. — Oleg Billert and Liviu Singher; **41** (1), 55-68 (2002).
Birch, J. — See Eriksson, F., **41** (11), 2903-9 (2002).
Birch, Philip M. — Optical and electronic design of a hybrid digital-optical correlator system. — Philip M. Birch, Frédéric Claret-Tournier, David Budgett, Rupert Young, and Christopher Chatwin; **41** (1), 32-40 (2002).
— Computer-generated complex filter for an all-optical and a digital-optical hybrid correlator. — Philip Birch, Rupert Young, Frédéric Claret-Tournier, David Budgett, and Christopher Chatwin; **41** (1), 105-11 (2002).
— Optical design of a miniature Fourier transform lens system for a hybrid digital-optical correlator. — Philip M. Birch, Gongde Li, Frédéric Claret-Tournier, Rupert Young, David Budgett, and Christopher Chatwin; **41** (7), 1650-4 (2002).

Optical Engineering

2002 Author Index (Volume 41)

KEY TO INDEX USE

Each principal author's entry includes coauthors, title of paper, and location of the paper in Volume 41. A "See" reference means the person is a coauthor of the referenced paper.

A

Abbate, Giancarlo — See Sirleto, Luigi, **41** (11), 2890-8 (2002).
Abdulhalim, I. — Operation of lateral effect photosensitive position sensors using differential time delay mode. — I. Abdulhalim, S. Millward, G. Moores, L. Firth, and F. Placido; **41** (12), 3265-9 (2002).
Abe, Shingo — See Iijima, Ryuta, **41** (11), 2743-8 (2002).
Abe, Yukio — See Iwai, Katsumasa, **41** (7), 1471-2 (2002).
Aboudi, Jacob — See Menachem, Zion, **41** (9), 2169-80 (2002).
Abousleman, Glen P. — See Ma, Lei, **41** (11), 2856-65 (2002).
Adachi, Jingo — See Davis, Jeffrey A., **41** (11), 2983-6 (2002).
Aharoni, Herzl — See Snyman, Lukas Willem, **41** (12), 3230-40 (2002).
Ahmad, Ziauddin — See Heath, Donald F., **41** (12), 3104-10 (2002).
Ahmed, Mohamed — Video indexing using a high-performance and low-computation color-based opportunistic technique. — Mohamed Ahmed and Ahmed Karmouch; **41** (2), 505-17 (2002).
Ahouzi, Esmail — See Attaleb, Abdelaziz, **41** (12), 3250-9 (2002).
Aiazzi, Bruno — Estimating noise and information of multispectral imagery. — Bruno Aiazzi, Luciano Alparone, Alessandro Barducci, Stefano Baronti, and Ivan Pippi; **41** (3), 656-68 (2002).
Aikio, Janne — See Kololuoma, Terho, **41** (12), 3136-40 (2002).
Alam, Mohammad S. — Special section guest editorial: Advances in Pattern Recognition Techniques, Devices, and Algorithms. — Mohammad S. Alam and Mohammad A. Karim; **41** (1), 10-2 (2002).
— See Doh, Yang-Hoi, **41** (1), 26-31 (2002).
— See Alsamman, Abdul Rahman, **41** (1), 87-93 (2002).
— See Qian, Feng, **41** (10), 2607-12 (2002).
— See Alsamman, A. F., **41** (11), 2768-77 (2002).
Alameda, Jennifer B. — See Bajt, Saša, **41** (8), 1797-804 (2002).
Alasaarela, Ilkka — Comparison of distributed fiber optic sensing methods for location and quantity information measurements. — Ilkka Alasaarela, Pentti Karioja, and Harri Kopola; **41** (1), 181-9 (2002).
Alda, Javier — See López-Alonso, José Manuel, **41** (9), 2152-7 (2002).
Al-Dwayyan, Abdullah S. — See Raja, M. Yasin Akhtar, **41** (3), 704-10 (2002).
Alexander, Cheryl D. — See Dietz, Kurt L., **41** (10), 2641-51 (2002).
Allison, Sidney G. — Novel piezoelectric actuators for tuning an optical fiber Bragg grating. — Sidney G. Allison, Robert L. Fox, Mark E. Froggatt, and Brooks A. Childers; **41** (10), 2448-55 (2002).
Almeida-Guerra, Paola — Use of SPOT images as a tool for coastal zone management and monitoring of environmental impacts in the coastal zone. — Paola Almeida-Guerra; **41** (9), 2144-51 (2002).
Alonso, José — See Canabal, Héctor, **41** (4), 822-6 (2002).
Alparone, Luciano — See Aiazzi, Bruno, **41** (3), 656-68 (2002).
Alsamman, A. F. — Invariant face recognition using a neural network based on the fringe-adjusted joint transform correlator. — A. F. Alsamman and Mohammad S. Alam; **41** (11), 2768-77 (2002).
Alsamman, Abdul Rahman — Invariant face recognition using a projection-slice synthetic-discriminant-function-based algorithm. — Abdul Rahman Alsamman and Mohammad S. Alam; **41** (1), 87-93 (2002).
Alvarez-Borrego, Josué — Invariant recognition of polychromatic images of *Vibrio cholerae* O1. — Josué Alvarez-Borrego, Rosa Reyna Mouriño-Pérez, Gabriel Cristóbal-Pérez, and José Luis Pech-Pacheco; **41** (4), 827-33 (2002).
Alvertos, Nicolas — Method for aligning any-order polynomial surfaces in three-dimensional space. — Nicolas Alvertos; **41** (4), 886-98 (2002).
Ammer, Thomas — Chip-level integrated diffractive optical microlenses for multimode vertical-cavity surface-emitting laser to fiber coupling. — Thomas Ammer, Michael T. Gale, and Markus Rossi; **41** (12), 3141-50 (2002).
Andersen, Geoff P. — Large-aperture holographically corrected membrane telescope. — Geoff P. Andersen, Randall J. Knize, Arthur L. Palisoc, and Costas Cassapakis; **41** (7), 1603-7 (2002).
Andersen, Torben — See Goncharov, Alexander V., **41** (5), 1065-72 (2002).
Anderson, Bill — See Tuell, Michael T., **41** (7), 1473-4 (2002).
Andreadis, Ioannis — See Vardavoulia, Maria I., **41** (7), 1536-45 (2002).
Ang, Y. H. — See Bi, M., **41** (7), 1528-35 (2002).
Apple, Jeff A. — See Dietz, Kurt L., **41** (10), 2641-51 (2002).
Araki, Kenichi — See Toyoda, Masahiro, **41** (1), 145-9 (2002).
Arcand, Antoine — See Bao, Xiaoyi, **41** (7), 1496-501 (2002).
Arizaga, Ricardo — Display of local activity using dynamical speckle patterns. — Ricardo Arizaga, Nelly Lucía Cap, Héctor Rabal, and Marcelo Trivi; **41** (2), 287-94 (2002).
Armbruster, Vincent — See Chen, Chii-Chang, **41** (11), 2930-4 (2002).
Arnold, Michael — See Schauwecker, Bernd, **41** (1), 237-43 (2002).
Arola, Antti — See Krotkov, Nickolay A., **41** (12), 3028-39 (2002).
Arola, Dwayne D. — See Zhang, Dongsheng, **41** (5), 1115-21 (2002).
Asakura, Toshimitsu — See Jutamulia, Suganda, **41** (1), 13-6 (2002).
Asundi, Anand — See Zhao, Bing, **41** (4), 751-9 (2002).
— Strain contouring using Gabor filters: principle and algorithm. — Anand Asundi and Wang Jun; **41** (6), 1400-5 (2002).
Attaleb, Abdelaziz — Optimization of the polychromatic discrimination capability in multichannel pattern recognition. — Abdelaziz Attaleb, Esmail Ahouzi, Juan Campos, Ignacio Moreno, and María J. Yzuel; **41** (12), 3250-9 (2002).
Aubreton, O. — See Lew Yan Voon, Lew F. C., **41** (5), 924-5 (2002).
Aznárez, José A. — See Larruquert, Juan I., **41** (6), 1418-24 (2002).
Azzam, Rasheed M. A. — See El-Saba, Aed M., **41** (1), 200-4 (2002).

B

Baba, Justin Shekwoga — Laser polarization noise elimination in sensitive polarimetric systems. — Justin Shekwoga Baba, Jung-Rae Chung, and Gerard L. Coté; **41** (5), 938-42 (2002).
Babkina, Tatyana M. — See Voloshinov, Vitaly B., **41** (6), 1273-80 (2002).
Babot, Daniel — See Zhu, Yue Min, **41** (4), 760-70 (2002).
Bae, Joongwoo — See Park, Byeong Hoon, **41** (6), 1339-45 (2002).
Baek, Seung Duk — See Park, Byeong Hoon, **41** (6), 1339-45 (2002).
Baek, Seungin — See Jeong, Yoonchan, **41** (8), 1815-20 (2002).
Báez-Rojas, Javier — See Padilla-Vivanco, Alfonso, **41** (12), 3241-9 (2002).
Bahar, Ezekiel — Nanostructures with small- and large-scale periodic and random rough surfaces and lateral fluctuations in the permittivity and permeability-scattered near fields. — Ezekiel Bahar; **41** (8), 1918-25 (2002).
Bahn, Ji-Eun — See Son, Jung-Young, **41** (3), 680-5 (2002).
Bai, Jing — See Zhou, Jun, **41** (10), 2577-81 (2002).
Bai, Lifen — See Li, Qingxiang, **41** (6), 1289-94 (2002).
Bajt, Saša — Improved reflectance and stability of Mo-Si multilayers. — Saša Bajt, Jennifer B. Alameda, Troy W. Barbee, Jr., W. Miles Clift, James A. Folta, Ben Kaufmann, and Eberhard A. Spiller; **41** (8), 1797-804 (2002).
Baker, John C. — Commercial observation satellites: broadening the sources of geospatial data. — John C. Baker, Kevin M. O'Connell, and Jose A. Venzor, Jr. ; **41** (9), 2077-82 (2002).
Bali, L. M. — Optoelectronic refractometer characterized by high sensitivity over a wide range of refractive index. — L. M. Bali, Anchal Srivastava, R. K. Shukla, P. Srivastava, A. Kulshreshtha, Atul Srivastava, and M. Kumar; **41** (10), 2627-35 (2002).
Baltazar, Rosario — See Camacho P., Alma A., **41** (11), 2899-902 (2002).
Bao, Xiaoyi — Simultaneous strain and temperature monitoring of the composite cure with a Brillouin-scattering-based distributed sensor. — Xiaoyi Bao, Chao Huang, Xiaodong Zeng, Antoine Arcand, and Pearl Sullivan; **41** (7), 1496-501 (2002).
Bao, Zheng — See Xing, Mengdao, **41** (2), 493-504 (2002).
Bao Varela, Carmen — See Rivas-Moscoso, José Manuel, **41** (2), 303-13 (2002).
Barbee, Troy W., Jr. — See Bajt, Saša, **41** (8), 1797-804 (2002).
Barchers, Jeffrey D. — See Gerwe, David R., **41** (9), 2238-51 (2002).
Barducci, Alessandro — See Aiazzi, Bruno, **41** (3), 656-68 (2002).
Barner, Kenneth E. — See Siddique, Junaid I., **41** (11), 2749-63 (2002).
Barni, Mauro — Watermarking techniques for electronic delivery of remote sensing images. — Mauro Barni, Franco Bartolini, Enrico Magli, and Gabriella Olmo; **41** (9), 2111-9 (2002).
Baronti, Stefano — See Aiazzi, Bruno, **41** (3), 656-68 (2002).
Bartolini, Franco — See Barni, Mauro, **41** (9), 2111-9 (2002).
Baxter, Glenn W. — See Lee, Chris J., **41** (4), 848-51 (2002).
Beckers, Jacques M. — See Goncharov, Alexander V., **41** (5), 1065-72 (2002).
Beghdadi, Azeddine — See Boudraa, Abdel-Ouahab, **41** (12), 3161-7 (2002).
Belenky, Alexander — See Shcherback, Igor, **41** (6), 1216-9 (2002).
Bellach, B. — See Lew Yan Voon, Lew F. C., **41** (5), 924-5 (2002).
Belsher, John F. — See Gamiz, Victor L., **41** (5), 973-80 (2002).
Benatmane, Abderrazzaq — See Flury, Manuel, **41** (10), 2407-18 (2002).
Ben-David, M. — See Gannot, Israel, **41** (1), 244-50 (2002).
Bentabet, Layachi — See Zhu, Yue Min, **41** (4), 760-70 (2002).
Berger, Christian — Design of telecentric imaging systems for noncontact velocity sensors. — Christian Berger; **41** (10), 2599-606 (2002).
Berger, Daniel — See Schmalwieser, Alois W., **41** (12), 3040-50 (2002).
Berghmans, Francis — See Fernandez, Alberto Fernandez, **41** (6), 1246-54 (2002).
Berndt, Jerry — See Harrison, Lee, **41** (12), 3096-103 (2002).
Bernini, Romeo — Reconstruction technique for stimulated Brillouin scattering distributed fiber-optic sensors. — Romeo Bernini, Aldo Minardo, and Luigi Zeni; **41** (9), 2186-94 (2002).
Beyette, F. R., Jr. — See Lee, B. K., **41** (4), 742-3 (2002).
Bhanu, Bir — Increasing the discrimination of synthetic aperture radar recognition models. — Bir Bhanu and Grinnell Jones, III; **41** (12), 3298-306 (2002).
Bhartia, Pawan K. — See Krotkov, Nickolay A., **41** (12), 3028-39 (2002).
— See Chubarova, Nataly Ye., **41** (12), 3070-81 (2002).
Bhatnagar, P. K. — See Sharma, Yagya Deva, **41** (7), 1668-73 (2002).
Bi, M. — Wavelet-based image compression using classified interpolative vector quantization. — M. Bi, S. H. Ong, and Y. H. Ang; **41** (7), 1528-35 (2002).
Biber, Alice — See Snyman, Lukas Willem, **41** (12), 3230-40 (2002).
Biermann, Mark L. — Design and analysis of a diffraction-limited cat's-eye retroreflector. — Mark L. Biermann, William S. Rabinovich, Rita Mahon, and G. Charmaine Gilbreath; **41** (7), 1655-60 (2002).
Bifano, Thomas G. — See Perreault, Julie A., **41** (3), 561-6 (2002).
Billert, Oleg — Adaptive multiple filtering. — Oleg Billert and Liviu Singher; **41** (1), 55-68 (2002).
Birch, J. — See Eriksson, F., **41** (11), 2903-9 (2002).
Birch, Philip M. — Optical and electronic design of a hybrid digital-optical correlator system. — Philip M. Birch, Frédéric Claret-Tournier, David Budgett, Rupert Young, and Christopher Chatwin; **41** (1), 32-40 (2002).
— Computer-generated complex filter for an all-optical and a digital-optical hybrid correlator. — Philip Birch, Rupert Young, Frédéric Claret-Tournier, David Budgett, and Christopher Chatwin; **41** (1), 105-11 (2002).
— Optical design of a miniature Fourier transform lens system for a hybrid digital-optical correlator. — Philip M. Birch, Gongde Li, Frédéric Claret-Tournier, Rupert Young, David Budgett, and Christopher Chatwin; **41** (7), 1650-4 (2002).

Bishop, Kenneth P. — See Sposato, Stephanie H., **41** (5), 1055-64 (2002).
Blondel, Michel — See Fernandez, Alberto Fernandez, **41** (6), 1246-54 (2002).
Blosser, Robert C. — See Gorin, Brian A., **41** (9), 2088-97 (2002).
Bo, Feng — See Liu, Cheng, **41** (10), 2434-7 (2002).
Bobrinev, Vladimir I. — See Son, Jung-Young, **41** (3), 680-5 (2002).
Bodart, Serge — See Fernandez, Alberto Fernandez, **41** (6), 1246-54 (2002).
Bolte, Michèle — See Tork, Amir, **41** (9), 2310-4 (2002).
Booij, Silvia M. — Nanometer deep shaping with fluid jet polishing. — Silvia M. Booij, Hedser van Brug, Joseph J. M. Braat, and Oliver W. Fähnle; **41** (8), 1926-31 (2002).
Borbón, I. Márquez — See Shlyagin, M. G., **41** (8), 1809-14 (2002).
Borghi, Riccardo — Optimum even-phase four-beam multiplier. — Riccardo Borghi, Fabrizio Frezza, Lara Pajewski, Massimo Santarsiero, and Giuseppe Schettini; **41** (11), 2736-42 (2002).
Bormashenko, Edward — Optical properties and infrared optics applications of composite films based on polyethylene and low-melting-point chalcogenide glass. — Edward Bormashenko, Roman Pogreb, Semion Sutovski, and Mark Levin; **41** (2), 295-302 (2002).
Bos, Philip J. — See Saeed, Salman, **41** (1), 167-75 (2002).
Bose, Srikanta — Optical radiation and temperature-dependent microwave performance of optically biased GaAs metal-semiconductor field effect transistor. — Srikanta Bose, Mridula Gupta, Subhasis Haldar, and R. S. Gupta; **41** (1), 190-9 (2002).
Boucourt, Gérard — See Sentenac, Thierry, **41** (4), 796-810 (2002).
Boudraa, Abdel-Ouahab — Fuzzy block truncation coding. — Abdel-Ouahab Boudraa, Azeddine Beghdadi, Sidi Mohammed Réda Dehak, and Răzvan Iordache; **41** (12), 3161-7 (2002).
Braat, Joseph J. M. — See Booij, Silvia M., **41** (8), 1926-31 (2002).
Breglio, Giovanni — See Sirleto, Luigi, **41** (11), 2890-8 (2002).
Brettel, Hans — See Hardeberg, Jon Y., **41** (10), 2532-48 (2002).
Brewer, Christopher D. — Sensitivity comparison of ladar receivers designed to detect glint targets. — Christopher D. Brewer, Bradley D. Duncan, and Edward A. Watson; **41** (7), 1577-85 (2002).
Brichard, Benoît — See Fernandez, Alberto Fernandez, **41** (6), 1246-54 (2002).
Bright, David S. — See Carasso, Alfred S., **41** (10), 2499-514 (2002).
Brunnström, Kjell — Comparison of the predictions of a spatiotemporal model with the detection of distortion in small moving images. — Kjell Brunnström and Bo N. Schenkman; **41** (3), 711-22 (2002).
Bu, Jong-Uk — See Moon, Su-dong, **41** (9), 2267-70 (2002).
Buckley, Steven G. — See Sivanesan, Ponniah, **41** (10), 2456-63 (2002).
Budgett, David — See Birch, Philip M., **41** (1), 32-40 (2002).
— See Birch, Philip M., **41** (1), 105-11 (2002).
— See Birch, Philip M., **41** (7), 1650-4 (2002).
Burge, James H. — See Tuell, Michael T., **41** (7), 1473-4 (2002).
Busch, Timothy E. — See Nikulin, Vladimir V., **41** (8), 1767-73 (2002).
Büttner, Alexander — Wave optical analysis of light-emitting diode beam shaping using microlens arrays. — Alexander Büttner and Uwe D. Zeitner; **41** (10), 2393-401 (2002).
Byrne, Dale M. — See Drège, Emmanuel M., **41** (1), 225-36 (2002).

C

Cai, Bingchu — See Dai, Xuhan, **41** (6), 1155-6 (2002).
Calus, Jason R. — See Fiete, Robert D., **41** (8), 1957-69 (2002).
Camacho, Javier — See Tentori, Diana, **41** (10), 2468-75 (2002).
Camacho P., Alma A. — Simple method to measure the focal length of lenses. — Alma A. Camacho P., Cristina Solano, Geminiano Martínez-Ponce, and Rosario Baltazar; **41** (11), 2899-902 (2002).
Camargo Silva, Milson T. — See De Francisco, Carlos Alberto, **41** (7), 1491-5 (2002).
Campos, Juan — See Attaleb, Abdelaziz, **41** (12), 3250-9 (2002).
Canabal, Héctor — Automatic wavefront measurement technique using a computer display and a charge-coupled device camera. — Héctor Canabal and José Alonso; **41** (4), 822-6 (2002).
Cao, Nianwen — Estimation of differential absorption lidar measurement error for NO_2 profiling in the lower troposphere. — Nianwen Cao, Takashi Fujii, Tetsuo Fukuchi, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **41** (1), 218-24 (2002).
Cao, Yang — See Raja, M. Yasin Akhtar, **41** (3), 704-10 (2002).
Cao, Zhengyuan — See Zhao, Bing, **41** (4), 751-9 (2002).
Cap, Nelly Lucía — See Arizaga, Ricardo, **41** (2), 287-94 (2002).
Carasso, Alfred S. — APEX method and real-time blind deconvolution of scanning electron microscope imagery. — Alfred S. Carasso, David S. Bright, and András E. Vladár; **41** (10), 2499-514 (2002).
Carenco, Alain — See Chen, Chii-Chang, **41** (11), 2930-4 (2002).
Casale, Giuseppe Rocco — See Siani, Anna Maria, **41** (12), 3082-9 (2002).
Casasent, David — See Yuan, Chao, **41** (1), 94-104 (2002).
Cassapakis, Costas — See Andersen, Geoff P., **41** (7), 1603-7 (2002).
Castrellon, Jesus — Radiometric analysis of a fiber optic temperature sensor. — Jesus Castrellon, Gonzalo Paez, and Marija Strojnik; **41** (6), 1255-61 (2002).
Cathebras, Guy — See Lew Yan Voon, Lew F. C., **41** (5), 924-5 (2002).
Caudill, Thomas R. — See Sposato, Stephanie H., **41** (5), 1055-64 (2002).
Cavasso-Filho, Reinaldo L. — See Onisto, Haroldo J., **41** (5), 1122-7 (2002).
Cerecedo-Núñez, H. H. — Coupling coefficient evaluation of a fiber directional coupler using an all-fiber Sagnac interferometer. — H. H. Cerecedo-Núñez, C. G. Treviño-Palacios, and E. A. Kuzin; **41** (3), 555-6 (2002).
— Intensity compensation of a transmitted spectrum using an all-fiber Sagnac interferometer. — H. H. Cerecedo-Núñez, C. G. Treviño-Palacios, and E. A. Kuzin; **41** (6), 1153-4 (2002).
Černý, Pavel — See Jelínková, Helena, **41** (8), 1976-82 (2002).
Chan, C. C. — See Gong, Jianmin, **41** (3), 557-8 (2002).
Chan, Yuen Chuen — See Wang, Chao, **41** (6), 1240-5 (2002).
Chang, C. S. — See Haidar, S., **41** (8), 1932-5 (2002).
Chang, Chein-I — See Wang, Chuin-Mu, **41** (7), 1546-57 (2002).
Chang, Chwen-Liang — Fuzzy Hopfield neural network with fixed weight for medical image segmentation. — Chwen-Liang Chang and Yu-Tai Ching; **41** (2), 351-8 (2002).
Chang, Horng — See Sun, Wen-Shing, **41** (2), 460-70 (2002).
Chang, Ming — See Lin, Kao-Hui, **41** (7), 1615-20 (2002).
Chang, Ming-Wen — See Sun, Wen-Shing, **41** (2), 460-70 (2002).
Chang, Shengjiang — See Wang, Yong, **41** (8), 1840-4 (2002).
Chang, Shoude — Centroid detection based on optical correlation. — Shoude Chang and Chander P. Grover; **41** (10), 2479-86 (2002).
Chang, Win-Jin — See Chen, Un-Chia, **41** (6), 1317-23 (2002).
Chang, Yan — Efficient two-level image thresholding method based on Bayesian formulation and the maximum entropy principle. — Yan Chang, Alan M. N. Fu, Hong Yan, and Mansuo Zhao; **41** (10), 2487-98 (2002).
Chao, Zhixia — See Yin, Chunyong, **41** (4), 746-50 (2002).
Charfi, Youssef — Joint source-channel fractal image coding with unequal error protection. — Youssef Charfi, Vladimir M. Stanković, Raouf Hamzaoui, Ameur Haouari, and Dietmar Saupe; **41** (12), 3168-76 (2002).
Chatwin, Christopher — See Birch, Philip M., **41** (1), 32-40 (2002).
— See Birch, Philip M., **41** (1), 105-11 (2002).
— See Birch, Philip M., **41** (7), 1650-4 (2002).
Chen, Chi Hau — See Zhang, Xiaohui, **41** (7), 1717-28 (2002).
Chen, Chia-Tang — See Su, Ruey Long, **41** (11), 2728-35 (2002).
Chen, Chii-Chang — Effective refractive index change of *X*-cut *Z*-propagation Ti:$LiNbO_3$ waveguides by laser ablation. — Chii-Chang Chen, Vincent Armbruster, Henri Porte, Alain Carenco, and Jean-Pierre Goedgebuer; **41** (11), 2930-4 (2002).
Chen, Clayton Chi-Chang — See Wang, Chuin-Mu, **41** (7), 1546-57 (2002).
Chen, Ding-Horng — See Lee, Jiann-Shu, **41** (2), 342-50 (2002).
Chen, Hongbin — See Qi, Bo, **41** (7), 1565-9 (2002).
Chen, Huaixin — See Li, Dahai, **41** (8), 1893-8 (2002).
Chen, Kun Shan — See Kuo, Jin Min, **41** (3), 686-96 (2002).
— See Su, Ruey Long, **41** (11), 2728-35 (2002).
Chen, Lei — See Zhao, Shengzhi, **41** (3), 559-60 (2002).
— See Zheng, Jiaan, **41** (8), 1970-5 (2002).
— See Zheng, Jiaan, **41** (9), 2271-5 (2002).
Chen, Luyun — See Li, Qingxiang, **41** (6), 1289-94 (2002).
Chen, Ming-Tsung — See Donn, Shoang C., **41** (6), 1346-9 (2002).
Chen, Mingzhou — See Kou, Xinyu, **41** (6), 1220-6 (2002).
Chen, Ray T. — See Han, Xuliang, **41** (11), 2799-802 (2002).
Chen, Shin-Si — Fractal image compression based on intrablock variance distribution and vector quantization. — Shin-Si Chen, Chang-Biau Yang, and Kuo-Si Huang; **41** (11), 2824-30 (2002).
Chen, T. — See Xu, Bugao, **41** (7), 1475-9 (2002).
Chen, Tyun-Jye Felipe — See Lin, Kao-Hui, **41** (7), 1615-20 (2002).
Chen, Un-Chia — Thermally induced optical effects in double-coated optical fibers by viscoelastic theory. — Un-Chia Chen and Win-Jin Chang; **41** (6), 1317-23 (2002).
Chen, Ying-Chung — See Chiang, Jung-Lung, **41** (8), 2032-8 (2002).
Chen, Zhenpei — See Li, Dahai, **41** (8), 1893-8 (2002).
Chen, Zhongyu — See Huang, Mingju, **41** (9), 2315-20 (2002).
Chenault, David B. — See Goldstein, Dennis H., **41** (5), 930-1 (2002).
— See Goldstein, Dennis H., **41** (5), 1013-20 (2002).
Cheng, Huanchu — See Zhao, Shengzhi, **41** (3), 559-60 (2002).
Cheng, Philip — See Toutin, Thierry, **41** (9), 2102-6 (2002).
Cheng, T. H. — See Gong, Y. D., **41** (11), 2778-82 (2002).
Cheng, Xiaotian — See Liu, Cheng, **41** (10), 2434-7 (2002).
Cheng, Zhenxiang — See Zhao, Shengzhi, **41** (3), 559-60 (2002).
Cheung, Paul Y. S. — See Yung, Nelson H. C., **41** (11), 2844-55 (2002).
Chhetri, Bhupendra B. — Binary phase difference diffuser: Design and application in digital holography. — Bhupendra B. Chhetri, Seiichi Serikawa, Shiyuan Yang, and Teruo Shimomura; **41** (2), 319-27 (2002).
Chi, C. J. — See Lee, B. K., **41** (4), 742-3 (2002).
Chiang, Jung-Lung — Sensitivity and hysteresis properties of *a*-WO_3, Ta_2O_5, and *a*-Si:H gate ion-sensitive field-effect transistors. — Jung-Lung Chiang, Jung-Chuan Chou, and Ying-Chung Chen; **41** (8), 2032-8 (2002).
Chichkov, Boris N. — See Egbert, André, **41** (10), 2658-67 (2002).
Childers, Brooks A. — See Allison, Sidney G., **41** (10), 2448-55 (2002).
Chine, Ching-Fung — See Hwang, Wen-Jyi, **41** (9), 2208-15 (2002).
Ching, Yu-Tai — See Chang, Chwen-Liang, **41** (2), 351-8 (2002).
Chiou, Arthur E. T. — See Sun, Ching-Cherng, **41** (11), 2809-13 (2002).
Chipman, Russell — High-order polarization mode dispersion emulator. — Russell Chipman and Ravinderkumar Kinnera; **41** (5), 932-7 (2002).
Chmelík, Radim — Surface profilometry by a parallel-mode confocal microscope. — Radim Chmelík and Zdeněk Harna; **41** (4), 744-5 (2002).
Cho, Hyung Suck — See Park, Won Shik, **41** (4), 860-71 (2002).
Choi, Jong-Soo — See Kang, Eung-Kwan, **41** (1), 255-63 (2002).
Choi, Sangsoo — See Jeong, Yoonchan, **41** (8), 1815-20 (2002).
Choi, Tae Sun — See Mozerov, Mikhail, **41** (10), 2592-8 (2002).
Choi, Yong Jin — See Son, Jung-Young, **41** (3), 680-5 (2002).
Chou, Jung-Chuan — See Chiang, Jung-Lung, **41** (8), 2032-8 (2002).
— See Hwang, Hone-Ene, **41** (10), 2620-6 (2002).
Choy, Steve — See Gupta, Neelam, **41** (5), 1033-8 (2002).
Chrzanowski, Krzysztof — Evaluation of commercial thermal cameras in quality systems. — Krzysztof Chrzanowski; **41** (10), 2556-67 (2002).
Chtcherbakov, Anatoli A. — See Shlyagin, M. G., **41** (8), 1809-14 (2002).
Chu, P. L. — See Lu, Yi-Bin, **41** (12), 3000-1 (2002).
Chua, Soo-Jin — See Li, Baojun, **41** (3), 723-7 (2002).
Chubarova, Nataly Ye. — Comparisons between ground measurements of broadband ultraviolet irradiance (300 to 380 nm) and total ozone mapping spectrometer ultraviolet estimates at Moscow from 1979 to 2000. — Nataly Ye. Chubarova, Alla Yu. Yurova, Nickolay Krotkov, Jay Herman, and Pawan K. Bhartia; **41** (12), 3070-81 (2002).
Chujo, Wataru — See Park, Ki-Hwan, **41** (10), 2589-91 (2002).
Chun, Joohwan — See Son, Jung-Young, **41** (3), 680-5 (2002).
Chung, Hing Y. — See Yung, Nelson H. C., **41** (11), 2844-55 (2002).
Chung, Jung-Rae — See Baba, Justin Shekwoga, **41** (5), 938-42 (2002).
Chung, Pau-Choo — See Wang, Chuin-Mu, **41** (7), 1546-57 (2002).
Chung, Yi-Nung — See Wang, Chuin-Mu, **41** (7), 1546-57 (2002).
Chyr, I. — See Lee, B. K., **41** (4), 742-3 (2002).
Cid, Robert — See Yeralan, Serdar, **41** (8), 1774-9 (2002).
Ciddor, Philip E. — See Smartt, Raymond N., **41** (10), 2688-91 (2002).
Clampin, Mark — Ultraviolet-optical charge-coupled devices for space instrumentation. — Mark Clampin; **41** (6), 1185-91 (2002).
Claret-Tournier, Frédéric — See Birch, Philip M., **41** (1), 32-40 (2002).
— See Birch, Philip M., **41** (1), 105-11 (2002).
— See Birch, Philip M., **41** (7), 1650-4 (2002).
Clift, W. Miles — See Bajt, Saša, **41** (8), 1797-804 (2002).
Collings, Neil — See Raman, Nalliah, **41** (10), 2636-40 (2002).
Conti, G. Nunzi — See Madasamy, Pratheepan, **41** (5), 1084-6 (2002).
Cooper, Guthrie H. — See Raja, M. Yasin Akhtar, **41** (3), 704-10 (2002).
Coppola, Giuseppe — See Sirleto, Luigi, **41** (11), 2890-8 (2002).

Corbalán, Montse — Color pattern recognition with CIELAB coordinates. — Montse Corbalán, María S. Millán, and María J. Yzuel; **41** (1), 130-8 (2002).
Cornejo-Rodríguez, Alejandro — See Padilla-Vivanco, Alfonso, **41** (12), 3241-9 (2002).
Coté, Gerard L. — See Baba, Justin Shekwoga, **41** (5), 938-42 (2002).
Cottrell, Don M. — See Davis, Jeffrey A., **41** (11), 2983-6 (2002).
Courteville, Alain — See Gonté, Frédéric, **41** (5), 1073-6 (2002).
Craubner, Siegfried — Optoelectronic image scanning with high spatial resolution and reconstruction fidelity. — Siegfried Craubner; **41** (2), 381-94 (2002).
Cremer, Frank — Infrared polarization measurements and modeling applied to surface-laid antipersonnel landmines. — Frank Cremer, Wim de Jong, and Klamer Schutte; **41** (5), 1021-32 (2002).
Cristóbal-Pérez, Gabriel — See Alvarez-Borrego, Josué, **41** (4), 827-33 (2002).
Croitoru, Nathan — See Gannot, Israel, **41** (1), 244-50 (2002).
— See Menachem, Zion, **41** (9), 2169-80 (2002).
Cross, Eugene W., Jr. — See Smartt, Raymond N., **41** (8), 2055-8 (2002).
Cruz, Flavio C. — See Onisto, Haroldo J., **41** (5), 1122-7 (2002).
Čučej, Žarko — See Gleich, Dušan, **41** (11), 2814-23 (2002).
Cui, Ruizhen — See Zhang, Haitao, **41** (8), 1780-6 (2002).
Czech, Eugeniusz — See Fryc, Irena, **41** (10), 2402-6 (2002).

D

Dahmani, Rachid — See Gupta, Neelam, **41** (5), 1033-8 (2002).
Dai, Xuhan — Quantitative analysis of the Shupe reduction in a fiber-optic Sagnac interferometer. — Xuhan Dai, Xiaolin Zhao, Bingchu Cai, Guoguang Yang, Kejiang Zhou, and Chen Liu; **41** (6), 1155-6 (2002).
Dändliker, René — See Kipfer, Peter, **41** (3), 638-46 (2002).
— See Gonté, Frédéric, **41** (5), 1073-6 (2002).
Das, Pankaj K. — See Shoop, Barry L., **41** (7), 1674-87 (2002).
Davis, Jeffrey A. — Diffraction efficiency of nonsynchronously sampled diffraction gratings. — Jeffrey A. Davis, Jingo Adachi, and Don M. Cottrell; **41** (11), 2983-6 (2002).
— See Nicolás, Josep, **41** (12), 3004-5 (2002).
de Almeida, Luiz Alberto Luz — Modeling of the hysteretic metal-insulator transition in a vanadium dioxide infrared detector. — Luiz Alberto Luz de Almeida, Gurdip Singh Deep, Antonio Marcus Nogueira Lima, and Helmut Neff; **41** (10), 2582-8 (2002).
DeBoo, Brian — See Kremer, Rex M., **41** (11), 2869-75 (2002).
de Bruijne, J. H. J. — Analysis of astronomical data from optical superconducting tunnel junctions. — J. H. J. de Bruijne, A. P. Reynolds, M. A. C. Perryman, F. Favata, and A. Peacock; **41** (6), 1158-69 (2002).
Decoster, D. — See Mourad, Magdy Hussein, **41** (2), 479-83 (2002).
Decréton, Marc — See Fernandez, Alberto Fernandez, **41** (6), 1246-54 (2002).
DeCusatis, Casimer M. — Single-mode small-form-factor fiber optic connectors for enterprise computing systems. — Casimer M. DeCusatis; **41** (10), 2438-47 (2002).
Deep, Gurdip Singh — See de Almeida, Luiz Alberto Luz, **41** (10), 2582-8 (2002).
De Francisco, Carlos Alberto — Analytical study of Bragg-grating fiber-optic filters for DWDM and temperature-sensing applications. — Carlos Alberto De Francisco, Milson T. Camargo Silva, and Murilo Araujo Romero; **41** (7), 1491-5 (2002).
Dehak, Sidi Mohammed Réda — See Boudraa, Abdel-Ouahab, **41** (12), 3161-7 (2002).
de Jong, Wim — See Cremer, Frank, **41** (5), 1021-32 (2002).
Delchambre, Alain — See Fernandez, Alberto Fernandez, **41** (6), 1246-54 (2002).
Dell'Acqua, Fabio — Rain pattern tracking by means of COTREC and modal matching. — Fabio Dell'Acqua and Paolo Gamba; **41** (2), 278-86 (2002).
Demokan, M. Süleyman — See Zhang, Min, **41** (7), 1747-51 (2002).
den Hartog, Roland — See Verhoeve, Peter, **41** (6), 1170-84 (2002).
Der, Sandor Z. — See Kwon, Heesung, **41** (1), 69-80 (2002).
Dereniak, Eustace L. — See Sabatke, Derek, **41** (5), 1048-54 (2002).
Descour, Michael — See Sabatke, Derek, **41** (5), 1048-54 (2002).
Desmet, Bernard — See Siroux, Monica, **41** (7), 1558-64 (2002).
de Wit, Gerard C. — Contrast measurement of head-mounted displays. — Gerard C. de Wit; **41** (9), 2202-7 (2002).
— Contrast budget of head-mounted displays. — Gerard C. de Wit; **41** (10), 2419-26 (2002).
DeYoung, Russell J. — See Jones, Alton L., Jr. , **41** (11), 2951-8 (2002).
Dherbecourt, P. — Generation of an amplitude modulated optical wave up to 275 GHz by laser wave mixing for optical component bandwidth measurement. — P. Dherbecourt, O. Latry, E. Joubert, and M. Ketata; **41** (7), 1469-70 (2002).
Díaz, Rodolfo E. — See Jordan, Michael, Jr. , **41** (2), 518-28 (2002).
Diettrich, Jan C. — See Lee, Chris J., **41** (4), 848-51 (2002).
Dietz, Kurt L. — Daytime aspect camera for balloon altitudes. — Kurt L. Dietz, Brian D. Ramsey, Cheryl D. Alexander, Jeff A. Apple, Kajal K. Ghosh, and Wesley R. Swift; **41** (10), 2641-51 (2002).
Ding, Jilie — Light scattering characteristics of small ice circular cylinders in visible, 1.38-μm, and some infrared wavelengths. — Jilie Ding and Lisheng Xu; **41** (9), 2252-66 (2002).
Ding, Ying — See Guo, WeiLing, **41** (10), 2391-2 (2002).
Diop, Mamadou — Novel processing technique to fabricate a three-dimensional silver-polystyrene photonic bandgap crystal. — Mamadou Diop, Gilles Maurin, Amir Tork, and Roger A. Lessard; **41** (8), 1943-6 (2002).
Diou, Alain — See Leconge, Rémy, **41** (2), 435-42 (2002).
— See Marzani, Franck S., **41** (2), 484-92 (2002).
Di Sciasio, Eugenio — Simple nonlinear dual-window operator for edge detection. — Eugenio Di Sciasio and Cataldo Guaragnella; **41** (9), 2181-5 (2002).
Disterhoft, Patrick — See Harrison, Lee, **41** (12), 3096-103 (2002).
Djie, Hery Susanto — Analysis and modeling of distributed feedback and distributed Bragg reflector lasers using regrowth-free index-coupled surface grating technology. — Hery Susanto Djie, Chrisada Sookdhis, and Philip Dowd; **41** (9), 2345-52 (2002).
Doh, Yang-Hoi — New morphological detection algorithm based on the hit-miss transform. — Yang-Hoi Doh, Jong-Chan Kim, Jeong-Woo Kim, Soo-Joong Kim, and Mohammad S. Alam; **41** (1), 26-31 (2002).
Doménech García, Gerardo — See Rodríguez García, José, **41** (8), 1947-56 (2002).
Dong, Nengli — See Qi, Bo, **41** (7), 1565-9 (2002).
Dong, Xinyong — See Liu, Yunqi, **41** (4), 740-1 (2002).
Donn, Shoang C. — Quantitative measurement for the modulation of photorefractive index gratings. — Shoang C. Donn, Chung-Chen Tu, Ching-Cherng Sun, and Ming-Tsung Chen; **41** (6), 1346-9 (2002).
Dowd, Philip — See Djie, Hery Susanto, **41** (9), 2345-52 (2002).
Drège, Emmanuel M. — Linearized inversion of scatterometric data to obtain surface profile information. — Emmanuel M. Drège, Jeffrey A. Reed, and Dale M. Byrne; **41** (1), 225-36 (2002).
Dubowsky, Steven — See Sujan, Vivek A., **41** (6), 1406-17 (2002).
Duggin, M. J. — Calibration and exploitation of a narrow-band imaging polarimeter. — M. J. Duggin and R. S. Loe; **41** (5), 1039-47 (2002).
Duncan, Bradley D. — See Brewer, Christopher D., **41** (7), 1577-85 (2002).
du Plessis, Monuko — See Snyman, Lukas Willem, **41** (12), 3230-40 (2002).
Dupuis, Olivier — See Zhu, Yue Min, **41** (4), 760-70 (2002).
Dushkina, Natalia Mitkova — Intensity dependence of two-photon absorption in CdS measured by photoluminescence excited by femtosecond laser pulses. — Natalia Mitkova Dushkina and Bruno Ullrich; **41** (9), 2365-8 (2002).

E

Eckstein, Barbara A. — See Irvine, John M., **41** (6), 1262-72 (2002).
Egbert, André — Femtosecond laser-driven x-ray tube. — André Egbert, Boris N. Chichkov, Carsten Fallnich, Stefan Zimmermann, and Alfred Reinhold; **41** (10), 2658-67 (2002).
El-Saba, Aed M. — Design and analysis of a strip-coated parallel-slab beamsplitter for the equipartition of infrared input power. — Aed M. El-Saba and Rasheed M. A. Azzam; **41** (1), 200-4 (2002).
Elsayed-Ali, Hani E. — See Jones, Alton L., Jr. , **41** (11), 2951-8 (2002).
Engel, Thierry — See Flury, Manuel, **41** (10), 2407-18 (2002).
Erdei, Gábor — Optimization method for the design of beam shaping systems. — Gábor Erdei, G. Szarvas, E. Lörincz, and P. Richter; **41** (3), 575-83 (2002).
— Cascading low-quality beam shapers to improve overall performance. — Gábor Erdei, G. Szarvas, E. Lörincz, and P. Richter; **41** (3), 584-91 (2002).
Eriksson, F. — Enhanced soft x-ray reflectivity of Cr/Sc multilayers by ion-assisted sputter deposition. — F. Eriksson, G. A. Johansson, H. M. Hertz, and J. Birch; **41** (11), 2903-9 (2002).
Erwin, J. Kevin — See Jo, Joshua S., **41** (8), 1866-75 (2002).
Esteve-Taboada, José J. — Optical recognition of three-dimensional objects with scale invariance using a classical convergent correlator. — José J. Esteve-Taboada, Javier García, and Carlos Ferreira; **41** (6), 1324-30 (2002).

F

Fähnle, Oliver W. — See Booij, Silvia M., **41** (8), 1926-31 (2002).
Fainman, Yeshayahu — See Li, Guoqiang, **41** (6), 1281-8 (2002).
Fajardo-Lira, Claudia — See García-Valenzuela, Augusto, **41** (7), 1704-16 (2002).
Fallnich, Carsten — See Egbert, André, **41** (10), 2658-67 (2002).
Fang, Ruhua — See Zhao, Bing, **41** (4), 751-9 (2002).
Fang, Zhongping — See Liu, Tong, **41** (12), 3217-20 (2002).
Favata, F. — See de Bruijne, J. H. J., **41** (6), 1158-69 (2002).
Fdez-Valdivia, Joaquín — See García, Jose A., **41** (9), 2216-37 (2002).
Fdez-Vidal, Xose R. — See García, Jose A., **41** (9), 2216-37 (2002).
Federico, Alejandro — Evaluation of the continuous wavelet transform method for the phase measurement of electronic speckle pattern interferometry fringes. — Alejandro Federico and Guillermo H. Kaufmann; **41** (12), 3209-16 (2002).
Feng, Zhe Chuan — Micro-Raman scattering and microphotoluminescence of GaN thin films grown on sapphire by metal-organic chemical vapor deposition. — Zhe Chuan Feng; **41** (8), 2022-31 (2002).
Fernandez, Alberto Fernandez — Temperature monitoring of nuclear reactor cores with multiplexed fiber Bragg grating sensors. — Alberto Fernandez Fernandez, Andrei I. Gusarov, Benoit Brichard, Serge Bodart, Koen Lammens, Francis Berghmans, Marc Decréton, Patrice Mégret, Michel Blondel, and Alain Delchambre; **41** (6), 1246-54 (2002).
Fernández, S. — See Rodríguez García, José, **41** (8), 1947-56 (2002).
Ferreira, Carlos — See Esteve-Taboada, José J., **41** (6), 1324-30 (2002).
Ferreira, Mário F. S. — Soliton stability and compression in a system with nonlinear gain. — Mário F. S. Ferreira and Sofia C. V. Latas; **41** (7), 1696-703 (2002).
Fetrow, Matthew P. — See Sposato, Stephanie H., **41** (5), 1055-64 (2002).
Fiete, Robert D. — Image quality of sparse-aperture designs for remote sensing. — Robert D. Fiete, Theodore A. Tantalo, Jason R. Calus, and James A. Mooney; **41** (8), 1957-69 (2002).
Fioletov, Vitali E. — Comparison of Brewer ultraviolet irradiance measurements with total ozone mapping spectrometer satellite retrievals. — Vitali E. Fioletov, James B. Kerr, David I. Wardle, Nikolay Krotkov, and Jay R. Herman; **41** (12), 3051-61 (2002).
Firth, L. — See Abdulhalim, I., **41** (12), 3265-9 (2002).
Fischer, Ulrich H. P. — Laser microwelding for fiber-chip coupling modules with tapered standard monomode fiber ends for optical communication systems. — Ulrich H. P. Fischer, Oliver Krips, Edmund Müller, and Alexander Jacob; **41** (12), 3221-9 (2002).
Fisher, John W., III — See Richards, John A., **41** (1), 150-66 (2002).
Fitzgerald, Eugene A. — See Li, Baojun, **41** (3), 723-7 (2002).
Fleming, Matthew G. — See Gao, Jianbo, **41** (3), 608-14 (2002).
Flury, Manuel — Rapid prototyping of diffractive optical elements for high-power lasers using laser ablation lithography fabrication and coherence probe microscopy analysis. — Manuel Flury, Abderrazzaq Benatmane, Philippe Gérard, Paul C. Montgomery, Joël Fontaine, Thierry Engel, and Jean Pierre Schunck; **41** (10), 2407-18 (2002).
Folta, James A. — See Bajt, Saša, **41** (8), 1797-804 (2002).
Fontaine, Joël — See Flury, Manuel, **41** (10), 2407-18 (2002).
Forrest, William J. — See Ninkov, Zoran, **41** (6), 1157 (2002).
Fox, Robert L. — See Allison, Sidney G., **41** (10), 2448-55 (2002).
Frezza, Fabrizio — See Borghi, Riccardo, **41** (11), 2736-42 (2002).
Friedman, Edward J. — See McComas, Brian K., **41** (3), 567-74 (2002).
— See McComas, Brian K., **41** (8), 2039-49 (2002).
Froggatt, Mark E. — See Allison, Sidney G., **41** (10), 2448-55 (2002).
Fryc, Irena — Spectral correction of the measurement CCD array. — Irena Fryc and Eugeniusz Czech; **41** (10), 2402-6 (2002).
Fu, Alan M. N. — See Chang, Yan, **41** (10), 2487-98 (2002).
Fu, Kexiang — See Nie, Ya, **41** (3), 674-9 (2002).
Fujii, Takashi — See Cao, Nianwen, **41** (1), 218-24 (2002).
Fujikake, Hideo — Fundamental display properties of flexible devices containing polymer-stabilized ferroelectric liquid crystal between plastic substrates. — Hideo Fujikake, Takeshi Murashige, Hiroto Sato, Yoshiki Iino, Masahiro Kawakita, and Hiroshi Kikuchi; **41** (9), 2195-201 (2002).
Fujimoto, Manabu — See Iijima, Ryuta, **41** (11), 2743-8 (2002).
Fukuchi, Tetsuo — See Cao, Nianwen, **41** (1), 218-24 (2002).
Funatsu, Eiichi — Artificial retina large scale integration with on-sensor projection function for high-speed motion detection. — Eiichi Funatsu, Soichiro Kuramochi, Yoji Nagafuchi, Hiroshi Kage, Narumi Sakashita, Fumihide Murao, and Kazuo Kyuma; **41** (11), 2709-18 (2002).

Fung, George S. K. — Effective moving cast shadow detection for monocular color traffic image sequences. — George S. K. Fung, Nelson H. C. Yung, Grantham K. H. Pang, and Andrew H. S. Lai; **41** (6), 1425-40 (2002).

G

Gaikwad, Parikshit S. — See Jindal, Rajeev, **41** (5), 1093-6 (2002).
Galatsanos, Nikolas P. — Hyperparameter estimation in image restoration problems with partially known blurs. — Nikolas P. Galatsanos, Vladimir Z. Mesarović, Rafael Molina, Aggelos K. Katsaggelos, and Javier Mateos; **41** (8), 1845-54 (2002).
Gale, Michael T. — See Ammer, Thomas, **41** (12), 3141-50 (2002).
Galliani, Alessandro — See Siani, Anna Maria, **41** (12), 3082-9 (2002).
Galstian, Tigran V. — See Yavrian, Artashes, **41** (4), 852-5 (2002).
Gamba, Paolo — See Dell'Acqua, Fabio, **41** (2), 278-86 (2002).
Gamiz, Victor L. — Performance limitations of a four-channel polarimeter in the presence of detection noise. — Victor L. Gamiz and John F. Belsher; **41** (5), 973-80 (2002).
Gan, Fuxi — See Wei, Jingsong, **41** (9), 2073-4 (2002).
— See Huang, Mingju, **41** (9), 2315-20 (2002).
Gannot, Israel — Beam shape analysis of waveguide delivered infrared lasers. — Israel Gannot, M. Ben-David, A. Inberg, Nathan Croitoru, and R. W. Waynant; **41** (1), 244-50 (2002).
Gao, Guo — See Guo, WeiLing, **41** (10), 2391-2 (2002).
Gao, Jianbo — Novel technique for multiresolution color image segmentation. — Jianbo Gao, Jun Zhang, and Matthew G. Fleming; **41** (3), 608-14 (2002).
Gao, Wei — See Slusser, James, **41** (12), 3006-7 (2002).
García, Javier — See Esteve-Taboada, José J., **41** (6), 1324-30 (2002).
García, John — See Sabatke, Derek, **41** (5), 1048-54 (2002).
García, Jose A. — Rational systems exhibit moderate risk aversion with respect to "gambles" on variable-resolution compression. — Jose A. García, Rosa Rodriguez-Sánchez, Joaquín Fdez-Valdivia, and Xose R. Fdez-Vidal; **41** (9), 2216-37 (2002).
García-Valenzuela, Augusto — Measuring and sensing a complex refractive index by laser reflection near the critical angle. — Augusto García-Valenzuela, Mary Carmen Peña-Gomar, and Claudia Fajardo-Lira; **41** (7), 1704-16 (2002).
— Error analysis on measuring angle-differential profiles of optical reflectivity by dynamic reflectometry. — Augusto García-Valenzuela and M. Peña-Gomar; **41** (8), 2050-4 (2002).
Geetha, K. — See Lee, S. Thomas, **41** (12), 3260-4 (2002).
Gentilman, Richard L. — See Klein, Claude A., **41** (12), 3151-60 (2002).
Geogdzhaev, Igor V. — See Krotkov, Nickolay A., **41** (12), 3028-39 (2002).
George, Nibu A. — Photoacoustic studies on *n*-type InP. — Nibu A. George, C. P. G. Vallabhan, V. P. N. Nampoori, and P. Radhakrishnan; **41** (1), 251-4 (2002).
Geraghty, D. F. — See Madasamy, Pratheepan, **41** (5), 1084-6 (2002).
Gérard, Philippe — See Fiury, Manuel, **41** (10), 2407-18 (2002).
Gerwe, David R. — Supersampling multiframe blind deconvolution resolution enhancement of adaptive optics compensated imagery of low earth orbit satellites. — David R. Gerwe, David J. Lee, and Jeffrey D. Barchers; **41** (9), 2238-51 (2002).
Ghosh, Ajay — See Sanyal, Sucharita, **41** (3), 592-7 (2002).
Ghosh, Kajal K. — See Dietz, Kurt L., **41** (10), 2641-51 (2002).
Gianino, Peter D. — See Khoury, J., **41** (1), 17-25 (2002).
— See Khoury, J., **41** (1), 112-7 (2002).
— See Khoury, J., **41** (1), 118-25 (2002).
Gilbreath, G. Charmaine — See Biermann, Mark L., **41** (7), 1655-60 (2002).
Gilchrest, Yadira V. — See Young, Cynthia Y., **41** (5), 1097-103 (2002).
Gleich, Dušan — Context-based image coding using fuzzy logic. — Dušan Gleich, Peter Planinšič, and Zarko Čučej; **41** (11), 2814-23 (2002).
Goedgebuer, Jean-Pierre — See Chen, Chii-Chang, **41** (11), 2930-4 (2002).
Goldman, Arnon — See Zalevsky, Zeev, **41** (6), 1358-64 (2002).
Goldstein, Dennis H. — Special section guest editorial: Polarization. — Dennis H. Goldstein, J. Scott Tyo, and David Chenault; **41** (5), 930-1 (2002).
— Spectropolarimetric reflectometer. — Dennis H. Goldstein and David B. Chenault; **41** (5), 1013-20 (2002).
Gomez, Richard B. — Hyperspectral imaging: a useful technology for transportation analysis. — Richard B. Gomez; **41** (9), 2137-43 (2002).
Gómez-Reino, Carlos — See Rivas-Moscoso, José Manuel, **41** (2), 303-13 (2002).
Goncharov, Alexander V. — Adaptive optics schemes for future extremely large telescopes. — Alexander V. Goncharov, Mette Owner-Petersen, Torben Andersen, and Jacques M. Beckers; **41** (5), 1065-72 (2002).
— Intrinsic apodization effect in a compact two-mirror system with a spherical primary mirror. — Alexander V. Goncharov, Mette Owner-Petersen, and Daniil T. Puryayev; **41** (12), 3111-5 (2002).
Gong, Jianmin — Fiber Bragg grating current sensor using linear magnetic actuator. — Jianmin Gong, C. C. Chan, M. Zhang, W. Jin, J. M. K. MacAlpine, and Y. B. Liao; **41** (3), 557-8 (2002).
Gong, Mali — See Zhang, Haitao, **41** (8), 1780-6 (2002).
Gong, Y. D. — Mechanism of bound soliton pulse formation in a passively mode locked fiber ring laser. — Y. D. Gong, D. Y. Tang, P. Shum, C. Lu, T. H. Cheng, W. S. Man, and H. Y. Tam; **41** (11), 2778-82 (2002).
Gonté, Frédéric — Optimization of single-mode fiber coupling efficiency with an adaptive membrane mirror. — Frédéric Gonté, Alain Courteville, and René Dändliker; **41** (5), 1073-6 (2002).
Gopishankar, Lakshmanan — See Park, HyunWook, **41** (6), 1232-9 (2002).
Gorin, Brian A. — New method to optimize atmospheric correction for hyperspectral thermal imaging. — Brian A. Gorin, Robert C. Blosser, and James Sweet; **41** (9), 2088-97 (2002).
Gorria, Patrick — See Lew Yan Voon, Lew F. C., **41** (5), 924-5 (2002).
Goto, Naohiko — See Cao, Nianwen, **41** (1), 218-24 (2002).
Gouton, Pierre — See Journaux, Stéphane, **41** (7), 1507-19 (2002).
Grecos, Christos — See Jiang, Jianmin, **41** (2), 335-41 (2002).
Grover, Chander P. — See Chang, Shoude, **41** (10), 2479-86 (2002).
Grupp, Joachim — See Kipfer, Peter, **41** (3), 638-46 (2002).
Gruts, Yuri — See Son, Jung-Young, **41** (3), 680-5 (2002).
Gu, Zhengtian — Measurement of glass surface layers and their influence on thin-film optical properties. — Zhengtian Gu, Peihui Liang, and Weiqing Zhang; **41** (7), 1738-46 (2002).
Guaragnella, Cataldo — See Di Sciasio, Eugenio, **41** (9), 2181-5 (2002).
Gunther, John — See Yeralan, Serdar, **41** (8), 1774-9 (2002).
Guo, Shuqin — Balance between birefringence and Kerr effect in zero-averaged-path dispersion-managed optical fiber links. — Shuqin Guo and Guosheng Zhou; **41** (10), 2464-7 (2002).
Guo, WeiLing — Two different lasers integrated in a monochip by one-step epitaxy. — WeiLing Guo, Guangdi Shen, JianJun Li, Ying Ding, Ying Liu, Guo Gao, and DeShu Zou; **41** (10), 2391-2 (2002).
Gupta, Mridula — See Bose, Srikanta, **41** (1), 190-9 (2002).
— See Singh, Adarsh, **41** (11), 2915-22 (2002).
Gupta, Neelam — Acousto-optic tunable filter based visible- to near-infrared spectropolarimetric imager. — Neelam Gupta, Rachid Dahmani, and Steve Choy; **41** (5), 1033-8 (2002).
Gupta, R. S. — See Bose, Srikanta, **41** (1), 190-9 (2002).
— See Singh, Adarsh, **41** (11), 2915-22 (2002).
Gusarov, Andrei I. — See Fernandez, Alberto Fernandez, **41** (6), 1246-54 (2002).

H

Hadar, Ofer — See Raiter, Sergey, **41** (12), 3276-82 (2002).
Haidar, S. — Difference-frequency mixing of output waves from a periodically poled lithium niobate optical parametric oscillator in a GaSe crystal. — S. Haidar, Y. K. Hsu, C. S. Chang, S. C. Wang, and Hiromasa Ito; **41** (8), 1932-5 (2002).
Haldar, Subhasis — See Bose, Srikanta, **41** (1), 190-9 (2002).
Hamilton, Tom — See Sabatke, Derek, **41** (5), 1048-54 (2002).
Hamzaoui, Raouf — See Charfi, Youssef, **41** (12), 3168-76 (2002).
Han, Haewook — See Park, Byeong Hoon, **41** (6), 1339-45 (2002).
Han, Xuliang — Accurate diffraction efficiency control for multiplexed volume holographic gratings. — Xuliang Han, Gicherl Kim, and Ray T. Chen; **41** (11), 2799-802 (2002).
Hanna, David C. — See Lee, Chris J., **41** (4), 848-51 (2002).
Haouari, Ameur — See Charfi, Youssef, **41** (12), 3168-76 (2002).
Hardeberg, Jon Y. — Multispectral color image capture using a liquid crystal tunable filter. — Jon Y. Hardeberg, Francis Schmitt, and Hans Brettel; **41** (10), 2532-48 (2002).
Hardie, Russell C. — See Weinschenk, Jeffrey J., **41** (10), 2613-9 (2002).
Hariharan, Parameswaran — Phase-shifting interferometry: measurements with high-reflectance surfaces. — Parameswaran Hariharan; **41** (4), 856-9 (2002).
Harmand, Souad — See Siroux, Monica, **41** (7), 1558-64 (2002).
Harna, Zdeněk — See Chmelik, Radim, **41** (4), 744-5 (2002).
Harris, Scott R. — See Weinschenk, Jeffrey J., **41** (10), 2613-9 (2002).
Harrison, Lee — United States Department of Agriculture reference ultraviolet spectroradiometer: current performance and operational experience at Table Mountain, Colorado. — Lee Harrison, Jerry Berndt, Piotr Kiedron, and Patrick Disterhoft; **41** (12), 3096-103 (2002).
Haverkamp, Donna — Extracting straight road structure in urban environments using IKONOS satellite imagery. — Donna Haverkamp; **41** (9), 2107-10 (2002).
He, Liming — See Wang, Yong, **41** (11), 2783-92 (2002).
Heath, Donald F. — Applications of ultraviolet absolute radiometry in satellite and surface-based remote sensing of atmospheric ozone. — Donald F. Heath, Ziauddin Ahmad, and Zongyang Wei; **41** (12), 3104-10 (2002).
Herman, Jay R. — See Vasilkov, Alexander P., **41** (12), 3019-27 (2002).
— See Krotkov, Nickolay A., **41** (12), 3028-39 (2002).
— See Fioletov, Vitali E., **41** (12), 3051-61 (2002).
— See Chubarova, Nataly Ye., **41** (12), 3070-81 (2002).
Hertz, H. M. — See Eriksson, F., **41** (11), 2903-9 (2002).
Herzig, Hans Peter — See Kipfer, Peter, **41** (3), 638-46 (2002).
Hidalgo Alonso, Orlando — See Rodríguez García, José, **41** (8), 1947-56 (2002).
Hikida, Soichiro — See Kobayashi, Masako, **41** (8), 1876-85 (2002).
Hirleman, E. Dan — See Jordan, Michael, Jr. , **41** (2), 518-28 (2002).
Ho, D. B. — See Morbi, Z., **41** (9), 2321-37 (2002).
Ho, H. L. — See Hoo, Y. L., **41** (1), 8-9 (2002).
Holzapfel, Wolfgang — Optical topography measurement applying optimal filtering of local slope and surface height data. — Wolfgang Holzapfel, Manfried Sofsky, and Ulrich Neuschaefer-Rube; **41** (9), 2301-9 (2002).
Hong, Min-Cheol — Iterative regularized least-mean mixed-norm image restoration. — Min-Cheol Hong, Tania Stathaki, and Aggelos K. Katsaggelos; **41** (10), 2515-24 (2002).
Hong, Seok Min — See Kim, Hyun Sook, **41** (7), 1661-7 (2002).
Honkanen, S. — See Madasamy, Pratheepan, **41** (5), 1084-6 (2002).
Hoo, Y. L. — Evanescent-wave gas sensing using microstructure fiber. — Y. L. Hoo, W. Jin, H. L. Ho, D. N. Wang, and Robert S. Windeler; **41** (1), 8-9 (2002).
Hooper, William P. — Retrieval of near-surface temperature profiles from passive and active optical measurements. — William P. Hooper, Gerald E. Nedoluha, and Lee U. Martin; **41** (7), 1586-602 (2002).
Hore, Edward S. — Prediction-based image restoration using a multiple window configuration. — Edward S. Hore, Bin Qiu, and Henry R. Wu; **41** (8), 1855-65 (2002).
Horenstein, Mark N. — See Perreault, Julie A., **41** (3), 561-6 (2002).
Hsieh, Chaur-Heh — See Kuo, Chung-Ming, **41** (5), 1104-14 (2002).
Hsu, Chih-Yuan — See Sun, Ching-Cherng, **41** (11), 2809-13 (2002).
Hsu, Christina — See Vasilkov, Alexander P., **41** (12), 3019-27 (2002).
Hsu, Ping-Feng — See Lo, Yu-Lung, **41** (11), 2764-7 (2002).
Hsu, Y. K. — See Haidar, S., **41** (8), 1932-5 (2002).
Hu, Dongcheng — See Liu, Fei, **41** (12), 3002-3 (2002).
Hu, Fengyao — See Song, Ning, **41** (9), 2353-6 (2002).
Hu, Y. — See Madasamy, Pratheepan, **41** (5), 1084-6 (2002).
Huang, Chao — See Bao, Xiaoyi, **41** (7), 1496-501 (2002).
Huang, Cong — See Li, Xide, **41** (6), 1295-308 (2002).
Huang, Fuquan — See Wang, Shaomin, **41** (6), 1396-9 (2002).
Huang, Kuo-Si — See Chen, Shin-Si, **41** (11), 2824-30 (2002).
Huang, M. J. — Innovative phase unwrapping algorithm: hybrid approach. — M. J. Huang and Cian-Jhih Lai; **41** (6), 1373-86 (2002).
Huang, Mingju — Optical setup and analysis of disk-type photopolymer high-density holographic storage. — Mingju Huang, Zhongyu Chen, and Fuxi Gan; **41** (9), 2315-20 (2002).
Huang, Wei — See Zhou, Zhao-fei, **41** (12), 3270-5 (2002).
Huang, Y. — See Xu, Bugao, **41** (7), 1475-9 (2002).
Hummel, Robert A. — See Irvine, John M., **41** (6), 1262-72 (2002).
Huo, MingSheng — See Yuan, Xiang Yan, **41** (11), 2923-9 (2002).
Hwang, Hone-Ene — Diffraction limit for a circular mask with a periodic rectangular apertures array. — Hone-Ene Hwang, Gwo-Huei Yang, and Jung-Chuan Chou; **41** (10), 2620-6 (2002).
— Far-field diffraction characteristics of a time-variant Gaussian pulsed beam propagating from a circular aperture. — Hone-Ene Hwang and Gwo-Huei Yang; **41** (11), 2719-27 (2002).
Hwang, Kyu-Ho — See Jo, Young Shik, **41** (2), 409-15 (2002).
Hwang, Wen-Jyi — Robust image transmission over ATM networks based on scalable wavelet coding. — Wen-Jyi Hwang, Chung-Kun Wu, and Ching-Fung Chine; **41** (9), 2208-15 (2002).

Hyyppä, Kalevi — See Nordin, Daniel, **41** (5), 1128-33 (2002).

I

Ibáñez Martín, Isabel — See Rodríguez García, José, **41** (8), 1947-56 (2002).
Iftekharuddin, Khan M. — Harmonic wavelet joint transform correlator: analysis, algorithm, and application to image denoising. — Khan M. Iftekharuddin; **41** (12), 3307-15 (2002).
Iijima, Ryuta — Document scanner using polymer waveguides with a microlens array. — Ryuta Iijima, Manabu Fujimoto, Yuji Maruo, Mamoru Nakatsuka, Tetsuya Inui, Shingo Abe, and Yutaka Unuma; **41** (11), 2743-8 (2002).
Iino, Yoshiki — See Fujikake, Hideo, **41** (9), 2195-201 (2002).
Inberg, A. — See Gannot, Israel, **41** (1), 244-50 (2002).
Indebetouw, Guy — See Kim, Taegeun, **41** (6), 1331-8 (2002).
Inoué, Shinya — See Shribak, Michael, **41** (5), 943-54 (2002).
Inui, Tetsuya — See Iijima, Ryuta, **41** (11), 2743-8 (2002).
Iordache, Răzvan — See Boudraa, Abdel-Ouahab, **41** (12), 3161-7 (2002).
Irvin, Edward M., Jr. — See Lurie, Joan, **41** (9), 2075-6 (2002).
Irvine, John M. — Evaluation of the tactical utility of compressed imagery. — John M. Irvine, Barbara A. Eckstein, Robert A. Hummel, Richard J. Peters, and Rhonda Ritzel; **41** (6), 1262-72 (2002).
Ito, Hiromasa — See Haidar, S., **41** (8), 1932-5 (2002).
Iwai, Katsumasa — Equivalent complex refractive indices for ray-tracing evaluation of dielectric-coated hollow waveguides. — Katsumasa Iwai, Yukio Abe, Yuji Matsuura, and Mitsunobu Miyagi; **41** (7), 1471-2 (2002).
Iwamoto, Yasuhiro — Comparisons of performance under brightness changes of target scenes between nonlinear joint transform correlators that use input images with pure-amplitude, pure-phase, and complex data. — Yasuhiro Iwamoto and Takumi Minemoto; **41** (1), 41-9 (2002).

J

Jabczyński, Jan K. — See Jelínková, Helena, **41** (8), 1976-82 (2002).
Jacob, Alexander — See Fischer, Ulrich H. P., **41** (12), 3221-9 (2002).
Jahng, Surng-Gabb — See Kang, Eung-Kwan, **41** (1), 255-63 (2002).
Janesick, James — Lux transfer: Complementary metal oxide semiconductors versus charge-coupled devices. — James Janesick; **41** (6), 1203-15 (2002).
Jang, Ju-Seog — Two-step integral imaging for orthoscopic three-dimensional imaging with improved viewing resolution. — Ju-Seog Jang and Bahram Javidi; **41** (10), 2568-71 (2002).
Janouch, Michal — See Schmalwieser, Alois W., **41** (12), 3040-50 (2002).
Javidi, Bahram — See Jung, Sungyong, **41** (10), 2389-90 (2002).
— See Jang, Ju-Seog, **41** (10), 2568-71 (2002).
Jelínková, Helena — Nd:YAP 1.34-μm/1.08-μm laser passively mode-locked and Q-switched by V^{3+}:YAG/BDN II saturable absorbers with efficient radiation delivery through a hollow glass waveguide coated with COP/Ag. — Helena Jelínková, Pavel Černý, Jan Šulc, Jan K. Jabczyński, Krzysztof Kopczyński, Zygmunt Mierczyk, Mitsunobu Miyagi, Yuji Matsuura, and Yi-Wei Shi; **41** (8), 1976-82 (2002).
Jennings, Johnny K. — Ray-mixing polarization errors resulting from surface aberrations in large segmented mirrors. — Johnny K. Jennings and Barbara T. Landesman; **41** (5), 955-64 (2002).
Jeong, Ho Jin — See Lee, Young Wuk, **41** (6), 1309-12 (2002).
Jeong, Moon-Sik — Color grating projection moiré with time-integral fringe capturing for high-speed 3-D imaging. — Moon-Sik Jeong and Seung-Woo Kim; **41** (8), 1912-7 (2002).
Jeong, Yoonchan — Macrobend sensor via the use of a hollow-core splice fiber: theory and experiments. — Yoonchan Jeong, Seungin Baek, Byoungho Lee, Sangsoo Choi, and Kyunghwan Oh; **41** (8), 1815-20 (2002).
Jia, Weipu — See Zhang, Haitao, **41** (8), 1780-6 (2002).
Jiang, Hong — High-performance laser tracker using an articulating mirror for the calibration of coordinate measuring machine. — Hong Jiang, Sonko Osawa, Toshiyuki Takatsuji, Hironori Noguchi, and Tomizo Kurosawa; **41** (3), 632-7 (2002).
Jiang, Jianmin — Towards improved prediction accuracy in JPEG-LS. — Jianmin Jiang and Christos Grecos; **41** (2), 335-41 (2002).
Jiang, Minhua — See Wang, Dong, **41** (8), 1899-902 (2002).
Jiang, Wenhan — See Rao, Changhui, **41** (2), 534-41 (2002).
Jin, Wei — See Hoo, Y. L., **41** (1), 8-9 (2002).
— See Gong, Jianmin, **41** (3), 557-8 (2002).
— See Zhang, Min, **41** (7), 1747-51 (2002).
Jin, Yuqi — See Yu, Deli, **41** (10), 2668-74 (2002).
Jindal, Rajeev — High dynamic range fiber optic relative humidity sensor. — Rajeev Jindal, Shiquan Tao, Jagdish P. Singh, and Parikshit S. Gaikwad; **41** (5), 1093-6 (2002).
Jing, Wencai — New structure for bit synchronization in a terabit-per-second optical interconnection network. — Wencai Jing, Yimo Zhang, and Ge Zhou; **41** (7), 1644-9 (2002).
Jo, Joshua S. — Phase and amplitude apodization induced by focusing through an evanescent gap in a solid immersion lens microscope. — Joshua S. Jo, Tom D. Milster, and J. Kevin Erwin; **41** (8), 1866-75 (2002).
Jo, Young Shik — Optical performance evaluation of thin-film micromirror array in projection display. — Young Shik Jo, Dong-Seon Yoon, Seung-Woo Kim, and Kyu-Ho Hwang; **41** (2), 409-15 (2002).
Johansson, G. A. — See Eriksson, F., **41** (11), 2903-9 (2002).
Johnson, Eric G. — See Vaissié, Laurent, **41** (8), 1821-8 (2002).
Jonathan, Jean-Michel — See Okada-Shudo, Yoshiko, **41** (11), 2803-8 (2002).
Jones, Alton L., Jr. — Compact solid-state dye polymer laser for ozone lidar applications. — Alton L. Jones, Jr. , Russell J. DeYoung, and Hani E. Elsayed-Ali; **41** (11), 2951-8 (2002).
Jones, Grinnell, III — See Bhanu, Bir, **41** (12), 3298-306 (2002).
Jordan, David L. — See Raven, Peter N., **41** (5), 1002-12 (2002).
Jordan, Michael, Jr. — Semi-empirical model of light scattering from submicron pyramidal pits. — Michael Jordan, Jr. , Rodolfo E. Díaz, and E. Dan Hirleman; **41** (2), 518-28 (2002).
Joubert, E. — See Dherbecourt, P., **41** (7), 1469-70 (2002).
Journaux, Stéphane — New method of grain-boundary extraction by directional optimal filtering: application to estimating creep in metals. — Stéphane Journaux, Pierre Gouton, and Guy Thauvin; **41** (7), 1507-19 (2002).
Jóźwicki, Romuald — See Tkaczyk, Tomasz, **41** (4), 811-21 (2002).
— See Wawrzyniuk, Leszek, **41** (11), 2959-65 (2002).
Jun, Wang — See Asundi, Anand, **41** (6), 1400-5 (2002).
Jung, Sungyong — Viewing-angle-enhanced integral 3-D imaging using double display devices with masks. — Sungyong Jung, Jae-Hyeung Park, Byoungho Lee, and Bahram Javidi; **41** (10), 2389-90 (2002).
— See Min, Sung-Wook, **41** (10), 2572-6 (2002).
Jutamulia, Suganda — Optical Fourier-transform theory based on geometrical optics. — Suganda Jutamulia and Toshimitsu Asakura; **41** (1), 13-6 (2002).
— See Song, Feijun, **41** (1), 50-4 (2002).
Juuso, Sanna — See Karppinen, Mikko, **41** (4), 899-910 (2002).
— See Kololuoma, Terho, **41** (12), 3136-40 (2002).

K

Kaftandjian, Valérie — See Zhu, Yue Min, **41** (4), 760-70 (2002).
Kage, Hiroshi — See Funatsu, Eiichi, **41** (11), 2709-18 (2002).
Kahru, Mati — See Vasilkov, Alexander P., **41** (12), 3019-27 (2002).
Kalliskota, Sari — See Krotkov, Nickolay A., **41** (12), 3028-39 (2002).
Kam, Chan Hin — See Que, Wenxiu, **41** (7), 1733-7 (2002).
Kane, Jonathan S. — See Khoury, J., **41** (1), 112-7 (2002).
Kang, Dong-Goo — Joint rate-distortion optimization of discrete cosine transform coefficient quantization and disparity field estimation for stereo image coding. — Dong-Goo Kang and Rae-Hong Park; **41** (8), 2008-21 (2002).
Kang, Eung-Kwan — Eminent scene change detection algorithm and new indexing method for video retrieval on MPEG sequences. — Eung-Kwan Kang, Sung-Joo Kim, Surng-Gabb Jahng, and Jong-Soo Choi; **41** (1), 255-63 (2002).
Kang, Jingu — See Kim, Kyoung-Youm, **41** (8), 1936-42 (2002).
Kang, Moon Gi — See Park, Min Kyu, **41** (2), 370-80 (2002).
Kang, Shinill — See Moon, Su-dong, **41** (9), 2267-70 (2002).
— See Kim, Youngmin, **41** (9), 2276-81 (2002).
Kang, Yilan — See Wang, Huaiwen, **41** (11), 2793-8 (2002).
Karamanian, Gabriel — See Schmalwieser, Alois W., **41** (12), 3040-50 (2002).
Karim, Mohammad A. — See Alam, Mohammad S., **41** (1), 10-2 (2002).
— See Zhang, Shuqun, **41** (1), 126-9 (2002).
Karioja, Pentti — See Alasaarela, Ilkka, **41** (1), 181-9 (2002).
— See Karppinen, Mikko, **41** (4), 899-910 (2002).
Karmouch, Ahmed — See Ahmed, Mohamed, **41** (2), 505-17 (2002).
Karppinen, Mikko — Wireless infrared data links: ray-trace simulations of diffuse channels and demonstration of diffractive element for multibeam transmitters. — Mikko Karppinen, Kari Kataja, Jukka-Tapani Mäkinen, Sanna Juuso, Hannu J. Rajaniemi, Pertti Pääkkönen, Jari Turunen, Juha T. Rantala, and Pentti Karioja; **41** (4), 899-910 (2002).
Kataja, Kari — See Karppinen, Mikko, **41** (4), 899-910 (2002).
— See Kololuoma, Terho, **41** (12), 3136-40 (2002).
Katsaggelos, Aggelos K. — See Galatsanos, Nikolas P., **41** (8), 1845-54 (2002).
— See Hong, Min-Cheol, **41** (10), 2515-24 (2002).
Katz, Gilad — Inclusive bit error rate analysis for coherent optical code-division multiple-access system. — Gilad Katz and Dan Sadot; **41** (6), 1227-31 (2002).
Katzir, Abraham — See Rave, Eran, **41** (7), 1467-8 (2002).
— See Scharf, Vered, **41** (7), 1502-6 (2002).
Kaufmann, Ben — See Bajt, Saša, **41** (8), 1797-804 (2002).
Kaufmann, Guillermo H. — See Federico, Alejandro, **41** (12), 3209-16 (2002).
Kaurola, Jussi — See Krotkov, Nickolay A., **41** (12), 3028-39 (2002).
Kawakita, Masahiro — See Fujikake, Hideo, **41** (9), 2195-201 (2002).
Kazmi, Saba Akhter — See Shakher, Chandra, **41** (1), 176-80 (2002).
Kerr, James B. — See Fioletov, Vitali E., **41** (12), 3051-61 (2002).
Kerwien, Norbert — See Tavrov, Alexander, **41** (8), 1886-92 (2002).
Ketata, M. — See Dherbecourt, P., **41** (7), 1469-70 (2002).
Khotiaintsev, Sergei — See Svirid, Vladimir, **41** (4), 779-87 (2002).
Khoury, J. — Algorithms for correlating severely obscured images in nonoverlapping zero-mean noise. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **41** (1), 17-25 (2002).
— Demultiplexing and phase-locking via a self-pumped phase-conjugate mirror. — J. Khoury, Jonathan S. Kane, Peter D. Gianino, and Charles L. Woods; **41** (1), 112-7 (2002).
— Effect of disjoint illumination in optimal correlation filters with obscured inputs. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **41** (1), 118-25 (2002).
Kiedron, Piotr — See Harrison, Lee, **41** (12), 3096-103 (2002).
Kikuchi, Hiroshi — See Fujikake, Hideo, **41** (9), 2195-201 (2002).
Kim, Byoung Yoon — See Lee, Young Wuk, **41** (6), 1309-12 (2002).
Kim, Chang Woo — See Kim, Hyun Sook, **41** (7), 1661-7 (2002).
Kim, Eun-Soo — See Kim, Jung-Jin, **41** (4), 834-8 (2002).
Kim, Geun Young — See Lee, Young Wuk, **41** (6), 1309-12 (2002).
Kim, Gicherl — See Han, Xuliang, **41** (11), 2799-802 (2002).
Kim, Hyun Sook — Compact mid-wavelength infrared zoom camera with 20:1 zoom range and automatic athermalization. — Hyun Sook Kim, Chang Woo Kim, and Seok Min Hong; **41** (7), 1661-7 (2002).
Kim, Jaihie — See Park, Min Kyu, **41** (2), 370-80 (2002).
Kim, Jeong-Woo — See Doh, Yang-Hoi, **41** (1), 26-31 (2002).
Kim, Jong-Chan — See Doh, Yang-Hoi, **41** (1), 26-31 (2002).
Kim, Jun Yeon — See Park, Byeong Hoon, **41** (6), 1339-45 (2002).
Kim, Jung-Jin — Wavelet-transform-based stereo residual image compression. — Jung-Jin Kim, Ji-Sang Yoo, and Eun-Soo Kim; **41** (4), 834-8 (2002).
Kim, Kyoung-Youm — Photorefractive recording of subwavelength-size binary data using near-field scanning optical microscopy. — Kyoung-Youm Kim, Jingu Kang, and Byoungho Lee; **41** (8), 1936-42 (2002).
Kim, Seung-Woo — See Jo, Young Shik, **41** (2), 409-15 (2002).
— See Jeong, Moon-Sik, **41** (8), 1912-7 (2002).
Kim, Soo Hyun — See Yi, Jong Hoon, **41** (2), 428-34 (2002).
Kim, Soo-Joong — See Doh, Yang-Hoi, **41** (1), 26-31 (2002).
Kim, Sung-Joo — See Kang, Eung-Kwan, **41** (1), 255-63 (2002).
Kim, Taegeun — Depth detection and image recovery in remote sensing by optical scanning holography. — Taegeun Kim, Ting-Chung Poon, and Guy Indebetouw; **41** (6), 1331-8 (2002).
Kim, Yongmin — See Park, HyunWook, **41** (6), 1232-9 (2002).
Kim, Youngmin — Effect of insulation layer on transcribability and birefringence distribution in optical disk substrate. — Youngmin Kim, Kibyung Seong, and Shinill Kang; **41** (9), 2276-81 (2002).
Kinnera, Ravinderkumar — See Chipman, Russell, **41** (5), 932-7 (2002).

Kipfer, Peter — Improved red color with cholesteric liquid crystals in Bragg reflection mode. — Peter Kipfer, Rolf Klappert, Hans Peter Herzig, Joachim Grupp, and René Dändliker; **41** (3), 638-46 (2002).
Klappert, Rolf — See Kipfer, Peter, **41** (3), 638-46 (2002).
Klein, Claude A. — Cooled high-power laser light transmitting components: beam-induced aberrations and power-handling capability. — Claude A. Klein; **41** (9), 2158-68 (2002).
— Characteristic strength and Weibull modulus of selected infrared-transmitting materials. — Claude A. Klein, Richard P. Miller, and Richard L. Gentilman; **41** (12), 3151-60 (2002).
Knize, Randall J. — See Andersen, Geoff P., **41** (7), 1603-7 (2002).
Kobayashi, Masako — See Kudo, Jun-ichi, **41** (8), 1787-91 (2002).
— 480 × 8 hybrid HgCdTe infrared focal plane arrays for high-definition television format. — Masako Kobayashi, Hideo Wada, Toshihiro Okamura, Junichi Kudo, Kunihiro Tanikawa, Soichiro Hikida, Yoshihiro Miyamoto, Shinji Miyazaki, and Yukihiro Yoshida; **41** (8), 1876-85 (2002).
Kober, Vitaly — See Mozerov, Mikhail, **41** (10), 2592-8 (2002).
Kololuoma, Terho — Fabrication and characterization of hybrid-glass-based axicons. — Terho Kololuoma, Kari Kataja, Sanna Juuso, Janne Aikio, and Juha T. Rantala; **41** (12), 3136-40 (2002).
Kopczyński, Krzysztof — See Jelínková, Helena, **41** (8), 1976-82 (2002).
Kopeika, Norman S. — See Likhterov, Boris, **41** (11), 2970-4 (2002).
— See Raiter, Sergey, **41** (12), 3276-82 (2002).
Kopola, Harri — See Alasaarela, Ilkka, **41** (1), 181-9 (2002).
Korobkin, Dmitriy V. — Twofold spatial resolution enhancement by two-photon exposure of photographic film. — Dmitriy V. Korobkin and Eli Yablonovitch; **41** (7), 1729-32 (2002).
Koskela, Tapani — See Schmalwieser, Alois W., **41** (12), 3040-50 (2002).
Kou, Xinyu — Fully automatic algorithm for region of interest location in camera calibration. — Xinyu Kou, Zhong Wang, Mingzhou Chen, and Shenghua Ye; **41** (6), 1220-6 (2002).
Kreis, Thomas M. — Frequency analysis of digital holography. — Thomas M. Kreis; **41** (4), 771-8 (2002).
— Frequency analysis of digital holography with reconstruction by convolution. — Thomas M. Kreis; **41** (8), 1829-39 (2002).
Kremer, Rex M. — Null corrector design for white light scatterplate interferometry on a large conic surface. — Rex M. Kremer, Brian DeBoo, and José M. Sasián; **41** (11), 2869-75 (2002).
Krips, Oliver — See Fischer, Ulrich H. P., **41** (12), 3221-9 (2002).
Krotkov, Nickolay A. — See Vasilkov, Alexander P., **41** (12), 3019-27 (2002).
— Version 2 total ozone mapping spectrometer ultraviolet algorithm: problems and enhancements. — Nickolay A. Krotkov, Jay Herman, Pawan K. Bhartia, Colin Seftor, Antti Arola, Jussi Kaurola, Sari Kalliskota, Petteri Taalas, and Igor V. Geogdzhaev; **41** (12), 3028-39 (2002).
— See Fioletov, Vitali E., **41** (12), 3051-61 (2002).
— See Chubarova, Nataly Ye., **41** (12), 3070-81 (2002).
Kudo, Jun-ichi — Diffractive lens in 8- to 10-μm forward-looking infrared system. — Jun-ichi Kudo, Hideo Wada, Toshihiro Okamura, Masako Kobayashi, and Kunihiro Tanikawa; **41** (8), 1787-91 (2002).
— See Kobayashi, Masako, **41** (8), 1876-85 (2002).
Kudo, Makoto — See Maruyama, Tomoyuki, **41** (2), 395-402 (2002).
Kuhlow, Berndt — See Schauwecker, Bernd, **41** (1), 237-43 (2002).
Kujawińska, Małgorzata — See Sitnik, Robert, **41** (2), 416-27 (2002).
— See Sitnik, Robert, **41** (2), 443-9 (2002).
— See Pawłowski, Michał Emanuel, **41** (2), 450-9 (2002).
Kulshreshtha, A. — See Bali, L. M., **41** (10), 2627-35 (2002).
Kumar, Anil — See Singh, Adarsh, **41** (11), 2915-22 (2002).
Kumar, M. — See Bali, L. M., **41** (10), 2627-35 (2002).
Kumar, Rajesh — See Shakher, Chandra, **41** (1), 176-80 (2002).
Kuo, Chih-Ping — See Lo, Yu-Lung, **41** (5), 1087-92 (2002).
Kuo, Chung-Ming — Predictive search algorithm for vector quantization of images. — Chung-Ming Kuo, Chaur-Heh Hsieh, and Shiuh-Ku Weng; **41** (5), 1104-14 (2002).
Kuo, Jin Min — Ship wake detection in synthetic aperture radar images using a combination of a wavelet correlator and Radon transform. — Jin Min Kuo and Kun Shan Chen; **41** (3), 686-96 (2002).
Kuramochi, Soichiro — See Funatsu, Eiichi, **41** (11), 2709-18 (2002).
Kurosawa, Tomizo — See Jiang, Hong, **41** (3), 632-7 (2002).
Kuzin, E. A. — See Cerecedo-Núñez, H. H., **41** (3), 555-6 (2002).
— See Cerecedo-Núñez, H. H., **41** (6), 1153-4 (2002).
Kwak, Yoon Keun — See Yi, Jong Hoon, **41** (2), 428-34 (2002).
Kwon, Heesung — Adaptive multisensor target detection using feature-based fusion. — Heesung Kwon, Sandor Z. Der, and Nasser M. Nasrabadi; **41** (1), 69-80 (2002).
Kwon, Hyung-Woo — See Sohn, Ik-Bu, **41** (7), 1465-6 (2002).
Kwon, O'Dae — See Park, Byeong Hoon, **41** (6), 1339-45 (2002).
Kyuma, Kazuo — See Funatsu, Eiichi, **41** (11), 2709-18 (2002).

L

Laben, Craig — Integration of remote sensing data and geographic information system technology for emergency managers and their applications at the Pacific Disaster Center. — Craig Laben; **41** (9), 2129-36 (2002).
Lafond, Christophe — See Tork, Amir, **41** (9), 2310-4 (2002).
Lai, Andrew H. S. — See Fung, George S. K., **41** (6), 1425-40 (2002).
Lai, Chengjun — See Nie, Ya, **41** (11), 2966-9 (2002).
Lai, Cian-Jhih — See Huang, M. J., **41** (6), 1373-86 (2002).
Laligant, Olivier — See Leconge, Rémy, **41** (2), 435-42 (2002).
Lam, Yee Loy — See Wang, Chao, **41** (6), 1240-5 (2002).
Lamalle, Bernard — See Lew Yan Voon, Lew F. C., **41** (5), 924-5 (2002).
Lammens, Koen — See Fernandez, Alberto Fernandez, **41** (6), 1246-54 (2002).
Landesman, Barbara T. — See Jennings, Johnny K., **41** (5), 955-64 (2002).
Lane, Richard G. — See van Dam, Marcos A., **41** (6), 1387-95 (2002).
Larruquert, Juan I. — Nonoxidized Al-overcoated Ir bilayers with high reflectance in the extreme ultraviolet above 50 nm. — Juan I. Larruquert, José A. Méndez, and José A. Aznárez; **41** (6), 1418-24 (2002).
Laska, Kamil — See Schmalwieser, Alois W., **41** (12), 3040-50 (2002).
Latas, Sofia C. V. — See Ferreira, Mário F. S., **41** (7), 1696-703 (2002).
Latry, O. — See Dherbecourt, P., **41** (7), 1469-70 (2002).
Le, H. Q. — See Morbi, Z., **41** (9), 2321-37 (2002).
Leconge, Rémy — Methods cooperation for multiresolution motion estimation. — Rémy Leconge, Olivier Laligant, Fréderic Truchetet, and Alain Diou; **41** (2), 435-42 (2002).
Ledentsov, Nikolai N. — Novel concepts for injection lasers. — Nikolai N. Ledentsov and Vitaly A. Shchukin; **41** (12), 3193-203 (2002).
Lee, B. K. — In-situ Er-doped GaN optical storage devices using high-resolution focused ion beam milling. — B. K. Lee, C. J. Chi, I. Chyr, D. S. Lee, F. R. Beyette, Jr., and A. J. Steckl; **41** (4), 742-3 (2002).
Lee, Byoungho — See Jeong, Yoonchan, **41** (8), 1815-20 (2002).
— See Kim, Kyoung-Youm, **41** (8), 1936-42 (2002).
— See Jung, Sungyong, **41** (10), 2389-90 (2002).
— See Min, Sung-Wook, **41** (10), 2572-6 (2002).
Lee, Chris J. — Periodically poled lithium niobate optical parametric oscillator pump-tuned by a single-axial-mode Ti:sapphire laser. — Chris J. Lee, Glenn W. Baxter, Jan C. Diettrich, Iain T. McKinnie, Donald M. Warrington, Peter G. R. Smith, Graeme W. Ross, and David C. Hanna; **41** (4), 848-51 (2002).
Lee, D. S. — See Lee, B. K., **41** (4), 742-3 (2002).
Lee, David J. — See Gerwe, David R., **41** (9), 2238-51 (2002).
Lee, Eun Sil — See Park, Min Kyu, **41** (2), 370-80 (2002).
Lee, Jiann-Shu — Analytical study on junction detection. — Jiann-Shu Lee, Jzau-Sheng Lin, Ching-Tsorng Tsai, and Ding-Horng Chen; **41** (2), 342-50 (2002).
Lee, Nam-Kwon — See Sohn, Ik-Bu, **41** (7), 1465-6 (2002).
Lee, S. Thomas — Microbent optical fibers as evanescent wave sensors. — S. Thomas Lee, K. Geetha, V. P. N. Nampoori, C. P. G. Vallabhan. and P. Radhakrishnan; **41** (12), 3260-4 (2002).
Lee, Yong Gi — See Lee, Young Wuk, **41** (6), 1309-12 (2002).
Lee, Young Wuk — Simple all-fiber-optic component for first-order polarization mode dispersion compensation. — Young Wuk Lee, Ho Jin Jeong, Jung Hyung Pyo, Byoung Yoon Kim, Kyong Mo Yoon, Geun Young Kim, and Yong Gi Lee; **41** (6), 1309-12 (2002).
Lee, Yun Woo — See Yi, Jong Hoon, **41** (2), 428-34 (2002).
Leistner, Achim J. — See Smartt, Raymond N., **41** (10), 2688-91 (2002).
Leitz, Christopher W. — See Li, Baojun, **41** (3), 723-7 (2002).
Le Maoult, Yannick — See Sentenac, Thierry, **41** (4), 796-810 (2002).
Lessard, Roger A. — See Diop, Mamadou, **41** (8), 1943-6 (2002).
— See Tork, Amir, **41** (9), 2310-4 (2002).
Levin, Mark — See Bormashenko, Edward, **41** (2), 295-302 (2002).
Levine, B. Martin — See Perreault, Julie A., **41** (3), 561-6 (2002).
Levy, Uriel — See Zalevsky, Zeev, **41** (6), 1350-7 (2002).
Lew Yan Voon, Lew F. C. — See Marzani, Franck S., **41** (2), 484-92 (2002).
— 100-× 100-pixel CMOS retina for real-time binary pattern matching. — L. F. C. Lew Yan Voon, Guy Cathebras, Bernard Lamalle, Patrick Gorria, B. Bellach, and O. Aubreton; **41** (5), 924-5 (2002).
Li, Baojun — 1×2 optical waveguide filters based on multimode interference for 1.3- and 1.55-μm operation. — Baojun Li, Soo-Jin Chua, Christopher W. Leitz, and Eugene A. Fitzgerald; **41** (3), 723-7 (2002).
Li, Dahai — Simple algorithms of wavefront reconstruction for cyclic radial shearing interferometer. — Dahai Li, Huaixin Chen, and Zhenpei Chen; **41** (8), 1893-8 (2002).
Li, Gongde — See Birch, Philip M., **41** (7), 1650-4 (2002).
Li, Guoqiang — Analysis of the wavelength-to-depth encoded interference microscopy for three-dimensional imaging. — Guoqiang Li and Yeshayahu Fainman; **41** (6), 1281-8 (2002).
— See Qian, Feng, **41** (10), 2607-12 (2002).
Li, JianJun — See Guo, WeiLing, **41** (10), 2391-2 (2002).
Li, Qingxiang — Autofocus system for microscope. — Qingxiang Li, Lifen Bai, Shifu Xue, and Luyun Chen; **41** (6), 1289-94 (2002).
Li, Wan-Song — Phase unwrapping algorithm based on phase fitting reliability in structured light projection. — Wan-Song Li and Xian-Yu Su; **41** (6), 1365-72 (2002).
Li, Wenjie — See Zhou, Zhao-fei, **41** (12), 3270-5 (2002).
Li, Xide — Detection of small cracks and cavities using laser diffraction. — Xide Li, A. K. Soh, Cong Huang, C. H. Yang, and Hui-Ji Shi; **41** (6), 1295-308 (2002).
Li, Yinzhu — See Liu, Cheng, **41** (10), 2434-7 (2002).
Liang, Di — See Ma, Yangwu, **41** (12), 3319-23 (2002).
Liang, Peihui — See Gu, Zhengtian, **41** (7), 1738-46 (2002).
Liao, Y. B. — See Gong, Jianmin, **41** (3), 557-8 (2002).
Liew, Yuan-Ban — See Yao, Jianping, **41** (1), 81-6 (2002).
Likhterov, Boris — Differential sensing of vibration for high-quality restoration of motion-blurred images. — Boris Likhterov and Norman S. Kopeika; **41** (11), 2970-4 (2002).
Lim, L. E. N. — See Venkatakrishnan, Krishnan. **41** (6), 1441-5 (2002).
Lima, Antonio Marcus Nogueira — See de Almeida, Luiz Alberto Luz, **41** (10), 2582-8 (2002).
Lin, Ching-Huang — See Sun, Wen-Shing, **41** (2), 460-70 (2002).
Lin, Dejiao — See Wu, Jian, **41** (3), 669-73 (2002).
— See Yin, Chunyong, **41** (4), 746-50 (2002).
Lin, Jzau-Sheng — See Lee, Jiann-Shu, **41** (2), 342-50 (2002).
— Fuzzy possibilistic neural network to vector quantizer in frequency domains. — Jzau-Sheng Lin; **41** (4), 839-47 (2002).
Lin, Kao-Hui — Novel coordinate mapping algorithm for three-dimensional profile noncontact measurement. — Kao-Hui Lin, Ming Chang, and Tyun-Jye Felipe Chen; **41** (7), 1615-20 (2002).
Lin, Shyh-Tsong — See Yeh, Sheng-Lih, **41** (2), 314-8 (2002).
Lindlein, Norbert — Experimental results for expanding the dynamic range of a Shack-Hartmann sensor using astigmatic microlenses. — Norbert Lindlein and Johannes Pfund; **41** (2), 529-33 (2002).
Ling, Ning — See Rao, Changhui, **41** (2), 534-41 (2002).
Liu, Chen — See Dai, Xuhan, **41** (6), 1155-6 (2002).
Liu, Cheng — Elimination of zero-order diffraction in digital holography. — Cheng Liu, Yinzhu Li, Xiaotian Cheng, Zhigang Liu, Feng Bo, and Jianqiang Zhu; **41** (10), 2434-7 (2002).
Liu, Fei — Adaptive level set image segmentation using the Mumford and Shah functional. — Fei Liu, Yupin Luo, and Dongcheng Hu; **41** (12), 3002-3 (2002).
Liu, Junhua — See Zhang, Yong, **41** (3), 615-25 (2002).
Liu, Qian — Reasonable optical engineering approximation of the effects of two inclined gratings in Talbot interferometry. — Qian Liu and Ryoji Ohba; **41** (10), 2652-7 (2002).
Liu, Tong — Parameter optimization of an all-fiber Fourier filter flat-top interleaver. — Tong Liu, Yeng Chai Soh, Ying Zhang, and Zhongping Fang; **41** (12), 3217-20 (2002).
Liu, Ying — See Guo, WeiLing, **41** (10), 2391-2 (2002).
Liu, Yunqi — Tunable chirping of a fiber Bragg grating without center wavelength shift using a simply supported beam. — Yunqi Liu, Jianping Yao, Xinyong Dong, and Jianliang Yang; **41** (4), 740-1 (2002).
Liu, Zhigang — See Liu, Cheng, **41** (10), 2434-7 (2002).
Lo, Yu-Lung — Self-referenced intensity-based fiber optic sensor system using fiber Bragg gratings. — Yu-Lung Lo, Ting-Yang Yan, and Chih-Ping Kuo; **41** (5), 1087-92 (2002).

— Birefringence measurements by an electro-optic modulator using a new heterodyne scheme. — Yu-Lung Lo and Ping-Feng Hsu; **41** (11), 2764-7 (2002).
Locke, Ann — See Sabatke, Derek. **41** (5), 1048-54 (2002).
Loe, R. S. — See Duggin, M. J., **41** (5), 1039-47 (2002).
Lognoli, David — Fluorescence lidar remote sensing: experimental test for investigating black crusts on ancient buildings. — David Lognoli and Marta Pantani; **41** (1), 213-7 (2002).
Logofătu, Petre Cătălin — Simple method for determining the fast axis of a wave plate. — Petre Cătălin Logofătu; **41** (12), 3316-8 (2002).
López-Alonso, José Manuel — Bad pixel identification by means of principal components analysis. — José Manuel López-Alonso and Javier Alda; **41** (9), 2152-7 (2002).
Lörincz, E. — See Erdei, Gábor, **41** (3), 575-83 (2002).
— See Erdei, Gábor, **41** (3), 584-91 (2002).
Lou, Der-Chyuan — Adaptive digital watermarking using fuzzy logic techniques. — Der-Chyuan Lou and Te-Lung Yin; **41** (10), 2675-87 (2002).
Lu, C. — See Gong, Y. D., **41** (11), 2778-82 (2002).
Lu, Hai-Han — Hybrid AM-VSB/256-QAM WDM system over 70 km of single-mode fiber with praseodymium-doped fiber amplifier. — Hai-Han Lu; **41** (5), 928-9 (2002).
— Using optical single sideband modulation technique to improve CATV system performance. — Hai-Han Lu and Shah-Jye Tzeng; **41** (8), 1765-6 (2002).
— Dispersion compensation in externally modulated transmission system using reverse dispersion fiber. — Hai-Han Lu; **41** (9), 2296-300 (2002).
— 256-QAM WDM system transmitted over 80 km of single-mode fiber using a 1.3-μm semiconductor optical amplifier. — Hai-Han Lu and Wen-Jen Wang; **41** (11), 2707-8 (2002).
Lu, Mao-Hong — See Sze, Jyh-Rou, **41** (12), 3127-35 (2002).
Lu, Yi-Bin — Pump-controlled signal switching using a nonlinear dual-core fiber. — Yi-Bin Lu and P. L. Chu; **41** (12), 3000-1 (2002).
Luo, Yupin — See Liu, Fei, **41** (12), 3002-3 (2002).
Lurie, Joan — Special section guest editorial: Remote Sensing Technology and Applications. — Joan Lurie and Edward M. Irvin, Jr. ; **41** (9), 2075-6 (2002).

M

Ma, Lei — Integrated and hierarchical sortmap-relabel image segmentation methods. — Lei Ma, Jennie Si, and Glen P. Abousleman; **41** (11), 2856-65 (2002).
Ma, Min — See Zhang, Dongsheng, **41** (5), 1115-21 (2002).
Ma, Yangwu — Tunable and frequency-stabilized CO_2 waveguide laser. — Yangwu Ma and Di Liang; **41** (12), 3319-23 (2002).
Ma, Yonghong — See Zhu, Lin, **41** (8), 1805-8 (2002).
MacAlpine, J. M. K. — See Gong, Jianmin, **41** (3), 557-8 (2002).
Madasamy, Pratheepan — Waveguide distributed Bragg reflector laser arrays in erbium doped glass made by dry Ag film ion exchange. — Pratheepan Madasamy, G. Nunzi Conti, P. Poyhonen, Y. Hu, M. M. Morrell, D. F. Geraghty, S. Honkanen, and N. Peyghambarian; **41** (5), 1084-6 (2002).
Magli, Enrico — See Barni, Mauro, **41** (9), 2111-9 (2002).
Mahon, Rita — See Biermann, Mark L., **41** (7), 1655-60 (2002).
Mäkinen, Jukka-Tapani — See Karppinen, Mikko, **41** (4), 899-910 (2002).
Malacara-Hernández, Daniel — See Trujillo-Schiaffino, Gerardo, **41** (11), 2910-4 (2002).
Man, W. S. — See Gong, Y. D., **41** (11), 2778-82 (2002).
Manian, Vidya — Approaches to color- and texture-based image classification. — Vidya Manian and Ramón Vásquez; **41** (7), 1480-90 (2002).
Marais, Jan F. K. — See Snyman, Lukas Willem, **41** (12), 3230-40 (2002).
Marathe, Rajeev — See Moorty, J. A. R. Krishna, **41** (11), 2935-44 (2002).
Marcenac, D. — See Mourad, Magdy Hussein, **41** (2), 479-83 (2002).
Márquez, Heriberto — See Tentori, Diana, **41** (10), 2468-75 (2002).
Martin, Didier — See Verhoeve, Peter, **41** (6), 1170-84 (2002).
Martin, Lee U. — See Hooper, William P., **41** (7), 1586-602 (2002).
Martin, William — Satellite image collection optimization. — William Martin; **41** (9), 2083-7 (2002).
Martínez-Ponce, Geminiano — See Camacho P., Alma A., **41** (11), 2899-902 (2002).
Maruo, Yuji — See Iijima, Ryuta, **41** (11), 2743-8 (2002).
Maruyama, Tomoyuki — Development of a near-infrared photon-counting system using an InGaAs avalanche photodiode. — Tomoyuki Maruyama, Fumio Narusawa, Makoto Kudo, Mitsuyoshi Tanaka, Yasunori Saito, and Akio Nomura; **41** (2), 395-402 (2002).
Marzani, Franck S. — Calibration of a three-dimensional reconstruction system using a structured light source. — Franck S. Marzani, Yvon Voisin, Lew F. C. Lew Yan Voon, and Alain Diou; **41** (2), 484-92 (2002).
Mateos, Javier — See Galatsanos, Nikolas P., **41** (8), 1845-54 (2002).
Matsuura, Yuji — See Iwai, Katsumasa, **41** (7), 1471-2 (2002).
— See Jelínková, Helena, **41** (8), 1976-82 (2002).
Matsuzoe, Yuji — Error dispersion algorithms to improve angle precision for an encoder. — Yuji Matsuzoe, Nobuhiko Tsuji, and Toru Yoshizawa; **41** (9), 2282-9 (2002).
Maurin, Gilles — See Diop, Mamadou, **41** (8), 1943-6 (2002).
Mavaddat, Rafie — See Raman, Nalliah, **41** (10), 2636-40 (2002).
McComas, Brian K. — Field-balanced adaptive optics error function for wide field-of-view space-based systems. — Brian K. McComas and Edward J. Friedman; **41** (3), 567-74 (2002).
— Wavefront sensing for deformable space-based optics exploiting natural and synthetic guide stars. — Brian K. McComas and Edward J. Friedman; **41** (8), 2039-49 (2002).
McIvor, Alan M. — Nonlinear calibration of a laser stripe profiler. — Alan M. McIvor; **41** (1), 205-12 (2002).
McKenzie, Richard — See Slusser, James, **41** (12), 3006-7 (2002).
McKinnie, Iain T. — See Lee, Chris J., **41** (4), 848-51 (2002).
McMillan, Robert W. — See Sabatke, Derek, **41** (5), 1048-54 (2002).
Mégret, Patrice — See Fernandez, Alberto Fernandez, **41** (6), 1246-54 (2002).
Meier, Steven R. — See Priest, Richard G., **41** (5), 988-93 (2002).
Meinel, Aden Baker — Large sparse-aperture space optical systems. — Aden Baker Meinel and Marjorie Pettit Meinel; **41** (8), 1983-94 (2002).
— Large membrane space optics: imagery and aberrations of diffractive and holographic achromatized optical elements of high diffraction order. — Aden Baker Meinel and Marjorie Pettit Meinel; **41** (8), 1995-2007 (2002).
Meinel, Marjorie Pettit — See Meinel, Aden Baker, **41** (8), 1983-94 (2002).
— See Meinel, Aden Baker, **41** (8), 1995-2007 (2002).
Melgani, Farid — Unsupervised change-detection methods for remote-sensing images. — Farid Melgani, Gabriele Moser, and Sebastiano B. Serpico; **41** (12), 3288-97 (2002).
Menachem, Zion — Improved mode model for infrared wave propagation in a toroidal dielectric waveguide and applications. — Zion Menachem, Nathan Croitoru, and Jacob Aboudi; **41** (9), 2169-80 (2002).
Mendelovic, David — See Zalevsky, Zeev, **41** (6), 1350-7 (2002).
Méndez, José A. — See Larruquert, Juan I., **41** (6), 1418-24 (2002).
Mesarović, Vladimir Z. — See Galatsanos, Nikolas P., **41** (8), 1845-54 (2002).
Mierczyk, Zygmunt — See Jelínková, Helena, **41** (8), 1976-82 (2002).
Millán, María S. — See Corbalán, Montse, **41** (1), 130-8 (2002).
Miller, John H., Jr. — See Yang, Xi, **41** (11), 2866-8 (2002).
Miller, Richard P. — See Klein, Claude A., **41** (12), 3151-60 (2002).
Millward, S. — See Abdulhalim, I., **41** (12), 3265-9 (2002).
Milster, Tom D. — See Jo, Joshua S., **41** (8), 1866-75 (2002).
Min, Sung-Wook — Study for wide-viewing integral photography using an aspheric Fresnel-lens array. — Sung-Wook Min, Sungyong Jung, Jae-Hyeung Park, and Byoungho Lee; **41** (10), 2572-6 (2002).
Minardo, Aldo — See Bernini, Romeo, **41** (9), 2186-94 (2002).
Minemoto, Takumi — See Iwamoto, Yasuhiro, **41** (1), 41-9 (2002).
Miridonov, S. V. — See Shlyagin, M. G., **41** (8), 1809-14 (2002).
Mitchell, B. Greg — See Vasilkov, Alexander P., **41** (12), 3019-27 (2002).
Mitchell, Phillip E. — Document layout extraction using soft ordering. — Phillip E. Mitchell and Hong Yan; **41** (11), 2831-43 (2002).
Miyagi, Mitsunobu — See Iwai, Katsumasa, **41** (7), 1471-2 (2002).
— See Jelínková, Helena, **41** (8), 1976-82 (2002).
Miyake, Yukiharu — See Sasaki, Masako, **41** (12), 3062-9 (2002).
Miyamoto, Yoshihiro — See Kobayashi, Masako, **41** (8), 1876-85 (2002).
Miyazaki, Shinji — See Kobayashi, Masako, **41** (8), 1876-85 (2002).
Molchanov, Vladimir Y. — See Voloshinov, Vitaly B., **41** (6), 1273-80 (2002).
Molina, Rafael — See Galatsanos, Nikolas P., **41** (8), 1845-54 (2002).
Montgomery, Paul C. — See Flury, Manuel, **41** (10), 2407-18 (2002).
Moon, Su-dong — Fabrication of polymeric microlens of hemispherical shape using micromolding. — Su-dong Moon, Shinill Kang, and Jong-Uk Bu; **41** (9), 2267-70 (2002).
Mooney, James A. — See Fiete, Robert D., **41** (8), 1957-69 (2002).
Moores, G. — See Abdulhalim, I., **41** (12), 3265-9 (2002).
Moorty, J. A. R. Krishna — H_∞ control law for line-of-sight stabilization for mobile land vehicles. — J. A. R. Krishna Moorty, Rajeev Marathe, and V. R. Sule'; **41** (11), 2935-44 (2002).
Morbi, Z. — Short-range remote spectral sensor using mid-infrared semiconductor lasers with orthogonal code-division multiplexing approach. — Z. Morbi, D. B. Ho, H.-W. Ren, H. Q. Le, and S. S. Pei; **41** (9), 2321-37 (2002).
Moreno, Ignacio — See Attaleb, Abdelaziz, **41** (12), 3250-9 (2002).
Morrell, M. M. — See Madasamy, Pratheepan, **41** (5), 1084-6 (2002).
Moser, Gabriele — See Melgani, Farid, **41** (12), 3288-97 (2002).
Mourad, Magdy Hussein — Design and simulation of a two-section Fabry-Pérot sampled grating distributed Bragg reflector laser for dense wavelength-division multiplexing applications. — Magdy Hussein Mourad, D. Marcenac, J. P. Vilcot, and D. Decoster; **41** (2), 479-83 (2002).
Mouriño-Pérez, Rosa Reyna — See Alvarez-Borrego, Josué, **41** (4), 827-33 (2002).
Mozerov, Mikhail — Motion estimation using modified dynamic programming. — Mikhail Mozerov, Vitaly Kober, Andrei Tchernykh, and Tae Sun Choi; **41** (10), 2592-8 (2002).
Müller, Edmund — See Fischer, Ulrich H. P., **41** (12), 3221-9 (2002).
Murao, Fumihide — See Funatsu, Eiichi, **41** (11), 2709-18 (2002).
Murashige, Takeshi — See Fujikake, Hideo, **41** (9), 2195-201 (2002).
Murata, Yorinobu — See Sivanesan, Ponniah, **41** (10), 2456-63 (2002).
Murooka, Yoshihiro — See Zhu, Yongchang, **41** (12), 3183-92 (2002).

N

Nagafuchi, Yoji — See Funatsu, Eiichi, **41** (11), 2709-18 (2002).
Nagel, Martin — Polarization-independent wavelength multiplexing using thermally fixed photorefractive gratings in lithium niobate. — Martin Nagel and Azad Siahmakoun; **41** (11), 2975-82 (2002).
Nakatsuka, Mamoru — See Iijima, Ryuta, **41** (11), 2743-8 (2002).
Nampoori, V. P. N. — See George, Nibu A., **41** (1), 251-4 (2002).
— See Lee, S. Thomas, **41** (12), 3260-4 (2002).
Narusawa, Fumio — See Maruyama, Tomoyuki, **41** (2), 395-402 (2002).
Nasrabadi, Nasser M. — See Kwon, Heesung, **41** (1), 69-80 (2002).
Nedoluha, Gerald E. — See Hooper, William P., **41** (7), 1586-602 (2002).
Nee, Soe-Mie F. — Principal Mueller matrix of reflection and scattering measured for a one-dimensional rough surface. — Soe-Mie F. Nee and Tsu-Wei Nee; **41** (5), 994-1001 (2002).
Nee, Tsu-Wei — See Nee, Soe-Mie F., **41** (5), 994-1001 (2002).
Neff, Helmut — See de Almeida, Luiz Alberto Luz, **41** (10), 2582-8 (2002).
Nemoto, Koshichi — See Cao, Nianwen, **41** (1), 218-24 (2002).
Nersisyan, Sarik R. — See Tabiryan, Nelson V., **41** (11), 2876-89 (2002).
Neuschaefer-Rube, Ulrich — See Holzapfel, Wolfgang, **41** (9), 2301-9 (2002).
Ng, T. W. — Shadow moiré topography using a flatbed scanner. — T. W. Ng and A. Tajuddin; **41** (8), 1908-11 (2002).
Ngoi, Bryan Kok Ann — See Venkatakrishnan, Krishnan, **41** (6), 1441-5 (2002).
— See Wang, Yong, **41** (11), 2783-92 (2002).
Ni, Yu-De — See Zhang, Jian-Guo, **41** (9), 2369-75 (2002).
Nicolás, Josep — Programmable wave plates using a twisted nematic liquid crystal display. — Josep Nicolás and Jeffrey A. Davis; **41** (12), 3004-5 (2002).
Nie, Ya — Polarizing beamsplitter based on the effects of birefringent and resonance anomaly. — Ya Nie, Zhiheng Wang, Kexiang Fu, Chuanhong Zhou, and Qizhi Zhang; **41** (3), 674-9 (2002).
— Beam selector dependent on incident angle by guided-mode resonant subwavelength grating. — Ya Nie, Lei Wang, Zhiheng Wang, and Chengjun Lai; **41** (11), 2966-9 (2002).
Nikulin, Vladimir V. — Genetic algorithm optimization for Bragg cell design. — Vladimir V. Nikulin, Victor A. Skormin, and Timothy E. Busch; **41** (8), 1767-73 (2002).
Ninkov, Zoran — Special section guest editorial: Focal Plane Detector Array Developments. — Zoran Ninkov and William J. Forrest; **41** (6), 1157 (2002).
— See Piterman, Albert, **41** (6), 1192-202 (2002).
Noguchi, Hironori — See Jiang, Hong, **41** (3), 632-7 (2002).
Nomura, Akio — See Maruyama, Tomoyuki, **41** (2), 395-402 (2002).
Nordin, Daniel — Advantages of a new modulation scheme in an optical self-mixing frequency-modulated continuous-wave system. — Daniel Nordin and Kalevi Hyyppä; **41** (5), 1128-33 (2002).
Nunez, Manuel — See Schmalwieser, Alois W., **41** (12), 3040-50 (2002).

O

O'Connell, Kevin M. — See Baker, John C., **41** (9), 2077-82 (2002).
Oh, Kyunghwan — See Jeong, Yoonchan, **41** (8), 1815-20 (2002).
Ohba, Ryoji — See Liu, Qian, **41** (10), 2652-7 (2002).
Okada-Shudo, Yoshiko — Polarization holography with photoinduced anisotropy in bacteriorhodopsin. — Yoshiko Okada-Shudo, Jean-Michel Jonathan, and Gérald Roosen; **41** (11), 2803-8 (2002).
Okamura, Toshihiro — See Kudo, Jun-ichi, **41** (8), 1787-91 (2002).
— See Kobayashi, Masako, **41** (8), 1876-85 (2002).
Okayama, Hideaki — Wavelength demultiplexer using a multi-reflection-mirror waveguide. — Hideaki Okayama and Taiji Tsuruoka; **41** (6), 1446-51 (2002).
Oldenbourg, Rudolf — See Shribak, Michael, **41** (5), 943-54 (2002).
Olmo, Gabriella — See Barni, Mauro, **41** (9), 2111-9 (2002).
Ong, S. H. — See Bi, M., **41** (7), 1528-35 (2002).
Onisto, Haroldo J. — Frequency doubled and stabilized all-solid-state Ti:sapphire lasers. — Haroldo J. Onisto, Reinaldo L. Cavasso-Filho, Artemio Scalabrin, Daniel Pereira, and Flavio C. Cruz; **41** (5), 1122-7 (2002).
Oreb, Bozenko F. — See Sjödahl, Mikael, **41** (2), 403-8 (2002).
Orteu, Jean-José — See Sentenac, Thierry, **41** (4), 796-810 (2002).
Osawa, Sonko — See Jiang, Hong, **41** (3), 632-7 (2002).
O'Shea, Donald C., Editor — Editorial: The Journey. — Donald C. O'Shea, Editor; **41** (1), 5-6 (2002).
— Editorial: 2001 in Review. — Donald C. O'Shea, Editor; **41** (2), 273-4 (2002).
— Editorial: Becoming an Engineer. — Donald C. O'Shea, Editor; **41** (3), 553 (2002).
— Editorial: The Claw. — Donald C. O'Shea, Editor; **41** (4), 737-8 (2002).
— Editorial: Keeping Current. — Donald C. O'Shea, Editor; **41** (5), 921-2 (2002).
— Editorial: Patents. — Donald C. O'Shea, Editor; **41** (6), 1150-1 (2002).
— Editorial: Problem Solving. — Donald C. O'Shea, Editor; **41** (7), 1462-3 (2002).
— Editorial: Down in the DOS, out in the OS X. — Donald C. O'Shea, Editor; **41** (8), 1762-3 (2002).
— Editorial: Keeping It Close to the Vest. — Donald C. O'Shea, Editor; **41** (9), 2070-1 (2002).
— Editorial: The 1.5-Liter Merit Function. — Donald C. O'Shea, Editor; **41** (10), 2386-7 (2002).
— Editorial: Fraud. — Donald C. O'Shea, Editor; **41** (11), 2702-3 (2002).
— Editorial: Finding the Frontier. — Donald C. O'Shea, Editor; **41** (12), 2998 (2002).
Otón, José Manuel — See Pena, José M. Sánchez, **41** (7), 1608-11 (2002).
— See Sirleto, Luigi, **41** (11), 2890-8 (2002).
Ouyang, Yuh — See Sun, Ching-Cherng, **41** (11), 2809-13 (2002).
Owner-Petersen, Mette — See Goncharov, Alexander V., **41** (5), 1065-72 (2002).
— See Goncharov, Alexander V., **41** (12), 3111-5 (2002).
Oyanagi, Takehiko — See Sasaki, Masako, **41** (12), 3062-9 (2002).
Özsoy, Sedat — See Saraçoglu, O. Galip, **41** (3), 598-600 (2002).

P

Pääkkönen, Pertti — See Karppinen, Mikko, **41** (4), 899-910 (2002).
Padilla-Vivanco, Alfonso — Two-dimensional average contrast analysis of the joint Fourier spectrum under rotation of an input object. — Alfonso Padilla-Vivanco, Gonzalo Urcid-Serrano, Javier Báez-Rojas, and Alejandro Cornejo-Rodríguez; **41** (12), 3241-9 (2002).
Paez, Gonzalo — See Castrellon, Jesus, **41** (6), 1255-61 (2002).
Pajewski, Lara — See Borghi, Riccardo, **41** (11), 2736-42 (2002).
Palisoc, Arthur L. — See Andersen, Geoff P., **41** (7), 1603-7 (2002).
Pang, Grantham K. H. — See Fung, George S. K., **41** (6), 1425-40 (2002).
— See Yang, Xue Zhi, **41** (12), 3116-26 (2002).
Pantani, Marta — See Lognoli, David, **41** (1), 213-7 (2002).
Park, Byeong Hoon — Optical sensing by using photonic quantum ring lasers and resonance-enhanced photodetectors. — Byeong Hoon Park, Seung Duk Baek, Jun Yeon Kim, Joongwoo Bae, Haewook Han, and O'Dae Kwon; **41** (6), 1339-45 (2002).
Park, HyunWook — Adaptive filtering for noise reduction in hue saturation intensity color space. — HyunWook Park, Lakshmanan Gopishankar, and Yongmin Kim; **41** (6), 1232-9 (2002).
Park, Jae-Hyeung — See Jung, Sungyong, **41** (10), 2389-90 (2002).
— See Min, Sung-Wook, **41** (10), 2572-6 (2002).
Park, Jin Yeol — See Park, Min Kyu, **41** (2), 370-80 (2002).
Park, Ki-Hwan — Generation of continuous-wave millimeter-wave signals in a nonlinear lithium niobate optical waveguide. — Ki-Hwan Park and Wataru Chujo; **41** (10), 2589-91 (2002).
Park, Min Kyu — Discrete cosine transform based high-resolution image reconstruction considering the inaccurate subpixel motion information. — Min Kyu Park, Eun Sil Lee, Jin Yeol Park, Moon Gi Kang, and Jaihie Kim; **41** (2), 370-80 (2002).
Park, Rae-Hong — See Kang, Dong-Goo, **41** (8), 2008-21 (2002).
Park, Won Shik — Measurement of fine 6-degrees-of-freedom displacement of rigid bodies through splitting a laser beam: experimental investigation. — Won Shik Park and Hyung Suck Cho; **41** (4), 860-71 (2002).
Pawlowski, Michał Emanuel — Shape and motion measurement of time-varying three-dimensional objects based on spatiotemporal fringe-pattern analysis. — Michał Emanuel Pawłowski, Małgorzata Kujawińska, and Marek Grzegorz Węgiel; **41** (2), 450-9 (2002).
Peacock, Anthony — See de Bruijne, J. H. J., **41** (6), 1158-69 (2002).
— See Verhoeve, Peter, **41** (6), 1170-84 (2002).
Pech-Pacheco, José Luis — See Alvarez-Borrego, Josué, **41** (4), 827-33 (2002).
Pei, Bingnan — See Xing, Mengdao, **41** (2), 493-504 (2002).
Pei, S. S. — See Morbi, Z., **41** (9), 2321-37 (2002).
Pena, José M. Sánchez — See Vargas, S., **41** (5), 926-7 (2002).
— Electro-optic system for online light transmission control of polymer-dispersed liquid crystal windows. — José M. Sánchez Pena, Carmen Vázquez, Isabel Pérez, I. Rodríguez, and José M. Otón; **41** (7), 1608-11 (2002).
Peña-Gomar, Mary Carmen — See García-Valenzuela, Augusto, **41** (7), 1704-16 (2002).
— See García-Valenzuela, Augusto, **41** (8), 2050-4 (2002).
Pereira, Daniel — See Onisto, Haroldo J., **41** (5), 1122-7 (2002).
Pérez, Isabel — See Pena, José M. Sánchez, **41** (7), 1608-11 (2002).
Pérez Martín, María Victoria — See Rivas-Moscoso, José Manuel, **41** (2), 303-13 (2002).
Perreault, Julie A. — Adaptive optic correction using microelectromechanical deformable mirrors. — Julie A. Perreault, Thomas G. Bifano, B. Martin Levine, and Mark N. Horenstein; **41** (3), 561-6 (2002).
Perryman, M. A. C. — See de Bruijne, J. H. J., **41** (6), 1158-69 (2002).
Pervez, Anjum — See Zhang, Jian-Guo, **41** (9), 2369-75 (2002).
Peters, Richard J. — See Irvine, John M., **41** (6), 1262-72 (2002).
Peuriot, Alejandro L. — Numerical and experimental study of stable resonators with diffractive output coupling. — Alejandro L. Peuriot, Guillermo D. Santiago, and Carlos A. Rosito; **41** (8), 1903-7 (2002).
Peyghambarian, N. — See Madasamy, Pratheepan, **41** (5), 1084-6 (2002).
Pfund, Johannes — See Lindlein, Norbert, **41** (2), 529-33 (2002).
Philipona, Rolf — See Schmucki, Daniel A., **41** (12), 3090-5 (2002).
Piché, M. — See Yavrian, Artashes, **41** (4), 852-5 (2002).
Pippi, Ivan — See Aiazzi, Bruno, **41** (3), 656-68 (2002).
Piterman, Albert — Subpixel sensitivity maps for a back-illuminated charge-coupled device and the effects of nonuniform response on measurement accuracy. — Albert Piterman and Zoran Ninkov; **41** (6), 1192-202 (2002).
Placido, F. — See Abdulhalim, I., **41** (12), 3265-9 (2002).
Planinšič, Peter — See Gleich, Dušan, **41** (11), 2814-23 (2002).
Pogreb, Roman — See Bormashenko, Edward, **41** (2), 295-302 (2002).
Poon, Ting-Chung — See Kim, Taegeun, **41** (6), 1331-8 (2002).
Popovich, Milan — See Yeralan, Serdar, **41** (8), 1774-9 (2002).
Porte, Henri — See Chen, Chii-Chang, **41** (11), 2930-4 (2002).
Pouraghajani, Ozra — See Tork, Amir, **41** (9), 2310-4 (2002).
Poyhonen, P. — See Madasamy, Pratheepan, **41** (5), 1084-6 (2002).
Prather, Dennis W. — Electromagnetic analysis of finite-thickness diffractive elements. — Dennis W. Prather, Shouyuan Shi, and Jay Sonstroem; **41** (8), 1792-6 (2002).
Priest, Richard G. — Polarimetric microfacet scattering theory with applications to absorptive and reflective surfaces. — Richard G. Priest and Steven R. Meier; **41** (5), 988-93 (2002).
Promkuntong, Nattapol — See Zhang, Jian-Guo, **41** (9), 2369-75 (2002).
Prosek, Pavel — See Schmalwieser, Alois W., **41** (12), 3040-50 (2002).
Przyrembel, Georges — See Schauwecker, Bernd, **41** (1), 237-43 (2002).
Puryayev, Daniil T. — See Goncharov, Alexander V., **41** (12), 3111-5 (2002).
Pyo, Jung Hyung — See Lee, Young Wuk, **41** (6), 1309-12 (2002).

Q

Qi, Bo — Wavefront fitting of interferograms with Zernike polynomials. — Bo Qi, Hongbin Chen, and Nengli Dong; **41** (7), 1565-9 (2002).
Qian, Feng — One-step digit-set-restricted modified signed-digit adder using an incoherent correlator based on a shared content-addressable memory. — Feng Qian, Guoqiang Li, and Mohammad S. Alam; **41** (10), 2607-12 (2002).
Qiu, Bin — See Hore, Edward S., **41** (8), 1855-65 (2002).
Que, Wenxiu — Sol-gel fabrication and properties of optical channel waveguides and gratings made from composites of titania and organically modified silane. — Wenxiu Que and Chan Hin Kam; **41** (7), 1733-7 (2002).

R

R. Macon, Brian — See Young, Cynthia Y., **41** (5), 1097-103 (2002).
Rabal, Héctor — See Arizaga, Ricardo, **41** (2), 287-94 (2002).
Rabinovich, William S. — See Biermann, Mark L., **41** (7), 1655-60 (2002).
Radehaus, Christian V. — See Schauwecker, Bernd, **41** (1), 237-43 (2002).
Radhakrishnan, P. — See George, Nibu A., **41** (1), 251-4 (2002).
— See Lee, S. Thomas, **41** (12), 3260-4 (2002).
Raiter, Sergey — Influence of motion sensor error on image restoration from vibrations and motion. — Sergey Raiter, Ofer Hadar, and Norman S. Kopeika; **41** (12), 3276-82 (2002).
Raja, M. Yasin Akhtar — Polarization and spectral properties of ion-implanted and oxide-confined vertical-cavity surface-emitting lasers. — M. Yasin Akhtar Raja, Yang Cao, Guthrie H. Cooper, Abdullah S. Al-Dwayyan, and Charlie X. Wang; **41** (3), 704-10 (2002).
Rajaniemi, Hannu J. — See Karppinen, Mikko, **41** (4), 899-910 (2002).
Raman, Nalliah — Dual purpose two-way optics for multimedia communication. — Nalliah Raman, Neil Collings, and Rafie Mavaddat; **41** (10), 2636-40 (2002).
Ramsey, Brian D. — See Dietz, Kurt L., **41** (10), 2641-51 (2002).
Rando, Nicola — See Verhoeve, Peter, **41** (6), 1170-84 (2002).
Rantala, Juha T. — See Karppinen, Mikko, **41** (4), 899-910 (2002).
— See Kololuoma, Terho, **41** (12), 3136-40 (2002).
Rao, Changhui — Atmospheric characterization with Shack-Hartmann wavefront sensors for non-Kolmogorov turbulence. — Changhui Rao, Wenhan Jiang, and Ning Ling; **41** (2), 534-41 (2002).
Rao, K. Narasimha — Influence of deposition parameters on optical properties of TiO_2 films. — K. Narasimha Rao; **41** (9), 2357-64 (2002).
— Preparation of transparent conductive oxide films by activated reactive evaporation. — K. Narasimha Rao; **41** (11), 2705-6 (2002).
Rao, S. Madhusudana — Method for measurement of the angles of a tetragonal or corner cube prism. — S. Madhusudana Rao; **41** (7), 1612-4 (2002).
— Methods for making prisms with submultiple or half angles: applications to the measurement of the angles of Pechan and Pellin-Broca prisms. — S. Madhusudana Rao; **41** (11), 2945-50 (2002).
Rave, Eran — Ordered bundles of infrared transmitting silver halide fibers: attenuation, resolution and crosstalk in long and flexible bundles. — Eran Rave and Abraham Katzir; **41** (7), 1467-8 (2002).
Raven, Peter N. — Polarized directional reflectance from laurel and mullein leaves. — Peter N. Raven, David L. Jordan, and Catherine E. Smith; **41** (5), 1002-12 (2002).
Reed, Jeffrey A. — See Drège, Emmanuel M., **41** (1), 225-36 (2002).
Reinhold, Alfred — See Egbert, André, **41** (10), 2658-67 (2002).
Ren, H.-W. — See Morbi, Z., **41** (9), 2321-37 (2002).
Ren, Yan — See Wang, Dong, **41** (8), 1899-902 (2002).
Reynolds, A. P. — See de Bruijne, J. H. J., **41** (6), 1158-69 (2002).
Reynolds, William R. — See Roggemann,, Michael C., **41** (2), 359-69 (2002).
Richards, John A. — Expectation-maximization approach to target model generation from multiple synthetic aperture radar images. — John A. Richards, Alan S. Willsky, and John W. Fisher, III ; **41** (1), 150-66 (2002).
Richter, P. — See Erdei, Gábor, **41** (3), 575-83 (2002).
— See Erdei, Gábor, **41** (3), 584-91 (2002).
Righini, Giancarlo C. — See Sirleto, Luigi, **41** (11), 2890-8 (2002).
Ritcey, Anna M. — See Tork, Amir, **41** (9), 2310-4 (2002).
Ritums, Dwight — See Yeralan, Serdar, **41** (8), 1774-9 (2002).
Ritzel, Rhonda — See Irvine, John M., **41** (6), 1262-72 (2002).
Rivas-Moscoso, José Manuel — Marginal rays in tapered gradient-index lenses. — José Manuel Rivas-Moscoso, Carlos Gómez-Reino, María Victoria Pérez Martín, and Carmen Bao Varela; **41** (2), 303-13 (2002).

Rodarmel, Craig — Multisensor fusion over the World Trade Center disaster site. — Craig Rodarmel, Lawrence Scott, Deborah Simerlink, and Jeffrey Walker; **41** (9), 2120-8 (2002).
Rodríguez, I. — See Pena, José M. Sánchez, **41** (7), 1608-11 (2002).
Rodríguez García, José — Photonic devices in periodic waveguide structures: generalized analysis of multiple discontinuities. — José Rodríguez García, Orlando Hidalgo Alonso, S. Fernández, Isabel Ibáñez Martín, and Gerardo Doménech García; **41** (8), 1947-56 (2002).
Rodriguez-Sánchez, Rosa — See García, Jose A., **41** (9), 2216-37 (2002).
Roggemann,, Michael C. — Block-matching algorithm for mitigating aliasing effects in undersampled image sequences. — Michael C. Roggemann, and William R. Reynolds; **41** (2), 359-69 (2002).
Rombaut, Michèle — See Zhu, Yue Min, **41** (4), 760-70 (2002).
Romero, Murilo Araujo — See De Francisco, Carlos Alberto, **41** (7), 1491-5 (2002).
Roosen, Gérald — See Okada-Shudo, Yoshiko, **41** (11), 2803-8 (2002).
Rosito, Carlos A. — See Peuriot, Alejandro L., **41** (8), 1903-7 (2002).
Ross, Graeme W. — See Lee, Chris J., **41** (4), 848-51 (2002).
Rossi, Markus — See Ammer, Thomas, **41** (12), 3141-50 (2002).
Ruyten, Wim — Subpixel localization of synthetic references in digital images by use of an augmented template. — Wim Ruyten; **41** (3), 601-7 (2002).

S

Sabatke, Derek — Snapshot imaging spectropolarimeter. — Derek Sabatke, Ann Locke, Eustace L. Dereniak, Michael Descour, John Garcia, Tom Hamilton, and Robert W. McMillan; **41** (5), 1048-54 (2002).
Sabatke, Erin M. — Phase theory for multiple aperture systems. — Erin M. Sabatke and José M. Sasián; **41** (3), 647-55 (2002).
Sadot, Dan — See Katz, Gilad, **41** (6), 1227-31 (2002).
— See Shemtoob, Dariush, **41** (7), 1621-30 (2002).
Saeed, Salman — Synthesis of a color image display using birefringent filters. — Salman Saeed and Philip J. Bos; **41** (1), 167-75 (2002).
Saito, Yasunori — See Maruyama, Tomoyuki, **41** (2), 395-402 (2002).
Sakashita, Narumi — See Funatsu, Eiichi, **41** (11), 2709-18 (2002).
Sakata, Toshibumi — See Sasaki, Masako, **41** (12), 3062-9 (2002).
Salbut, Leszek — Waveguide grating (moiré) microinterferometer for inplane displacement/strain field investigation. — Leszek Salbut; **41** (3), 626-31 (2002).
Sang, Fengting — See Yu, Deli, **41** (10), 2668-74 (2002).
Santarsiero, Massimo — See Borghi, Riccardo, **41** (11), 2736-42 (2002).
Santiago, Guillermo D. — See Peuriot, Alejandro L., **41** (8), 1903-7 (2002).
Sanyal, Santanu — Accurate prediction of the propagation characteristics of single-mode graded-index fibers by a novel approximation of the fundamental modal field. — Santanu Sanyal and Somenath Sarkar; **41** (9), 2290-5 (2002).
Sanyal, Sucharita — Frequency response characteristics of a birefringent lens. — Sucharita Sanyal and Ajay Ghosh; **41** (3), 592-7 (2002).
Saraçoglu, Ö. Galip — Simple equation to estimate the output power of an evanescent field absorption-based fiber sensor. — Ö. Galip Saraçoglu and Sedat Özsoy; **41** (3), 598-600 (2002).
Sarkar, Somenath — See Sanyal, Santanu, **41** (9), 2290-5 (2002).
Sasaki, Masako — Increasing trend of biologically active solar ultraviolet-B irradiance in mid-latitude Japan in the 1990s. — Masako Sasaki, Shu Takeshita, Takehiko Oyanagi, Yukiharu Miyake, and Toshibumi Sakata; **41** (12), 3062-9 (2002).
Sasián, José M. — See Sabatke, Erin M., **41** (3), 647-55 (2002).
— See Kremer, Rex M., **41** (11), 2869-75 (2002).
Sato, Hiroto — See Fujikake, Hideo, **41** (9), 2195-201 (2002).
Sato, Koki — See Takano, Kunihiko, **41** (10), 2427-33 (2002).
Saupe, Dietmar — See Charfi, Youssef, **41** (12), 3168-76 (2002).
Savenkov, Sergey N. — Optimization and structuring of the instrument matrix for polarimetric measurements. — Sergey N. Savenkov; **41** (5), 965-72 (2002).
Scalabrin, Artemio — See Onisto, Haroldo J., **41** (5), 1122-7 (2002).
Scharf, Vered — Four-band fiber optic radiometry for true temperature measurements during an exothermal process. — Vered Scharf and Abraham Katzir; **41** (7), 1502-6 (2002).
Schauberger, Günther — See Schmalwieser, Alois W., **41** (12), 3040-50 (2002).
Schauwecker, Bernd — Optical waveguide components with high refractive index difference in silicon-oxynitride for application in integrated optoelectronics. — Bernd Schauwecker, Michael Arnold, Christian V. Radehaus, Georges Przyrembel, and Berndt Kuhlow; **41** (1), 237-43 (2002).
Schenkman, Bo N. — See Brunnström, Kjell, **41** (3), 711-22 (2002).
Schettini, Giuseppe — See Borghi, Riccardo, **41** (11), 2736-42 (2002).
Schley, Robert S. — Containerless photothermal spectroscopy using photorefractive interferometric detection. — Robert S. Schley and Ken L. Telschow; **41** (7), 1688-95 (2002).
Schmalwieser, Alois W. — Global validation of a forecast model for irradiance of solar, erythemally effective ultraviolet radiation. — Alois W. Schmalwieser, Günther Schauberger, Michal Janouch, Manuel Nunez, Tapani Koskela, Daniel Berger, Gabriel Karamanian, Pavel Prosek, and Kamil Laska; **41** (12), 3040-50 (2002).
Schmitt, Francis — See Hardeberg, Jon Y., **41** (10), 2532-48 (2002).
Schmucki, Daniel A. — Ultraviolet radiation in the Alps: the altitude effect. — Daniel A. Schmucki and Rolf Philipona; **41** (12), 3090-5 (2002).
Schreiner, Roland — Interferometric shape measurement of rough surfaces at grazing incidence. — Roland Schreiner; **41** (7), 1570-6 (2002).
Schunck, Jean Pierre — See Flury, Manuel, **41** (10), 2407-18 (2002).
Schutte, Klamer — See Cremer, Frank, **41** (5), 1021-32 (2002).
Scott, Lawrence — See Rodarmel, Craig, **41** (9), 2120-8 (2002).
Seah, Leong Keey — See Won, Pei Chin, **41** (4), 788-95 (2002).
Seckold, Jeffrey A. — See Smartt, Raymond N., **41** (10), 2688-91 (2002).
Seftor, Colin — See Krotkov, Nickolay A., **41** (12), 3028-39 (2002).
Sentenac, Thierry — Evaluation of a charge-coupled-device-based video sensor for aircraft cargo surveillance. — Thierry Sentenac, Yannick Le Maoult, Jean-José Orteu, and Gérard Boucourt; **41** (4), 796-810 (2002).
Seong, Kibyung — See Kim, Youngmin, **41** (9), 2276-81 (2002).
Serafino, Gabriella — Phase image visualization with white light extended sources: a Fourier-optics-based interpretation. — Gabriella Serafino and Paolo Sirotti; **41** (10), 2549-55 (2002).
Serikawa, Seiichi — See Chhetri, Bhupendra B., **41** (2), 319-27 (2002).
Serpico, Sebastiano B. — See Melgani, Farid, **41** (12), 3288-97 (2002).
Shakher, Chandra — Application of wavelet filtering for vibration analysis using digital speckle pattern interferometry. — Chandra Shakher, Rajesh Kumar, Shashi Kumar Singh, and Saba Akhter Kazmi; **41** (1), 176-80 (2002).
Shao, Zongshu — See Wang, Dong, **41** (8), 1899-902 (2002).
Sharma, Yagya Deva — Structural and thermal analysis of Ag-Sb-Te alloy and its films for phase change optical memories. — Yagya Deva Sharma and P. K. Bhatnagar; **41** (7), 1668-73 (2002).
Sharp, Mary H. — Noise-constrained hyperspectral data compression. — Mary H. Sharp; **41** (9), 2098-101 (2002).
Shcherback, Igor — Empirical dark current modeling for complementary metal oxide semiconductor active pixel sensor. — Igor Shcherback, Alexander Belenky, and Orly Yadid-Pecht; **41** (6), 1216-9 (2002).
Shchukin, Vitaly A. — See Ledentsov, Nikolai N., **41** (12), 3193-203 (2002).
Shemtoob, Dariush — System and method for information security in optical communication networks. — Dariush Shemtoob and Dan Sadot; **41** (7), 1621-30 (2002).
Shen, Guangdi — See Guo, WeiLing, **41** (10), 2391-2 (2002).
Shen, Ting-Ying — See Shiue, Sham-Tsong, **41** (6), 1313-6 (2002).
Shi, Hui-Ji — See Li, Xide, **41** (6), 1295-308 (2002).
Shi, Shouyuan — See Prather, Dennis W., **41** (8), 1792-6 (2002).
Shi, Yi-Wei — See Jelínková, Helena, **41** (8), 1976-82 (2002).
Shimomura, Teruo — See Chhetri, Bhupendra B., **41** (2), 319-27 (2002).
Shiue, Sham-Tsong — Design of tightly jacketed double-coated optical fibers to minimize long-term hydrostatic-pressure-induced microbending losses. — Sham-Tsong Shiue and Ting-Ying Shen; **41** (6), 1313-6 (2002).
Shlyagin, M. G. — Static strain measurement with sub-micro-strain resolution and large dynamic range using a twin-Bragg-grating Fabry-Perot sensor. — M. G. Shlyagin, Pieter L. Swart, S. V. Miridonov, Anatoli A. Chtcherbakov, I. Márquez Borbón, and V. V. Spirin; **41** (8), 1809-14 (2002).
Shoop, Barry L. — Mismatch-tolerant distributed photonic analog-to-digital conversion using spatial oversampling and spectral noise shaping. — Barry L. Shoop and Pankaj K. Das; **41** (7), 1674-87 (2002).
Shribak, Michael — Polarization aberrations caused by differential transmission and phase shift in high-numerical-aperture lenses: theory, measurement, and rectification. — Michael Shribak, Shinya Inoué, and Rudolf Oldenbourg; **41** (5), 943-54 (2002).
Shrot, Yoav — See Zalevsky, Zeev, **41** (6), 1350-7 (2002).
Shukla, R. K. — See Bali, L. M., **41** (10), 2627-35 (2002).
Shum, P. — See Gong, Y. D., **41** (11), 2778-82 (2002).
Si, Jennie — See Ma, Lei, **41** (11), 2856-65 (2002).
Siahmakoun, Azad — See Nagel, Martin, **41** (11), 2975-82 (2002).
Siani, Anna Maria — Investigation on a low ozone episode at the end of November 2000 and its effect on ultraviolet radiation. — Anna Maria Siani, Giuseppe Rocco Casale, and Alessandro Galliani; **41** (12), 3082-9 (2002).
Siddique, Junaid I. — Nonlinear image decomposition for multiresolution edge detection using gray-level edge maps. — Junaid I. Siddique and Kenneth E. Barner; **41** (11), 2749-63 (2002).
Simerlink, Deborah — See Rodarmel, Craig, **41** (9), 2120-8 (2002).
Singh, Adarsh — Model for dc and rf characteristics of optically biased GaN metal semiconductor field effect transistor for electronic/optoelectronic microwave applications. — Adarsh Singh, Anil Kumar, Mridula Gupta, and R. S. Gupta; **41** (11), 2915-22 (2002).
Singh, Jagdish P. — See Jindal, Rajeev, **41** (5), 1093-6 (2002).
Singh, Shashi Kumar — See Shakher, Chandra, **41** (1), 176-80 (2002).
Singher, Liviu — See Billert, Oleg, **41** (1), 55-68 (2002).
Sirkis, James S. — See Sivanesan, Ponniah, **41** (10), 2456-63 (2002).
Sirleto, Luigi — Electro-optical switch and continuously tunable filter based on a Bragg grating in a planar waveguide with a liquid crystal overlayer. — Luigi Sirleto, Giuseppe Coppola, Giovanni Breglio, Giancarlo Abbate, Giancarlo C. Righini, and José Manuel Otón; **41** (11), 2890-8 (2002).
Sirotti, Paolo — See Serafino, Gabriella, **41** (10), 2549-55 (2002).
Siroux, Monica — Experimental study using infrared thermography on the convective heat transfer of a TGV brake disk in the actual environment. — Monica Siroux, Souad Harmand, and Bernard Desmet; **41** (7), 1558-64 (2002).
Sitnik, Robert — From cloud-of-point coordinates to three-dimensional virtual environment: the data conversion system. — Robert Sitnik and Małgorzata Kujawińska; **41** (2), 416-27 (2002).
— Digital fringe projection system for large-volume 360-deg shape measurement. — Robert Sitnik, Małgorzata Kujawińska, and Jerzy Woźnicki; **41** (2), 443-9 (2002).
Sivanesan, Ponniah — Optimal wavelength pair selection and accuracy analysis of dual fiber grating sensors for simultaneously measuring strain and temperature. — Ponniah Sivanesan, James S. Sirkis, Yorinobu Murata, and Steven G. Buckley; **41** (10), 2456-63 (2002).
Sjödahl, Mikael — Stitching interferometric measurement data for inspection of large optical components. — Mikael Sjödahl and Bozenko F. Oreb; **41** (2), 403-8 (2002).
Skormin, Victor A. — See Nikulin, Vladimir V., **41** (8), 1767-73 (2002).
Slusser, James — Special section guest editorial: Advances in UV Ground- and Space-based Measurements and Modeling. — James Slusser, Wei Gao, and Richard McKenzie; **41** (12), 3006-7 (2002).
Smartt, Raymond N. — Advances in spherical-mirror telescopic systems design: application to large-aperture solar coronagraphs. — Raymond N. Smartt and Eugene W. Cross, Jr. ; **41** (8), 2055-8 (2002).
— Long-term stability of optical surfaces. — Raymond N. Smartt, Philip E. Ciddor, Achim J. Leistner, and Jeffrey A. Seckold; **41** (10), 2688-91 (2002).
Smith, Catherine E. — See Raven, Peter N., **41** (5), 1002-12 (2002).
Smith, Peter G. R. — See Lee, Chris J., **41** (4), 848-51 (2002).
Snyman, Lukas Willem — Planar light-emitting electro-optical interfaces in standard silicon complementary metal oxide semiconductor integrated circuitry. — Lukas Willem Snyman, Herzl Aharoni, Monuko du Plessis, Jan F. K. Marais, Deon Van Niekerk, and Alice Biber; **41** (12), 3230-40 (2002).
Sofsky, Manfried — See Holzapfel, Wolfgang, **41** (9), 2301-9 (2002).
Soh, A. K. — See Li, Xide, **41** (6), 1295-308 (2002).
Soh, Yeng Chai — See Liu, Tong, **41** (12), 3217-20 (2002).
Sohn, Ik-Bu — Tunable gain-flattening filter using microbending long-period fiber gratings. — Ik-Bu Sohn, Nam-Kwon Lee, Hyung-Woo Kwon, and Jae-Won Song; **41** (7), 1465-6 (2002).
Solano, Cristina — See Camacho P., Alma A., **41** (11), 2899-902 (2002).
Son, Jung-Young — Distortion analysis in stereoscopic images. — Jung-Young Son, Yuri Gruts, Joohwan Chun, Yong Jin Choi, Ji-Eun Bahn, and Vladimir I. Bobrinev; **41** (3), 680-5 (2002).
Song, Feijun — New wavelet transforms for noise-insensitive edge detection. — Feijun Song and Suganda Jutamulia; **41** (1), 50-4 (2002).

Song, Jae-Won — See Sohn, Ik-Bu, **41** (7), 1465-6 (2002).
Song, Ning — Baffles design for an axial two-mirror telescope. — Ning Song, Zongmin Yin, and Fengyao Hu; **41** (9), 2353-6 (2002).
Sonstroem, Jay — See Prather, Dennis W., **41** (8), 1792-6 (2002).
Sookdhis, Chrisada — See Djie, Hery Susanto, **41** (9), 2345-52 (2002).
Spiller, Eberhard A. — See Bajt, Saša, **41** (8), 1797-804 (2002).
Spirin, V. V. — See Shlyagin, M. G., **41** (8), 1809-14 (2002).
Sposato, Stephanie H. — Two long-wave infrared spectral polarimeters for use in understanding polarization phenomenology. — Stephanie H. Sposato, Matthew P. Fetrow, Kenneth P. Bishop, and Thomas R. Caudill; **41** (5), 1055-64 (2002).
Srivastava, Anchal — See Bali, L. M., **41** (10), 2627-35 (2002).
Srivastava, Atul — See Bali, L. M., **41** (10), 2627-35 (2002).
Srivastava, P. — See Bali, L. M., **41** (10), 2627-35 (2002).
Stamnes, Knut — Ultraviolet and visible radiation in the atmosphere-ocean system: a tutorial review of modeling capabilities. — Knut Stamnes; **41** (12), 3008-18 (2002).
Stanković, Vladimir M. — See Charfi, Youssef, **41** (12), 3168-76 (2002).
Stanley, Paul — See Venkatakrishnan, Krishnan, **41** (6), 1441-5 (2002).
Stathaki, Tania — See Hong, Min-Cheol, **41** (10), 2515-24 (2002).
Steckl, A. J. — See Lee, B. K., **41** (4), 742-3 (2002).
Strojnik, Marija — See Castrellon, Jesus, **41** (6), 1255-61 (2002).
Su, Ruey Long — Optimal polarization for contrast enhancement in polarimetric synthetic aperture radar using a genetic algorithm. — Ruey Long Su, K. S. Chen, and Chia-Tang Chen; **41** (11), 2728-35 (2002).
Su, Wei-Chia — See Sun, Ching-Cherng, **41** (11), 2809-13 (2002).
Su, Xian-Yu — See Li, Wan-Song, **41** (6), 1365-72 (2002).
Sujan, Vivek A. — Design and implementation of a 3-D mapping system for highly irregular shaped objects with application to semiconductor manufacturing. — Vivek A. Sujan and Steven Dubowsky; **41** (6), 1406-17 (2002).
Šulc, Jan — See Jelínková, Helena, **41** (8), 1976-82 (2002).
Sule', V. R. — See Moorty, J. A. R. Krishna, **41** (11), 2935-44 (2002).
Sullivan, Pearl — See Bao, Xiaoyi, **41** (7), 1496-501 (2002).
Sun, Ching-Cherng — See Sun, Wen-Shing, **41** (2), 460-70 (2002).
— See Donn, Shoang C., **41** (6), 1346-9 (2002).
— All-optical angular sensing based on holography multiplexing with spherical waves. — Ching-Cherng Sun, Chih-Yuan Hsu, Yuh Ouyang, Wei-Chia Su, and Arthur E. T. Chiou; **41** (11), 2809-13 (2002).
Sun, Wen-Shing — Design of high-power aspherical ophthalmic lenses with a reduced error budget. — Wen-Shing Sun, Horng Chang, Ching-Cherng Sun, Ming-Wen Chang, Ching-Huang Lin, and Chuen-Lin Tien; **41** (2), 460-70 (2002).
Sun, Yizhu — See Yu, Deli, **41** (10), 2668-74 (2002).
Sutovski, Semion — See Bormashenko, Edward, **41** (2), 295-302 (2002).
Suzuki, Yoshiaki — See Toyoda, Masahiro, **41** (1), 145-9 (2002).
Svirid, Vladimir — Novel optical fiber refractometric transducer employing hemispherical detection element. — Vladimir Svirid, Sergei Khotiaintsev, and Pieter L. Swart; **41** (4), 779-87 (2002).
Swart, Pieter L. — See Svirid, Vladimir, **41** (4), 779-87 (2002).
— See Shlyagin, M. G., **41** (8), 1809-14 (2002).
Sweet, James — See Gorin, Brian A., **41** (9), 2088-97 (2002).
Swift, Wesley R. — See Dietz, Kurt L., **41** (10), 2641-51 (2002).
Szarvas, G. — See Erdei, Gábor, **41** (3), 575-83 (2002).
— See Erdei, Gábor, **41** (3), 584-91 (2002).
Sze, Jyh-Rou — Design and fabrication of the diffractive phase element that synthesizes three-color pseudo-nondiffracting beams. — Jyh-Rou Sze and Mao-Hong Lu; **41** (12), 3127-35 (2002).

T

Taalas, Petteri — See Krotkov, Nickolay A., **41** (12), 3028-39 (2002).
Tabiryan, Nelson V. — Optoelectronics of liquid crystals with nanoparticulate internal structure. — Nelson V. Tabiryan and Sarik R. Nersisyan; **41** (11), 2876-89 (2002).
Tajuddin, A. — See Ng, T. W., **41** (8), 1908-11 (2002).
Takada, Tatsuo — See Zhu, Yongchang, **41** (12), 3183-92 (2002).
Takano, Kunihiko — Color electro-holographic display using a single white light source and a focal adjustment method. — Kunihiko Takano and Koki Sato; **41** (10), 2427-33 (2002).
Takatsuji, Toshiyuki — See Jiang, Hong, **41** (3), 632-7 (2002).
Takeshita, Shu — See Sasaki, Masako, **41** (12), 3062-9 (2002).
Takeuchi, Nobuo — See Cao, Nianwen, **41** (1), 218-24 (2002).
Tam, H. Y. — See Gong, Y. D., **41** (11), 2778-82 (2002).
Tan, B. — See Venkatakrishnan, Krishnan, **41** (6), 1441-5 (2002).
Tan, Soon-Meng — See Yao, Jianping, **41** (1), 81-6 (2002).
Tanaka, Mitsuyoshi — See Maruyama, Tomoyuki, **41** (2), 395-402 (2002).
Tang, D. Y. — See Gong, Y. D., **41** (11), 2778-82 (2002).
Tang, Xiao — High-precision measurement of reflectance for films under substrates. — Xiao Tang and Jian Zheng; **41** (12), 3283-7 (2002).
Tang, Xiaojun — See Zhang, Yong, **41** (3), 615-25 (2002).
Tanikawa, Kunihiro — See Kudo, Jun-ichi, **41** (8), 1787-91 (2002).
— See Kobayashi, Masako, **41** (8), 1876-85 (2002).
Tantalo, Theodore A. — See Fiete, Robert D., **41** (8), 1957-69 (2002).
Tao, Chun Kan — See Yuan, Xiang Yan, **41** (11), 2923-9 (2002).
Tao, Shiquan — See Jindal, Rajeev, **41** (5), 1093-6 (2002).
Tavrov, Alexander — Rigorous coupled-wave analysis calculus of submicrometer interference pattern and resolving edge position versus signal-to-noise ratio. — Alexander Tavrov, Michael Totzeck, Norbert Kerwien, and Hans J. Tiziani; **41** (8), 1886-92 (2002).
Tayag, Tristan J. — Quantum-noise-limited sensitivity of an interferometer using a phase generated carrier demodulation scheme. — Tristan J. Tayag; **41** (2), 276-7 (2002).
Tchernykh, Andrei — See Mozerov, Mikhail, **41** (10), 2592-8 (2002).
Telschow, Ken L. — See Schley, Robert S., **41** (7), 1688-95 (2002).
Tentori, Diana — Birefringence characterization of quarter-pitch gradient index lenses. — Diana Tentori, Javier Camacho, and Heriberto Márquez; **41** (10), 2468-75 (2002).
Thauvin, Guy — See Journaux, Stéphane, **41** (7), 1507-19 (2002).
Tien, Chuen-Lin — See Sun, Wen-Shing, **41** (2), 460-70 (2002).
Tiziani, Hans J. — See Tavrov, Alexander, **41** (8), 1886-92 (2002).
Tjin, Swee Chuan — See Wang, Yong, **41** (11), 2783-92 (2002).
Tkaczyk, Tomasz — Influence of optical imaging on phase measurements in fringe projection coherent systems. — Tomasz Tkaczyk and Romuald Jóźwicki; **41** (4), 811-21 (2002).
Tong, C. S. — Dividing snake algorithm for multiple object segmentation. — C. S. Tong, P. C. Yuen, and Y. Y. Wong; **41** (12), 3177-82 (2002).
Tork, Amir — See Diop, Mamadou, **41** (8), 1943-6 (2002).
— Matrix effects on the photochemical fatigue resistance of fulgide-doped polymers. — Amir Tork, Christophe Lafond, Ozra Pouraghajani, Michèle Bolte, Anna M. Ritcey, and Roger A. Lessard; **41** (9), 2310-4 (2002).
Totzeck, Michael — See Tavrov, Alexander, **41** (8), 1886-92 (2002).
Toutin, Thierry — Comparison of automated digital elevation model extraction results using along-track ASTER and across-track SPOT stereo images. — Thierry Toutin and Philip Cheng; **41** (9), 2102-6 (2002).
Toyoda, Masahiro — Measurement of the characteristics of a quadrant avalanche photodiode and its application to a laser tracking system. — Masahiro Toyoda, Kenichi Araki, and Yoshiaki Suzuki; **41** (1), 145-9 (2002).
Treviño-Palacios, C. G. — See Cerecedo-Núñez, H. H., **41** (3), 555-6 (2002).
— See Cerecedo-Núñez, H. H., **41** (6), 1153-4 (2002).
Trivi, Marcelo — See Arizaga, Ricardo, **41** (2), 287-94 (2002).
Truchetet, Fréderic — See Leconge, Rémy, **41** (2), 435-42 (2002).
Trujillo-Schiaffino, Gerardo — Null test compensators for ophthalmic lenses. — Gerardo Trujillo-Schiaffino and Daniel Malacara-Hernández; **41** (11), 2910-4 (2002).
Tsai, Ching-Tsorng — See Lee, Jiann-Shu, **41** (2), 342-50 (2002).
Tsalides, Phillipos — See Vardavoulia, Maria I., **41** (7), 1536-45 (2002).
Tsao, Thomas — Image-based target tracking through rapid sensor orientation change. — Thomas Tsao and Zhiqing Wen; **41** (3), 697-703 (2002).
Tsuji, Nobuhiko — See Matsuzoe, Yuji, **41** (9), 2282-9 (2002).
Tsuruoka, Taiji — See Okayama, Hideaki, **41** (6), 1446-51 (2002).
Tu, Chung-Chen — See Donn, Shoang C., **41** (6), 1346-9 (2002).
Tuell, Michael T. — Aspheric optics: smoothing the ripples with semi-flexible tools. — Michael T. Tuell, James H. Burge, and Bill Anderson; **41** (7), 1473-4 (2002).
Turunen, Jari — See Karppinen, Mikko, **41** (4), 899-910 (2002).
Tyo, J. Scott — See Goldstein, Dennis, **41** (5), 930-1 (2002).
Tzeng, Shah-Jye — See Lu, Hai-Han, **41** (8), 1765-6 (2002).

U

Ullrich, Bruno — See Dushkina, Natalia Mitkova, **41** (9), 2365-8 (2002).
Unuma, Yutaka — See Iijima, Ryuta, **41** (11), 2743-8 (2002).
Urcid-Serrano, Gonzalo — See Padilla-Vivanco, Alfonso, **41** (12), 3241-9 (2002).

V

Vaissié, Laurent — Selective mode excitation by nonaxial evanescent coupling for bandwidth enhancement of multimode fiber links. — Laurent Vaissié and Eric G. Johnson; **41** (8), 1821-8 (2002).
Vallabhan, C. P. G. — See George, Nibu A., **41** (1), 251-4 (2002).
— See Lee, S. Thomas, **41** (12), 3260-4 (2002).
van Brug, Hedser — See Booij, Silvia M., **41** (8), 1926-31 (2002).
van Dam, Marcos A. — Theoretical performance of phase retrieval on a subdivided aperture. — Marcos A. van Dam and Richard G. Lane; **41** (6), 1387-95 (2002).
Van Niekerk, Deon — See Snyman, Lukas Willem, **41** (12), 3230-40 (2002).
Vardavoulia, Maria I. — Hardware implementation of soft color image morphological operations. — Maria I. Vardavoulia, Ioannis Andreadis, and Phillipos Tsalides; **41** (7), 1536-45 (2002).
Vargas, S. — Wide tunable filters using a recirculating delay line with multi-reflections. — S. Vargas, C. Vázquez, and J. M. S. Pena; **41** (5), 926-7 (2002).
Vasilkov, Alexander P. — Problems in assessment of the ultraviolet penetration into natural waters from space-based measurements. — Alexander P. Vasilkov, Jay Herman, Nickolay A. Krotkov, Mati Kahru, B. Greg Mitchell, and Christina Hsu; **41** (12), 3019-27 (2002).
Vásquez, Ramón — See Manian, Vidya, **41** (7), 1480-90 (2002).
Vázquez, Carmen — See Vargas, S., **41** (5), 926-7 (2002).
— See Pena, José M. Sánchez, **41** (7), 1608-11 (2002).
Venkatakrishnan, Krishnan — Femtosecond pulsed laser direct writing system. — Krishnan Venkatakrishnan, B. Tan, Paul Stanley, L. E. N. Lim, and Bryan Kok Ann Ngoi; **41** (6), 1441-5 (2002).
Venzor, Jose A., Jr. — See Baker, John C., **41** (9), 2077-82 (2002).
Verhoeve, Peter — Superconducting tunnel junctions as photon- counting imaging spectrometers from the optical to the x-ray band. — Peter Verhoeve, Nicola Rando, Anthony Peacock, Didier Martin, and Roland den Hartog; **41** (6), 1170-84 (2002).
Vernon, David — Binocular model for figure-ground segmentation in translucent and occluding images. — David Vernon; **41** (10), 2525-31 (2002).
Vilcot, J. P. — See Mourad, Magdy Hussein, **41** (2), 479-83 (2002).
Vladár, András E. — See Carasso, Alfred S., **41** (10), 2499-514 (2002).
Voisin, Yvon — See Marzani, Franck S., **41** (2), 484-92 (2002).
Voloshinov, Vitaly B. — Two-dimensional selection of optical spatial frequencies by acousto-optic methods. — Vitaly B. Voloshinov, Tatyana M. Babkina, and Vladimir Y. Molchanov; **41** (6), 1273-80 (2002).

W

Wada, Hideo — See Kudo, Jun-ichi, **41** (8), 1787-91 (2002).
— See Kobayashi, Masako, **41** (8), 1876-85 (2002).
Walker, James S. — Combined image compressor and denoiser based on tree-adapted wavelet shrinkage. — James S. Walker; **41** (7), 1520-7 (2002).
Walker, Jeffrey — See Rodarmel, Craig, **41** (9), 2120-8 (2002).
Wang, Baoliang — Linear birefringence measurement instrument using two photoelastic modulators. — Baoliang Wang; **41** (5), 981-7 (2002).
Wang, Chao — Fabrication of diffractive optical elements with arbitrary surface-relief profile by direct laser writing. — Chao Wang, Yuen Chuen Chan, and Yee Loy Lam; **41** (6), 1240-5 (2002).
Wang, Charlie X. — See Raja, M. Yasin Akhtar, **41** (3), 704-10 (2002).
Wang, Chuin-Mu — Unsupervised orthogonal subspace projection approach to magnetic resonance image classification. — Chuin-Mu Wang, Clayton Chi-Chang Chen, Sheng-Chi Yang, Pau-Choo Chung, Yi-Nung Chung, Ching-Wen Yang, and Chein-I Chang; **41** (7), 1546-57 (2002).
Wang, Dong — Two-photon-pumped short-cavity lasing properties of the dye *trans*-4-[*p*-(*N*-hydroxyethyl-*N*-methylamino)styryl]-*N*-methylpyridinium *p*-toluene sulfonate. — Dong Wang, Guangyong Zhou, Yan Ren, Shengjun Yang, Xinguang Xu, Xian Zhao, Zongshu Shao, and Minhua Jiang; **41** (8), 1899-902 (2002).
Wang, Dongning — See Hoo, Y. L., **41** (1), 8-9 (2002).

— See Zhang, Min, **41** (7), 1747-51 (2002).
Wang, Guoyou — See Wang, Yuehuan, **41** (4), 872-85 (2002).
Wang, Guozhong — See Zhu, Lin, **41** (8), 1805-8 (2002).
Wang, Hongxing — See Zhao, Yao, **41** (2), 328-34 (2002).
Wang, Huaiwen — Improved digital speckle correlation method and its application in fracture analysis of metallic foil. — Huaiwen Wang and Yilan Kang; **41** (11), 2793-8 (2002).
Wang, Lei — See Nie, Ya, **41** (11), 2966-9 (2002).
Wang, S. C. — See Haidar, S., **41** (8), 1932-5 (2002).
Wang, Shaomin — New type of retroreflective film formed by laser-generating glass beads. — Shaomin Wang, Daomu Zhao, and Fuquan Huang; **41** (6), 1396-9 (2002).
Wang, Wen-Jen — See Lu, Hai-Han, **41** (11), 2707-8 (2002).
Wang, Yong — Gesture labeling based on gaze direction recognition for human-machine interaction. — Yong Wang, Jinghe Yuan, Shengjiang Chang, and Yanxin Zhang; **41** (8), 1840-4 (2002).
— Characteristics of a wavelength-switching fiber laser source. — Yong Wang, Swee Chuan Tjin, Liming He, and Bryan Kok Ann Ngoi; **41** (11), 2783-92 (2002).
Wang, Yuehuan — Small-target predetection with an attention mechanism. — Yuehuan Wang, Tianxu Zhang, and Guoyou Wang; **41** (4), 872-85 (2002).
Wang, Zhiheng — See Nie, Ya, **41** (3), 674-9 (2002).
— See Nie, Ya, **41** (11), 2966-9 (2002).
Wang, Zhong — See Kou, Xinyu, **41** (6), 1220-6 (2002).
Wardle, David I. — See Fioletov, Vitali E., **41** (12), 3051-61 (2002).
Warrington, Donald M. — See Lee, Chris J., **41** (4), 848-51 (2002).
Watson, Edward A. — See Brewer, Christopher D., **41** (7), 1577-85 (2002).
Wawrzyniuk, Leszek — Influence of aberrations of a Fourier transform infrared spectrometer optical system on measurement errors. — Leszek Wawrzyniuk and Romuald Jóźwicki; **41** (11), 2959-65 (2002).
Waynant, R. W. — See Gannot, Israel, **41** (1), 244-50 (2002).
Węgiel, Marek Grzegorz — See Pawłowski, Michał Emanuel, **41** (2), 450-9 (2002).
Wei, Jingsong — Novel approach to super-resolution pits readout. — Jingsong Wei and Fuxi Gan; **41** (9), 2073-4 (2002).
Wei, Zongyang — See Heath, Donald F., **41** (12), 3104-10 (2002).
Weinschenk, Jeffrey J. — Restoration of broadband imagery steered with a liquid-crystal optical phased array. — Jeffrey J. Weinschenk, Russell C. Hardie, and Scott R. Harris; **41** (10), 2613-9 (2002).
Wen, Zhiqing — See Tsao, Thomas, **41** (3), 697-703 (2002).
Weng, Shiuh-Ku — See Kuo, Chung-Ming, **41** (5), 1104-14 (2002).
Willsky, Alan S. — See Richards, John A., **41** (1), 150-66 (2002).
Windeler, Robert S. — See Hoo, Y. L., **41** (1), 8-9 (2002).
Won, Pei Chin — Quasi-distributed frequency-modulated continuous-wave reflectometric optical fiber strain sensor. — Pei Chin Won, Leong Keey Seah, and Guangping Xie; **41** (4), 788-95 (2002).
Wong, Y. Y. — See Tong, C. S., **41** (12), 3177-82 (2002).
Wood, Lowell T. — See Yang, Xi, **41** (11), 2866-8 (2002).
Woods, Charles L. — See Khoury, J., **41** (1), 17-25 (2002).
— See Khoury, J., **41** (1), 112-7 (2002).
— See Khoury, J., **41** (1), 118-25 (2002).
Woźnicki, Jerzy — See Sitnik, Robert, **41** (2), 443-9 (2002).
Wu, Chung-Kun — See Hwang, Wen-Jyi, **41** (9), 2208-15 (2002).
Wu, Henry R. — See Hore, Edward S., **41** (8), 1855-65 (2002).
Wu, Jian — Nanometer indicating system based on surface plasmon resonance and its application in an interferometer. — Jian Wu, Dejiao Lin, and Chunyong Yin; **41** (3), 669-73 (2002).
Wu, Yung-Gi — Block truncation image bit plane coding. — Yung-Gi Wu; **41** (10), 2476-8 (2002).

X

Xia, Li — See Zhu, Lin, **41** (8), 1805-8 (2002).
Xie, Guangping — See Won, Pei Chin, **41** (4), 788-95 (2002).
Xie, Shizhong — See Zhu, Lin, **41** (8), 1805-8 (2002).
Xing, Mengdao — Properties of high-resolution range profiles. — Mengdao Xing, Zheng Bao, and Bingnan Pei; **41** (2), 493-504 (2002).
Xu, Bugao — Three-dimensional body scanning system for apparel mass customization. — Bugao Xu, Y. Huang, W. Yu, and T. Chen; **41** (7), 1475-9 (2002).
Xu, Jie — See Yin, Chunyong, **41** (4), 746-50 (2002).
Xu, Lisheng — See Ding, Jilie, **41** (9), 2252-66 (2002).
Xu, Xinguang — See Wang, Dong, **41** (8), 1899-902 (2002).
Xu, Yi — See Yin, Chunyong, **41** (4), 746-50 (2002).
Xue, Shifu — See Li, Qingxiang, **41** (6), 1289-94 (2002).

Y

Yablonovitch, Eli — See Korobkin, Dmitriy V., **41** (7), 1729-32 (2002).
Yadid-Pecht, Orly — See Shcherback, Igor, **41** (6), 1216-9 (2002).
Yamauchi, Makoto — Origin and characteristics of ambiguous properties in measuring physical parameters of twisted nematic liquid crystal spatial light modulators. — Makoto Yamauchi; **41** (5), 1134-41 (2002).
Yan, Hong — See Chang, Yan, **41** (10), 2487-98 (2002).
— See Mitchell, Phillip E., **41** (11), 2831-43 (2002).
Yan, Ping — See Zhang, Haitao, **41** (8), 1780-6 (2002).
Yan, Ting-Yang — See Lo, Yu-Lung, **41** (5), 1087-92 (2002).
Yang, C. H. — See Li, Xide, **41** (6), 1295-308 (2002).
Yang, Chang-Biau — See Chen, Shin-Si, **41** (11), 2824-30 (2002).
Yang, Ching-Wen — See Wang, Chuin-Mu, **41** (7), 1546-57 (2002).
Yang, Guoguang — See Dai, Xuhan, **41** (6), 1155-6 (2002).
Yang, Gwo-Huei — See Hwang, Hone-Ene, **41** (10), 2620-6 (2002).
— See Hwang, Hone-Ene, **41** (11), 2719-27 (2002).
Yang, Jianliang — See Liu, Yunqi, **41** (4), 740-1 (2002).
Yang, Sheng-Chi — See Wang, Chuin-Mu, **41** (7), 1546-57 (2002).
Yang, Shengjun — See Wang, Dong, **41** (8), 1899-902 (2002).
Yang, Shiyuan — See Chhetri, Bhupendra B., **41** (2), 319-27 (2002).
Yang, Xi — Electric-field-induced optical path change profiling using a Pohl interferometer. — Xi Yang, Lowell T. Wood, and John H. Miller, Jr. ; **41** (11), 2866-8 (2002).
Yang, Xue Zhi — Discriminative fabric defect detection using adaptive wavelets. — Xue Zhi Yang, Grantham K. H. Pang, and Nelson H. C. Yung; **41** (12), 3116-26 (2002).
Yao, Jianping — Morphological radial-harmonic correlation for shift- and scale-invariant pattern recognition. — Jianping Yao, Soon-Meng Tan, and Yuan-Ban Liew; **41** (1), 81-6 (2002).
— See Liu, Yunqi, **41** (4), 740-1 (2002).
Yavrian, Artashes — Circularly polarized light-induced rearrangement of optical axis in photoanisotropic recording media. — Artashes Yavrian, Tigran V. Galstian, and M. Piché; **41** (4), 852-5 (2002).
Ye, Shenghua — See Kou, Xinyu, **41** (6), 1220-6 (2002).
Yee, Hoshin H. — Novel self-consistent method for determining optical coupling coefficients and grating losses of distributed Bragg reflector lasers. — Hoshin H. Yee; **41** (5), 1077-83 (2002).
Yeh, Sheng-Lih — Dot-matrix hologram with hidden image. — Sheng-Lih Yeh and Shyh-Tsong Lin; **41** (2), 314-8 (2002).
Yeralan, Serdar — Switchable Bragg grating devices for telecommunications applications. — Serdar Yeralan, John Gunther, Dwight Ritums, Robert Cid, and Milan Popovich; **41** (8), 1774-9 (2002).
Yi, Jong Hoon — Peak movement detection method of an equally spaced fringe for precise position measurement. — Jong Hoon Yi, Soo Hyun Kim, Yoon Keun Kwak, and Yun Woo Lee; **41** (2), 428-34 (2002).
Yin, Chunyong — See Wu, Jian, **41** (3), 669-73 (2002).
— Absolute length measurement using changeable synthetic wavelength chain. — Chunyong Yin, Zhixia Chao, Dejiao Lin, Yi Xu, and Jie Xu; **41** (4), 746-50 (2002).
Yin, Te-Lung — See Lou, Der-Chyuan, **41** (10), 2675-87 (2002).
Yin, Zongmin — See Song, Ning, **41** (9), 2353-6 (2002).
Yoo, Ji-Sang — See Kim, Jung-Jin, **41** (4), 834-8 (2002).
Yoon, Dong-Seon — See Jo, Young Shik, **41** (2), 409-15 (2002).
Yoon, Kyong Mo — See Lee, Young Wuk, **41** (6), 1309-12 (2002).
Yoshida, Yukihiro — See Kobayashi, Masako, **41** (8), 1876-85 (2002).
Yoshizawa, Toru — See Matsuzoe, Yuji, **41** (9), 2282-9 (2002).
Young, Cynthia Y. — Turbulence induced beam spreading of higher order mode optical waves. — Cynthia Y. Young, Yadira V. Gilchrest, and Brian R. Macon; **41** (5), 1097-103 (2002).
Young, Rupert — See Birch, Philip M., **41** (1), 32-40 (2002).
— See Birch, Philip M., **41** (1), 105-11 (2002).
— See Birch, Philip M., **41** (7), 1650-4 (2002).
Younis, Nashwan T. — New optical method for determining Poisson's ratio/Young's modulus for transparent materials. — Nashwan T. Younis; **41** (2), 471-8 (2002).
Yu, Da Yong — See Yuan, Xiang Yan, **41** (11), 2923-9 (2002).
Yu, Deli — Output beam analysis of an unstable resonator with a large Fresnel number for a chemical oxygen iodine laser. — Deli Yu, Fengting Sang, Yuqi Jin, and Yizhu Sun; **41** (10), 2668-74 (2002).
Yu, Francis T. S. — Legacy of optical information processing. — Francis T. S. Yu; **41** (1), 139-44 (2002).
Yu, W. — See Xu, Bugao, **41** (7), 1475-9 (2002).
Yuan, Baozong — See Zhao, Yao, **41** (2), 328-34 (2002).
Yuan, Chao — Composite filters for inverse synthetic aperture radar classification of small ships. — Chao Yuan and David Casasent; **41** (1), 94-104 (2002).
Yuan, Jinghe — See Wang, Yong, **41** (8), 1840-4 (2002).
Yuan, Xiang Yan — Distortion-invariant joint transform correlator based on a phase-encoding technique. — Xiang Yan Yuan, Chun Kan Tao, Da Yong Yu, and MingSheng Huo; **41** (11), 2923-9 (2002).
Yuen, P. C. — See Tong, C. S., **41** (12), 3177-82 (2002).
Yung, Nelson H. C. — See Fung, George S. K., **41** (6), 1425-40 (2002).
— Quadrilateral-based region segmentation for tracking. — Nelson H. C. Yung, Hing Y. Chung, and Paul Y. S. Cheung; **41** (11), 2844-55 (2002).
— See Yang, Xue Zhi, **41** (12), 3116-26 (2002).
Yurova, Alla Yu. — See Chubarova, Nataly Ye., **41** (12), 3070-81 (2002).
Yzuel, María J. — See Corbalán, Montse, **41** (1), 130-8 (2002).
— See Attaleb, Abdelaziz, **41** (12), 3250-9 (2002).

Z

Zalevsky, Zeev — Novel denoising algorithm for obtaining a superresolved position estimation. — Zeev Zalevsky, Yoav Shrot, Uriel Levy, and David Mendelovic; **41** (6), 1350-7 (2002).
— Spectral modeling and improvement of target detection in a visible cluttered environment. — Zeev Zalevsky and Arnon Goldman; **41** (6), 1358-64 (2002).
Zeitner, Uwe D. — See Büttner, Alexander, **41** (10), 2393-401 (2002).
Zeng, Xiaodong — See Bao, Xiaoyi, **41** (7), 1496-501 (2002).
Zeni, Luigi — See Bernini, Romeo, **41** (9), 2186-94 (2002).
Zhang, Dongsheng — Digital image processing of moiré fringe patterns with an application to fractures in bovine dentin. — Dongsheng Zhang, Dwayne D. Arola, and Min Ma; **41** (5), 1115-21 (2002).
Zhang, Guangjun — See Zhao, Huijie, **41** (12), 3204-8 (2002).
Zhang, Haitao — Error analysis of gratings in optical pickup heads. — Haitao Zhang, Ruizhen Cui, Mali Gong, Dazun Zhao, Ping Yan, and Weipu Jia; **41** (8), 1780-6 (2002).
Zhang, Jian-Guo — Error-probability analysis of MIL-STD-1773 optical fiber data buses. — Jian-Guo Zhang, Nattapol Promkuntong, Yu-De Ni, and Anjum Pervez; **41** (9), 2369-75 (2002).
Zhang, Jun — See Gao, Jianbo, **41** (3), 608-14 (2002).
Zhang, Min — See Gong, Jianmin, **41** (3), 557-8 (2002).
— Simple approach for wavelength tunable picosecond pulse generation by an external injection seeding scheme. — Min Zhang, Dongning Wang, Wei Jin, and M. Süleyman Demokan; **41** (7), 1747-51 (2002).
Zhang, Qizhi — See Nie, Ya, **41** (3), 674-9 (2002).
Zhang, Shuqun — Fractional correlation filter for fuzzy associative memories. — Shuqun Zhang and Mohammad A. Karim; **41** (1), 126-9 (2002).
Zhang, Tao — See Zhou, Zhao-fei, **41** (12), 3270-5 (2002).
Zhang, Tianxu — See Wang, Yuehuan, **41** (4), 872-85 (2002).
Zhang, Weiqing — See Gu, Zhengtian, **41** (7), 1738-46 (2002).
Zhang, Xiaohui — New independent component analysis method using higher order statistics with application to remote sensing images. — Xiaohui Zhang and Chi Hau Chen; **41** (7), 1717-28 (2002).
Zhang, Xingyu — See Zhao, Shengzhi, **41** (3), 559-60 (2002).
Zhang, Yanxin — See Wang, Yong, **41** (8), 1840-4 (2002).
Zhang, Yimo — See Jing, Wencai, **41** (7), 1644-9 (2002).
Zhang, Ying — See Liu, Tong, **41** (12), 3217-20 (2002).
Zhang, Yong — Cross sensitivity reduction of gas sensors using genetic neural network. — Yong Zhang, Junhua Liu, Yonghuai Zhang, and Xiaojun Tang; **41** (3), 615-25 (2002).
Zhang, Yonghuai — See Zhang, Yong, **41** (3), 615-25 (2002).

Zhao, Bing — Diffraction image in an optical microscope: application to detection of birefringence. — Bing Zhao, Zhengyuan Cao, Ruhua Fang, and Anand Asundi; **41** (4), 751-9 (2002).
Zhao, Daomu — See Wang, Shaomin, **41** (6), 1396-9 (2002).
Zhao, Dazun — See Zhang, Haitao, **41** (8), 1780-6 (2002).
Zhao, Huijie — Nonlinear error by orientation and elliptic polarization in a two-beam interferometer. — Huijie Zhao and Guangjun Zhang; **41** (12), 3204-8 (2002).
Zhao, Mansuo — See Chang, Yan, **41** (10), 2487-98 (2002).
Zhao, Shengzhi — Passively *Q*-switched self-frequency-doubling Nd^{3+}:$GdCa_4O(BO_3)_3$ laser with GaAs saturable absorber. — Shengzhi Zhao, Xingyu Zhang, Jiaan Zheng, Lei Chen, Zhenxiang Cheng, and Huanchu Cheng; **41** (3), 559-60 (2002).
— See Zheng, Jiaan, **41** (8), 1970-5 (2002).
— See Zheng, Jiaan, **41** (9), 2271-5 (2002).
Zhao, Xian — See Wang, Dong, **41** (8), 1899-902 (2002).
Zhao, Xiaolin — See Dai, Xuhan, **41** (6), 1155-6 (2002).
Zhao, Yao — Multiple same-sized block mapping for recursive fractal image coding. — Yao Zhao, Hongxing Wang, and Baozong Yuan; **41** (2), 328-34 (2002).
Zheng, Jiaan — See Zhao, Shengzhi, **41** (3), 559-60 (2002).
— Laser-diode end-pumped passively *Q*-switched intracavity doubling Nd:YVO_4/KTP laser with Cr^{4+}:YAG saturable absorber. — Jiaan Zheng, Shengzhi Zhao, and Lei Chen; **41** (8), 1970-5 (2002).
— Laser-diode end-pumped passively Q-switched Nd:YVO_4 laser with Cr^{4+}:YAG saturable absorber. — Jiaan Zheng, Shengzhi Zhao, and Lei Chen; **41** (9), 2271-5 (2002).
Zheng, Jian — See Tang, Xiao, **41** (12), 3283-7 (2002).
Zhou, Chuanhong — See Nie, Ya, **41** (3), 674-9 (2002).
Zhou, Ge — See Jing, Wencai, **41** (7), 1644-9 (2002).
Zhou, Guangyong — See Wang, Dong, **41** (8), 1899-902 (2002).
Zhou, Guosheng — See Guo, Shuqin, **41** (10), 2464-7 (2002).
Zhou, Jun — Photon migration in turbid media: a finite-element solution for the most favorable path. — Jun Zhou and Jing Bai; **41** (10), 2577-81 (2002).
Zhou, Kejiang — See Dai, Xuhan, **41** (6), 1155-6 (2002).
Zhou, Ming — Low-loss polymeric materials for passive waveguide components in fiber optical telecommunication. — Ming Zhou; **41** (7), 1631-43 (2002).
Zhou, Zhao-fei — Integrated optoelectric sensor for measurement of microdisplacement, roughness, and microprofile. — Zhao-fei Zhou, Tao Zhang, Wenjie Li, and Wei Huang; **41** (12), 3270-5 (2002).
Zhu, Jianqiang — See Liu, Cheng, **41** (10), 2434-7 (2002).
Zhu, Lin — General computer model for both erbium-doped fiber amplifier and fiber Raman amplifier. — Lin Zhu, Yonghong Ma, Guozhong Wang, Li Xia, and Shizhong Xie; **41** (8), 1805-8 (2002).
Zhu, Yongchang — Two-dimensional optical measurement techniques based on optical birefringence effects. — Yongchang Zhu, Tatsuo Takada, and Yoshihiro Murooka; **41** (12), 3183-92 (2002).
Zhu, Yue Min — Automatic determination of mass functions in Dempster-Shafer theory using fuzzy c-means and spatial neighborhood information for image segmentation. — Yue Min Zhu, Layachi Bentabet, Olivier Dupuis, Valérie Kaftandjian, Daniel Babot, and Michèle Rombaut; **41** (4), 760-70 (2002).
Zimmermann, Stefan — See Egbert, André, **41** (10), 2658-67 (2002).
Zou, DeShu — See Guo, WeiLing, **41** (10), 2391-2 (2002).
Zou, Weiyao — New phasing algorithm for large segmented telescope mirrors. — Weiyao Zou; **41** (9), 2338-44 (2002).

Optical Engineering

2002 Subject Index (Volume 41)

KEY TO INDEX USE

Paper titles are indexed under appropriate subject terms, which are printed in boldface type. Each entry gives the paper title, the author(s), and location of the paper in Volume 41.

Aberrations

Adaptive optic correction using microelectromechanical deformable mirrors. — Julie A. Perreault, Thomas G. Bifano, B. Martin Levine, and Mark N. Horenstein; **41** (3), 561-6 (2002).

Phase theory for multiple aperture systems. — Erin M. Sabatke and José M. Sasián; **41** (3), 647-55 (2002).

Influence of optical imaging on phase measurements in fringe projection coherent systems. — Tomasz Tkaczyk and Romuald Jóźwicki; **41** (4), 811-21 (2002).

Polarization aberrations caused by differential transmission and phase shift in high-numerical-aperture lenses: theory, measurement, and rectification. — Michael Shribak, Shinya Inoué, and Rudolf Oldenbourg; **41** (5), 943-54 (2002).

Phase and amplitude apodization induced by focusing through an evanescent gap in a solid immersion lens microscope. — Joshua S. Jo, Tom D. Milster, and J. Kevin Erwin; **41** (8), 1866-75 (2002).

Influence of aberrations of a Fourier transform infrared spectrometer optical system on measurement errors. — Leszek Wawrzyniuk and Romuald Jóźwicki; **41** (11), 2959-65 (2002).

Absorption

Evanescent-wave gas sensing using microstructure fiber. — Y. L. Hoo, W. Jin, H. L. Ho, D. N. Wang, and Robert S. Windeler; **41** (1), 8-9 (2002).

Estimation of differential absorption lidar measurement error for NO_2 profiling in the lower troposphere. — Nianwen Cao, Takashi Fujii, Tetsuo Fukuchi, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **41** (1), 218-24 (2002).

Passively Q-switched self-frequency-doubling Nd^{3+}:$GdCa_4O(BO_3)_3$ laser with GaAs saturable absorber. — Shengzhi Zhao, Xingyu Zhang, Jiaan Zheng, Lei Chen, Zhenxiang Cheng, and Huanchu Cheng; **41** (3), 559-60 (2002).

Simple equation to estimate the output power of an evanescent field absorption-based fiber sensor. — Ö. Galip Saraçoglu and Sedat Özsoy; **41** (3), 598-600 (2002).

Two-photon-pumped short-cavity lasing properties of the dye *trans*-4-[*p*-(*N*-hydroxyethyl-*N*-methylamino)styryl]-*N*-methylpyridinium *p*-toluene sulfonate. — Dong Wang, Guangyong Zhou, Yan Ren, Shengjun Yang, Xinguang Xu, Xian Zhao, Zongshu Shao, and Minhua Jiang; **41** (8), 1899-902 (2002).

Nd:YAP 1.34-μm/1.08-μm laser passively mode-locked and Q-switched by V^{3+}:YAG/BDN II saturable absorbers with efficient radiation delivery through a hollow glass waveguide coated with COP/Ag. — Helena Jelínková, Pavel Černý, Jan Šulc, Jan K. Jabczyński, Krzysztof Kopczyński, Zygmunt Mierczyk, Mitsunobu Miyagi, Yuji Matsuura, and Yi-Wei Shi; **41** (8), 1976-82 (2002).

Laser-diode end-pumped passively Q-switched Nd:YVO_4 laser with Cr^{4+}:YAG saturable absorber. — Jiaan Zheng, Shengzhi Zhao, and Lei Chen; **41** (9), 2271-5 (2002).

Intensity dependence of two-photon absorption in CdS measured by photoluminescence excited by femtosecond laser pulses. — Natalia Mitkova Dushkina and Bruno Ullrich; **41** (9), 2365-8 (2002).

Acousto-optics

Acousto-optic tunable filter based visible- to near-infrared spectropolarimetric imager. — Neelam Gupta, Rachid Dahmani, and Steve Choy; **41** (5), 1033-8 (2002).

Two-dimensional selection of optical spatial frequencies by acousto-optic methods. — Vitaly B. Voloshinov, Tatyana M. Babkina, and Vladimir Y. Molchanov; **41** (6), 1273-80 (2002).

Femtosecond pulsed laser direct writing system. — Krishnan Venkatakrishnan, B. Tan, Paul Stanley, L. E. N. Lim, and Bryan Kok Ann Ngoi; **41** (6), 1441-5 (2002).

Genetic algorithm optimization for Bragg cell design. — Vladimir V. Nikulin, Victor A. Skormin, and Timothy E. Busch; **41** (8), 1767-73 (2002).

Active optics

Wide tunable filters using a recirculating delay line with multi-reflections. — S. Vargas, C. Vázquez, and J. M. S. Pena; **41** (5), 926-7 (2002).

Actuators

Fiber Bragg grating current sensor using linear magnetic actuator. — Jianmin Gong, C. C. Chan, M. Zhang, W. Jin, J. M. K. MacAlpine, and Y. B. Liao; **41** (3), 557-8 (2002).

Adaptive optic correction using microelectromechanical deformable mirrors. — Julie A. Perreault, Thomas G. Bifano, B. Martin Levine, and Mark N. Horenstein; **41** (3), 561-6 (2002).

Novel piezoelectric actuators for tuning an optical fiber Bragg grating. — Sidney G. Allison, Robert L. Fox, Mark E. Froggatt, and Brooks A. Childers; **41** (10), 2448-55 (2002).

Adaptive optics

Adaptive multisensor target detection using feature-based fusion. — Heesung Kwon, Sandor Z. Der, and Nasser M. Nasrabadi; **41** (1), 69-80 (2002).

Adaptive optic correction using microelectromechanical deformable mirrors. — Julie A. Perreault, Thomas G. Bifano, B. Martin Levine, and Mark N. Horenstein; **41** (3), 561-6 (2002).

Field-balanced adaptive optics error function for wide field-of-view space-based systems. — Brian K. McComas and Edward J. Friedman; **41** (3), 567-74 (2002).

Adaptive optics schemes for future extremely large telescopes. — Alexander V. Goncharov, Mette Owner-Petersen, Torben Andersen, and Jacques M. Beckers; **41** (5), 1065-72 (2002).

Optimization of single-mode fiber coupling efficiency with an adaptive membrane mirror. — Frédéric Gonté, Alain Courteville, and René Dändliker; **41** (5), 1073-6 (2002).

Theoretical performance of phase retrieval on a subdivided aperture. — Marcos A. van Dam and Richard G. Lane; **41** (6), 1387-95 (2002).

Supersampling multiframe blind deconvolution resolution enhancement of adaptive optics compensated imagery of low earth orbit satellites. — David R. Gerwe, David J. Lee, and Jeffrey D. Barchers; **41** (9), 2238-51 (2002).

Adaptive level set image segmentation using the Mumford and Shah functional. — Fei Liu, Yupin Luo, and Dongcheng Hu; **41** (12), 3002-3 (2002).

Aerosols

Estimation of differential absorption lidar measurement error for NO_2 profiling in the lower troposphere. — Nianwen Cao, Takashi Fujii, Tetsuo Fukuchi, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **41** (1), 218-24 (2002).

Version 2 total ozone mapping spectrometer ultraviolet algorithm: problems and enhancements. — Nickolay Krotkov, Jay Herman, Pawan K. Bhartia, Colin Seftor, Antti Arola, Jussi Kaurola, Sari Kalliskota, Petteri Taalas, and Igor V. Geogdzhaev; **41** (12), 3028-39 (2002).

Comparisons between ground measurements of broadband ultraviolet irradiance (300 to 380 nm) and total ozone mapping spectrometer ultraviolet estimates at Moscow from 1979 to 2000. — Nataly Ye. Chubarova, Alla Yu. Yurova, Nickolay Krotkov, Jay Herman, and Pawan K. Bhartia; **41** (12), 3070-81 (2002).

Alignment

Output beam analysis of an unstable resonator with a large Fresnel number for a chemical oxygen iodine laser. — Deli Yu, Fengting Sang, Yuqi Jin, and Yizhu Sun; **41** (10), 2668-74 (2002).

Two-dimensional average contrast analysis of the joint Fourier spectrum under rotation of an input object. — Alfonso Padilla-Vivanco, Gonzalo Urcid-Serrano, Javier Báez-Rojas, and Alejandro Cornejo-Rodríguez; **41** (12), 3241-9 (2002).

Amplifiers

Hybrid AM-VSB/256-QAM WDM system over 70 km of single-mode fiber with praseodymium-doped fiber amplifier. — Hai-Han Lu; **41** (5), 928-9 (2002).

Inclusive bit error rate analysis for coherent optical code-division multiple-access system. — Gilad Katz and Dan Sadot; **41** (6), 1227-31 (2002).

Tunable gain-flattening filter using microbending long-period fiber gratings. — Ik-Bu Sohn, Nam-Kwon Lee, Hyung-Woo Kwon, and Jae-Won Song; **41** (7), 1465-6 (2002).

Using optical single sideband modulation technique to improve CATV system performance. — Hai-Han Lu and Shah-Jye Tzeng; **41** (8), 1765-6 (2002).

General computer model for both erbium-doped fiber amplifier and fiber Raman amplifier. — Lin Zhu, Yonghong Ma, Guozhong Wang, Li Xia, and Shizhong Xie; **41** (8), 1805-8 (2002).

256-QAM WDM system transmitted over 80 km of single-mode fiber using a 1.3-μm semiconductor optical amplifier. — Hai-Han Lu and Wen-Jen Wang; **41** (11), 2707-8 (2002).

Anisotropy

Polarization holography with photoinduced anisotropy in bacteriorhodopsin. — Yoshiko Okada-Shudo, Jean-Michel Jonathan, and Gérald Roosen; **41** (11), 2803-8 (2002).

Antennas

Characteristics of a wavelength-switching fiber laser source. — Yong Wang, Swee Chuan Tjin, Liming He, and Bryan Kok Ann Ngoi; **41** (11), 2783-92 (2002).

Apertures

Marginal rays in tapered gradient-index lenses. — José Manuel Rivas-Moscoso, Carlos Gómez-Reino, María Victoria Pérez Martín, and Carmen Bao Varela; **41** (2), 303-13 (2002).

Stitching interferometric measurement data for inspection of large optical components. — Mikael Sjödahl and Bozenko F. Oreb; **41** (2), 403-8 (2002).

Semi-empirical model of light scattering from submicron pyramidal pits. — Michael Jordan, Jr. , Rodolfo E. Díaz, and E. Dan Hirleman; **41** (2), 518-28 (2002).

Phase theory for multiple aperture systems. — Erin M. Sabatke and José M. Sasián; **41** (3), 647-55 (2002).

Diffraction image in an optical microscope: application to detection of birefringence. — Bing Zhao, Zhengyuan Cao, Ruhua Fang, and Anand Asundi; **41** (4), 751-9 (2002).

Subpixel sensitivity maps for a back-illuminated charge-coupled device and the effects of nonuniform response on measurement accuracy. — Albert Piterman and Zoran Ninkov; **41** (6), 1192-202 (2002).

Large sparse-aperture space optical systems. — Aden Baker Meinel and Marjorie Pettit Meinel; **41** (8), 1983-94 (2002).

Advances in spherical-mirror telescopic systems design: application to large-aperture solar coronagraphs. — Raymond N. Smartt and Eugene W. Cross, Jr. ; **41** (8), 2055-8 (2002).

Contrast measurement of head-mounted displays. — Gerard C. de Wit; **41** (9), 2202-7 (2002).

Diffraction limit for a circular mask with a periodic rectangular apertures array. — Hone-Ene Hwang, Gwo-Huei Yang, and Jung-Chuan Chou; **41** (10), 2620-6 (2002).

Far-field diffraction characteristics of a time-variant Gaussian pulsed beam propagating from a circular aperture. — Hone-Ene Hwang and Gwo-Huei Yang; **41** (11), 2719-27 (2002).

Apodization

Cooled high-power laser light transmitting components: beam-induced aberrations and power-handling capability. — Claude A. Klein; **41** (9), 2158-68 (2002).

Intrinsic apodization effect in a compact two-mirror system with a spherical primary mirror. — Alexander V. Goncharov, Mette Owner-Petersen, and Daniil T. Puryayev; **41** (12), 3111-5 (2002).

Arrays

Optical performance evaluation of thin-film micromirror array in projection display. — Young Shik Jo, Dong-Seon Yoon, Seung-Woo Kim, and Kyu-Ho Hwang; **41** (2), 409-15 (2002).

Waveguide distributed Bragg reflector laser arrays in erbium doped glass made by dry Ag film ion exchange. — Pratheepan Madasamy, G. Nunzi Conti, P. Poyhonen, Y. Hu, M. M. Morrell, D. F. Geraghty, S. Honkanen, and N. Peyghambarian; **41** (5), 1084-6 (2002).

New type of retroreflective film formed by laser-generating glass beads. — Shaomin Wang, Daomu Zhao, and Fuquan Huang; **41** (6), 1396-9 (2002).

Hardware implementation of soft color image morphological operations. — Maria I. Vardavoulia, Ioannis Andreadis, and Phillipos Tsalides; **41** (7), 1536-45 (2002).

Wave optical analysis of light-emitting diode beam shaping using microlens arrays. — Alexander Büttner and Uwe D. Zeitner; **41** (10), 2393-401 (2002).

Spectral correction of the measurement CCD array. — Irena Fryc and Eugeniusz Czech; **41** (10), 2402-6 (2002).

Aspherics

Aspheric optics: smoothing the ripples with semi-flexible tools. — Michael T. Tuell, James H. Burge, and Bill Anderson; **41** (7), 1473-4 (2002).

Design and analysis of a diffraction-limited cat's-eye retroreflector. — Mark L. Biermann, William S. Rabinovich, Rita Mahon, and G. Charmaine Gilbreath; **41** (7), 1655-60 (2002).

SUBJECT INDEX

Associative memory

Algorithms for correlating severely obscured images in nonoverlapping zero-mean noise. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **41** (1), 17-25 (2002).

Effect of disjoint illumination in optimal correlation filters with obscured inputs. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **41** (1), 118-25 (2002).

Fractional correlation filter for fuzzy associative memories. — Shuqun Zhang and Mohammad A. Karim; **41** (1), 126-9 (2002).

Astronomy

Analysis of astronomical data from optical superconducting tunnel junctions. — J. H. J. de Bruijne, A. P. Reynolds, M. A. C. Perryman, F. Favata, and A. Peacock; **41** (6), 1158-69 (2002).

Superconducting tunnel junctions as photon- counting imaging spectrometers from the optical to the x-ray band. — Peter Verhoeve, Nicola Rando, Anthony Peacock, Didier Martin, and Roland den Hartog; **41** (6), 1170-84 (2002).

Subpixel sensitivity maps for a back-illuminated charge-coupled device and the effects of nonuniform response on measurement accuracy. — Albert Piterman and Zoran Ninkov; **41** (6), 1192-202 (2002).

Atmospheres

New method to optimize atmospheric correction for hyperspectral thermal imaging. — Brian A. Gorin, Robert C. Blosser, and James Sweet; **41** (9), 2088-97 (2002).

Ultraviolet and visible radiation in the atmosphere-ocean system: a tutorial review of modeling capabilities. — Knut Stamnes; **41** (12), 3008-18 (2002).

Atmospheric optics

Atmospheric characterization with Shack-Hartmann wavefront sensors for non-Kolmogorov turbulence. — Changhui Rao, Wenhan Jiang, and Ning Ling; **41** (2), 534-41 (2002).

Axicons

Fabrication and characterization of hybrid-glass-based axicons. — Terho Kololuoma, Kari Kataja, Sanna Juuso, Janne Aikio, and Juha T. Rantala; **41** (12), 3136-40 (2002).

Backscattering

Estimation of differential absorption lidar measurement error for NO_2 profiling in the lower troposphere. — Nianwen Cao, Takashi Fujii, Tetsuo Fukuchi, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **41** (1), 218-24 (2002).

Bandwidth

Evaluation of the tactical utility of compressed imagery. — John M. Irvine, Barbara A. Eckstein, Robert A. Hummel, Richard J. Peters, and Rhonda Ritzel; **41** (6), 1262-72 (2002).

System and method for information security in optical communication networks. — Dariush Shemtoob and Dan Sadot; **41** (7), 1621-30 (2002).

Pump-controlled signal switching using a nonlinear dual-core fiber. — Yi-Bin Lu and P. L. Chu; **41** (12), 3000-1 (2002).

Beams

Optimization method for the design of beam shaping systems. — Gábor Erdei, G. Szarvas, E. Lörincz, and P. Richter; **41** (3), 575-83 (2002).

Cascading low-quality beam shapers to improve overall performance. — Gábor Erdei, G. Szarvas, E. Lörincz, and P. Richter; **41** (3), 584-91 (2002).

Tunable chirping of a fiber Bragg grating without center wavelength shift using a simply supported beam. — Yunqi Liu, Jianping Yao, Xinyong Dong, and Jianliang Yang; **41** (4), 740-1 (2002).

Circularly polarized light-induced rearrangement of optical axis in photoanisotropic recording media. — Artashes Yavrian, Tigran V. Galstian, and M. Piché; **41** (4), 852-5 (2002).

Turbulence induced beam spreading of higher order mode optical waves. — Cynthia Y. Young, Yadira V. Gilchrest, and Brian R. Macon; **41** (5), 1097-103 (2002).

Autofocus system for microscope. — Qingxiang Li, Lifen Bai, Shifu Xue, and Luyun Chen; **41** (6), 1289-94 (2002).

Cooled high-power laser light transmitting components: beam-induced aberrations and power-handling capability. — Claude A. Klein; **41** (9), 2158-68 (2002).

Wave optical analysis of light-emitting diode beam shaping using microlens arrays. — Alexander Büttner and Uwe D. Zeitner; **41** (10), 2393-401 (2002).

Optoelectronic refractometer characterized by high sensitivity over a wide range of refractive index. — L. M. Bali, Anchal Srivastava, R. K. Shukla, P. Srivastava, A. Kulshreshtha, Atul Srivastava, and M. Kumar; **41** (10), 2627-35 (2002).

Far-field diffraction characteristics of a time-variant Gaussian pulsed beam propagating from a circular aperture. — Hone-Ene Hwang and Gwo-Huei Yang; **41** (11), 2719-27 (2002).

All-optical angular sensing based on holography multiplexing with spherical waves. — Ching-Cherng Sun, Chih-Yuan Hsu, Yuh Ouyang, Wei-Chia Su, and Arthur E. T. Chiou; **41** (11), 2809-13 (2002).

Simple method to measure the focal length of lenses. — Alma A. Camacho P., Cristina Solano, Geminiano Martínez-Ponce, and Rosario Baltazar; **41** (11), 2899-902 (2002).

Null test compensators for ophthalmic lenses. — Gerardo Trujillo-Schiaffino and Daniel Malacara-Hernández; **41** (11), 2910-4 (2002).

Beam selector dependent on incident angle by guided-mode resonant subwavelength grating. — Ya Nie, Lei Wang, Zhiheng Wang, and Chengjun Lai; **41** (11), 2966-9 (2002).

Design and fabrication of the diffractive phase element that synthesizes three-color pseudo-nondiffracting beams. — Jyh-Rou Sze and Mao-Hong Lu; **41** (12), 3127-35 (2002).

Beamsplitters

Design and analysis of a strip-coated parallel-slab beamsplitter for the equipartition of infrared input power. — Aed M. El-Saba and Rasheed M. A. Azzam; **41** (1), 200-4 (2002).

Polarizing beamsplitter based on the effects of birefringent and resonance anomaly. — Ya Nie, Zhiheng Wang, Kexiang Fu, Chuanhong Zhou, and Qizhi Zhang; **41** (3), 674-9 (2002).

Binary data

Binary phase difference diffuser: Design and application in digital holography. — Bhupendra B. Chhetri, Seiichi Serikawa, Shiyuan Yang, and Teruo Shimomura; **41** (2), 319-27 (2002).

Video indexing using a high-performance and low-computation color-based opportunistic technique. — Mohamed Ahmed and Ahmed Karmouch; **41** (2), 505-17 (2002).

Biology

Use of SPOT images as a tool for coastal zone management and monitoring of environmental impacts in the coastal zone. — Paola Almeida-Guerra; **41** (9), 2144-51 (2002).

Biomedical optics

Methods cooperation for multiresolution motion estimation. — Rémy Leconge, Olivier Laligant, Fréderic Truchetet, and Alain Diou; **41** (2), 435-42 (2002).

Birefringence

Frequency response characteristics of a birefringent lens. — Sucharita Sanyal and Ajay Ghosh; **41** (3), 592-7 (2002).

Polarizing beamsplitter based on the effects of birefringent and resonance anomaly. — Ya Nie, Zhiheng Wang, Kexiang Fu, Chuanhong Zhou, and Qizhi Zhang; **41** (3), 674-9 (2002).

Diffraction image in an optical microscope: application to detection of birefringence. — Bing Zhao, Zhengyuan Cao, Ruhua Fang, and Anand Asundi; **41** (4), 751-9 (2002).

High-order polarization mode dispersion emulator. — Russell Chipman and Ravinderkumar Kinnera; **41** (5), 932-7 (2002).

Polarization aberrations caused by differential transmission and phase shift in high-numerical-aperture lenses: theory, measurement, and rectification. — Michael Shribak, Shinya Inoué, and Rudolf Oldenbourg; **41** (5), 943-54 (2002).

Linear birefringence measurement instrument using two photoelastic modulators. — Baoliang Wang; **41** (5), 981-7 (2002).

Intensity compensation of a transmitted spectrum using an all-fiber Sagnac interferometer. — H. H. Cerecedo-Núñez, C. G. Treviño-Palacios, and E. A. Kuzin; **41** (6), 1153-4 (2002).

Effect of insulation layer on transcribability and birefringence distribution in optical disk substrate. — Youngmin Kim, Kibyung Seong, and Shinill Kang; **41** (9), 2276-81 (2002).

Birefringence characterization of quarter-pitch gradient index lenses. — Diana Tentori, Javier Camacho, and Heriberto Márquez; **41** (10), 2468-75 (2002).

Birefringence measurements by an electro-optic modulator using a new heterodyne scheme. — Yu-Lung Lo and Ping-Feng Hsu; **41** (11), 2764-7 (2002).

Two-dimensional optical measurement techniques based on optical birefringence effects. — Yongchang Zhu, Tatsuo Takada, and Yoshihiro Murooka; **41** (12), 3183-92 (2002).

Bragg cells

Fiber Bragg grating current sensor using linear magnetic actuator. — Jianmin Gong, C. C. Chan, M. Zhang, W. Jin, J. M. K. MacAlpine, and Y. B. Liao; **41** (3), 557-8 (2002).

Self-referenced intensity-based fiber optic sensor system using fiber Bragg gratings. — Yu-Lung Lo, Ting-Yang Yan, and Chih-Ping Kuo; **41** (5), 1087-92 (2002).

Two-dimensional selection of optical spatial frequencies by acousto-optic methods. — Vitaly B. Voloshinov, Tatyana M. Babkina, and Vladimir Y. Molchanov; **41** (6), 1273-80 (2002).

Analytical study of Bragg-grating fiber-optic filters for DWDM and temperature-sensing applications. — Carlos Alberto De Francisco, Milson T. Camargo Silva, and Murilo Araujo Romero; **41** (7), 1491-5 (2002).

Genetic algorithm optimization for Bragg cell design. — Vladimir V. Nikulin, Victor A. Skormin, and Timothy E. Busch; **41** (8), 1767-73 (2002).

Switchable Bragg grating devices for telecommunications applications. — Serdar Yeralan, John Gunther, Dwight Ritums, Robert Cid, and Milan Popovich; **41** (8), 1774-9 (2002).

Static strain measurement with sub-micro-strain resolution and large dynamic range using a twin-Bragg-grating Fabry-Perot sensor. — M. G. Shlyagin, Pieter L. Swart, S. V. Miridonov, Anatoli A. Chtcherbakov, I. Márquez Borbón, and V. V. Spirin; **41** (8), 1809-14 (2002).

Cameras

Color pattern recognition with CIELAB coordinates. — Montse Corbalán, María S. Millán, and María J. Yzuel; **41** (1), 130-8 (2002).

Nonlinear calibration of a laser stripe profiler. — Alan M. McIvor; **41** (1), 205-12 (2002).

Evaluation of a charge-coupled-device-based video sensor for aircraft cargo surveillance. — Thierry Sentenac, Yannick Le Maoult, Jean-José Orteu, and Gérard Boucourt; **41** (4), 796-810 (2002).

Fully automatic algorithm for region of interest location in camera calibration. — Xinyu Kou, Zhong Wang, Mingzhou Chen, and Shenghua Ye; **41** (6), 1220-6 (2002).

Compact mid-wavelength infrared zoom camera with 20:1 zoom range and automatic athermalization. — Hyun Sook Kim, Chang Woo Kim, and Seok Min Hong; **41** (7), 1661-7 (2002).

Multisensor fusion over the World Trade Center disaster site. — Craig Rodarmel, Lawrence Scott, Deborah Simerlink, and Jeffrey Walker; **41** (9), 2120-8 (2002).

Daytime aspect camera for balloon altitudes. — Kurt L. Dietz, Brian D. Ramsey, Cheryl D. Alexander, Jeff A. Apple, Kajal K. Ghosh, and Wesley R. Swift; **41** (10), 2641-51 (2002).

Carbon dioxide lasers

Numerical and experimental study of stable resonators with diffractive output coupling. — Alejandro L. Peuriot, Guillermo D. Santiago, and Carlos A. Rosito; **41** (8), 1903-7 (2002).

Carrier dynamics

Optical radiation and temperature-dependent microwave performance of optically biased GaAs metal-semiconductor field effect transistor. — Srikanta Bose, Mridula Gupta, Subhasis Haldar, and R. S. Gupta; **41** (1), 190-9 (2002).

Cathode ray tubes

Femtosecond laser-driven x-ray tube. — André Egbert, Boris N. Chichkov, Carsten Fallnich, Stefan Zimmermann, and Alfred Reinhold; **41** (10), 2658-67 (2002).

Caustics

New optical method for determining Poisson's ratio/Young's modulus for transparent materials. — Nashwan T. Younis; **41** (2), 471-8 (2002).

Charge-coupled device imagers

Lux transfer: Complementary metal oxide semiconductors versus charge-coupled devices. — James Janesick; **41** (6), 1203-15 (2002).

Charge-coupled devices

Color pattern recognition with CIELAB coordinates. — Montse Corbalán, María S. Millán, and María J. Yzuel; **41** (1), 130-8 (2002).

Frequency analysis of digital holography. — Thomas M. Kreis; **41** (4), 771-8 (2002).

Evaluation of a charge-coupled-device-based video sensor for aircraft cargo surveillance. — Thierry Sentenac, Yannick Le Maoult, Jean-José Orteu, and Gérard Boucourt; **41** (4), 796-810 (2002).

Ultraviolet-optical charge-coupled devices for space instrumentation. — Mark Clampin; **41** (6), 1185-91 (2002).

Subpixel sensitivity maps for a back-illuminated charge-coupled device and the effects of nonuniform response on measurement accuracy. — Albert Piterman and Zoran Ninkov; **41** (6), 1192-202 (2002).

Frequency analysis of digital holography with reconstruction by convolution. — Thomas M. Kreis; **41** (8), 1829-39 (2002).

Bad pixel identification by means of principal components analysis. — José Manuel López-Alonso and Javier Alda; **41** (9), 2152-7 (2002).

Spectral correction of the measurement CCD array. — Irena Fryc and Eugeniusz Czech; **41** (10), 2402-6 (2002).

Chemistry

Matrix effects on the photochemical fatigue resistance of fulgide-doped polymers. — Amir Tork, Christophe Lafond, Ozra Pouraghajani, Michèle Bolte, Anna M. Ritcey, and Roger A. Lessard; **41** (9), 2310-4 (2002).

Clouds

From cloud-of-point coordinates to three-dimensional virtual environment: the data conversion system. — Robert Sitnik and Małgorzata Kujawińska; **41** (2), 416-27 (2002).

Version 2 total ozone mapping spectrometer ultraviolet algorithm: problems and enhancements. — Nickolay Krotkov, Jay Herman, Pawan K. Bhartia, Colin Seftor, Antti Arola, Jussi Kaurola, Sari Kalliskota, Petteri Taalas, and Igor V. Geogdzhaev; **41** (12), 3028-39 (2002).

Comparison of Brewer ultraviolet irradiance measurements with total ozone mapping spectrometer satellite retrievals. — Vitali E. Fioletov, James B. Kerr, David I. Wardle, Nikolay Krotkov, and Jay R. Herman; **41** (12), 3051-61 (2002).

Comparisons between ground measurements of broadband ultraviolet irradiance (300 to 380 nm) and total ozone mapping spectrometer ultraviolet estimates at Moscow from 1979 to 2000. — Nataly Ye. Chubarova, Alla Yu. Yurova, Nickolay Krotkov, Jay Herman, and Pawan K. Bhartia; **41** (12), 3070-81 (2002).

Coatings

Design and analysis of a strip-coated parallel-slab beamsplitter for the equipartition of infrared input power. — Aed M. El-Saba and Rasheed M. A. Azzam; **41** (1), 200-4 (2002).

Thermally induced optical effects in double-coated optical fibers by viscoelastic theory. — Un-Chia Chen and Win-Jin Chang; **41** (6), 1317-23 (2002).

Influence of deposition parameters on optical properties of TiO_2 films. — K. Narasimha Rao; **41** (9), 2357-64 (2002).

Coding

Multiple same-sized block mapping for recursive fractal image coding. — Yao Zhao, Hongxing Wang, and Baozong Yuan; **41** (2), 328-34 (2002).

Towards improved prediction accuracy in JPEG-LS. — Jianmin Jiang and Christos Grecos; **41** (2), 335-41 (2002).

Combined image compressor and denoiser based on tree-adapted wavelet shrinkage. — James S. Walker; **41** (7), 1520-7 (2002).

System and method for information security in optical communication networks. — Dariush Shemtoob and Dan Sadot; **41** (7), 1621-30 (2002).

Joint rate-distortion optimization of discrete cosine transform coefficient quantization and disparity field estimation for stereo image coding. — Dong-Goo Kang and Rae-Hong Park; **41** (8), 2008-21 (2002).

Robust image transmission over ATM networks based on scalable wavelet coding. — Wen-Jyi Hwang, Chung-Kun Wu, and Ching-Fung Chine; **41** (9), 2208-15 (2002).

Rational systems exhibit moderate risk aversion with respect to "gambles" on variable-resolution compression. — Jose A. Garcia, Rosa Rodriguez-Sánchez, Joaquín Fdez-Valdivia, and Xose R. Fdez-Vidal; **41** (9), 2216-37 (2002).

Error-probability analysis of MIL-STD-1773 optical fiber data buses. — Jian-Guo Zhang, Nattapol Promkuntong, Yu-De Ni, and Anjum Pervez; **41** (9), 2369-75 (2002).

Block truncation image bit plane coding. — Yung-Gi Wu; **41** (10), 2476-8 (2002).

Context-based image coding using fuzzy logic. — Dušan Gleich, Peter Planinšič, and Žarko Čučej; **41** (11), 2814-23 (2002).

Fuzzy block truncation coding. — Abdel-Ouahab Boudraa, Azeddine Beghdadi, Sidi Mohammed Réda Dehak, and Răzvan Iordache; **41** (12), 3161-7 (2002).

Joint source-channel fractal image coding with unequal error protection. — Youssef Charfi, Vladimir M. Stanković, Raouf Hamzaoui, Ameur Haouari, and Dietmar Saupe; **41** (12), 3168-76 (2002).

Coherence

Inclusive bit error rate analysis for coherent optical code-division multiple-access system. — Gilad Katz and Dan Sadot; **41** (6), 1227-31 (2002).

Analysis of the wavelength-to-depth encoded interference microscopy for three-dimensional imaging. — Guoqiang Li and Yeshayahu Fainman; **41** (6), 1281-8 (2002).

Rapid prototyping of diffractive optical elements for high-power lasers using laser ablation lithography fabrication and coherence probe microscopy analysis. — Manuel Flury, Abderrazzaq Benatmane, Philippe Gérard, Paul C. Montgomery, Joël Fontaine, Thierry Engel, and Jean Pierre Schunck; **41** (10), 2407-18 (2002).

Coherent optical systems

Frequency analysis of digital holography. — Thomas M. Kreis; **41** (4), 771-8 (2002).

Frequency analysis of digital holography with reconstruction by convolution. — Thomas M. Kreis; **41** (8), 1829-39 (2002).

Coherent optics

Influence of optical imaging on phase measurements in fringe projection coherent systems. — Tomasz Tkaczyk and Romuald Jóźwicki; **41** (4), 811-21 (2002).

Color

Color pattern recognition with CIELAB coordinates. — Montse Corbalán, María S. Millán, and María J. Yzuel; **41** (1), 130-8 (2002).

Synthesis of a color image display using birefringent filters. — Salman Saeed and Philip J. Bos; **41** (1), 167-75 (2002).

Video indexing using a high-performance and low-computation color-based opportunistic technique. — Mohamed Ahmed and Ahmed Karmouch; **41** (2), 505-17 (2002).

Novel technique for multiresolution color image segmentation. — Jianbo Gao, Jun Zhang, and Matthew G. Fleming; **41** (3), 608-14 (2002).

Improved red color with cholesteric liquid crystals in Bragg reflection mode. — Peter Kipfer, Rolf Klappert, Hans Peter Herzig, Joachim Grupp, and René Dändliker; **41** (3), 638-46 (2002).

Adaptive filtering for noise reduction in hue saturation intensity color space. — HyunWook Park, Lakshmanan Gopishankar, and Yongmin Kim; **41** (6), 1232-9 (2002).

Approaches to color- and texture-based image classification. — Vidya Manian and Ramón Vásquez; **41** (7), 1480-90 (2002).

Hardware implementation of soft color image morphological operations. — Maria I. Vardavoulia, Ioannis Andreadis, and Phillipos Tsalides; **41** (7), 1536-45 (2002).

Color electro-holographic display using a single white light source and a focal adjustment method. — Kunihiko Takano and Koki Sato; **41** (10), 2427-33 (2002).

Multispectral color image capture using a liquid crystal tunable filter. — Jon Y. Hardeberg, Francis Schmitt, and Hans Brettel; **41** (10), 2532-48 (2002).

Optimization of the polychromatic discrimination capability in multichannel pattern recognition. — Abdelaziz Attaleb, Esmail Ahouzi, Juan Campos, Ignacio Moreno, and María J. Yzuel; **41** (12), 3250-9 (2002).

Computer graphics

From cloud-of-point coordinates to three-dimensional virtual environment: the data conversion system. — Robert Sitnik and Małgorzata Kujawińska; **41** (2), 416-27 (2002).

Computer vision

Fully automatic algorithm for region of interest location in camera calibration. — Xinyu Kou, Zhong Wang, Mingzhou Chen, and Shenghua Ye; **41** (6), 1220-6 (2002).

Computers

Single-mode small-form-factor fiber optic connectors for enterprise computing systems. — Casimer M. DeCusatis; **41** (10), 2438-47 (2002).

Concentrators

Simple equation to estimate the output power of an evanescent field absorption-based fiber sensor. — Ö. Galip Saraçoglu and Sedat Özsoy; **41** (3), 598-600 (2002).

Confocal microscopy

Surface profilometry by a parallel-mode confocal microscope. — Radim Chmelík and Zdeněk Harna; **41** (4), 744-5 (2002).

Contours

Color grating projection moiré with time-integral fringe capturing for high-speed 3-D imaging. — Moon-Sik Jeong and Seung-Woo Kim; **41** (8), 1912-7 (2002).

Dividing snake algorithm for multiple object segmentation. — C. S. Tong, P. C. Yuen, and Y. Y. Wong; **41** (12), 3177-82 (2002).

Convolution

Frequency analysis of digital holography with reconstruction by convolution. — Thomas M. Kreis; **41** (8), 1829-39 (2002).

Cooling

Cooled high-power laser light transmitting components: beam-induced aberrations and power-handling capability. — Claude A. Klein; **41** (9), 2158-68 (2002).

Correlation

Algorithms for correlating severely obscured images in nonoverlapping zero-mean noise. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **41** (1), 17-25 (2002).

Morphological radial-harmonic correlation for shift- and scale-invariant pattern recognition. — Jianping Yao, Soon-Meng Tan, and Yuan-Ban Liew; **41** (1), 81-6 (2002).

Effect of disjoint illumination in optimal correlation filters with obscured inputs. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **41** (1), 118-25 (2002).

Fractional correlation filter for fuzzy associative memories. — Shuqun Zhang and Mohammad A. Karim; **41** (1), 126-9 (2002).

Subpixel localization of synthetic references in digital images by use of an augmented template. — Wim Ruyten; **41** (3), 601-7 (2002).

Invariant recognition of polychromatic images of *Vibrio cholerae* O1. — Josué Alvarez-Borrego, Rosa Reyna Mouriño-Pérez, Gabriel Cristóbal-Pérez, and José Luis Pech-Pacheco; **41** (4), 827-33 (2002).

Wavelet-transform-based stereo residual image compression. — Jung-Jin Kim, Ji-Sang Yoo, and Eun-Soo Kim; **41** (4), 834-8 (2002).

Lux transfer: Complementary metal oxide semiconductors versus charge-coupled devices. — James Janesick; **41** (6), 1203-15 (2002).

Detection of small cracks and cavities using laser diffraction. — Xide Li, A. K. Soh, Cong Huang, C. H. Yang, and Hui-Ji Shi; **41** (6), 1295-308 (2002).

Noise-constrained hyperspectral data compression. — Mary H. Sharp; **41** (9), 2098-101 (2002).

Centroid detection based on optical correlation. — Shoude Chang and Chander P. Grover; **41** (10), 2479-86 (2002).

Design of telecentric imaging systems for noncontact velocity sensors. — Christian Berger; **41** (10), 2599-606 (2002).

Improved digital speckle correlation method and its application in fracture analysis of metallic foil. — Huaiwen Wang and Yilan Kang; **41** (11), 2793-8 (2002).

Optimization of the polychromatic discrimination capability in multichannel pattern recognition. — Abdelaziz Attaleb, Esmail Ahouzi, Juan Campos, Ignacio Moreno, and María J. Yzuel; **41** (12), 3250-9 (2002).

Correlators

Optical and electronic design of a hybrid digital-optical correlator system. — Philip M. Birch, Frédéric Claret-Tournier, David Budgett, Rupert Young, and Christopher Chatwin; **41** (1), 32-40 (2002).

Comparisons of performance under brightness changes of target scenes between nonlinear joint transform correlators that use input images with pure-amplitude, pure-phase, and complex data. — Yasuhiro Iwamoto and Takumi Minemoto; **41** (1), 41-9 (2002).

Invariant face recognition using a projection-slice synthetic-discriminant-function-based algorithm. — Abdul Rahman Alsamman and Mohammad S. Alam; **41** (1), 87-93 (2002).

Computer-generated complex filter for an all-optical and a digital-optical hybrid correlator. — Philip Birch, Rupert Young, Frédéric Claret-Tournier, David Budgett, and Christopher Chatwin; **41** (1), 105-11 (2002).

Ship wake detection in synthetic aperture radar images using a combination of a wavelet correlator and Radon transform. — Jin Min Kuo and Kun Shan Chen; **41** (3), 686-96 (2002).

Optical recognition of three-dimensional objects with scale invariance using a classical convergent correlator. — José J. Esteve-Taboada, Javier García, and Carlos Ferreira; **41** (6), 1324-30 (2002).

Optical design of a miniature Fourier transform lens system for a hybrid digital-optical correlator. — Philip M. Birch, Gongde Li, Frédéric Claret-Tournier, Rupert Young, David Budgett, and Christopher Chatwin; **41** (7), 1650-4 (2002).

One-step digit-set-restricted modified signed-digit adder using an incoherent correlator based on a shared content-addressable memory. — Feng Qian, Guoqiang Li, and Mohammad S. Alam; **41** (10), 2607-12 (2002).

Invariant face recognition using a neural network based on the fringe-adjusted joint transform correlator. — A. F. Alsamman and Mohammad S. Alam; **41** (11), 2768-77 (2002).

Couplers

Optical waveguide components with high refractive index difference in silicon-oxynitride for application in integrated optoelectronics. — Bernd Schauwecker, Michael Arnold, Christian V. Radehaus, Georges Przyrembel, and Berndt Kuhlow; **41** (1), 237-43 (2002).

Periodically poled lithium niobate optical parametric oscillator pump-tuned by a single-axial-mode Ti:sapphire laser. — Chris J. Lee, Glenn W. Baxter, Jan C. Diettrich, Iain T. McKinnie, Donald M. Warrington, Peter G. R. Smith, Graeme W. Ross, and David C. Hanna; **41** (4), 848-51 (2002).

Optimization of single-mode fiber coupling efficiency with an adaptive membrane mirror. — Frédéric Gonté, Alain Courteville, and René Dändliker; **41** (5), 1073-6 (2002).

Novel self-consistent method for determining optical coupling coefficients and grating losses of distributed Bragg reflector lasers. — Hoshin H. Yee; **41** (5), 1077-83 (2002).

Analytical study of Bragg-grating fiber-optic filters for DWDM and temperature-sensing applications. — Carlos Alberto De Francisco, Milson T. Camargo Silva, and Murilo Araujo Romero; **41** (7), 1491-5 (2002).

Phase and amplitude apodization induced by focusing through an evanescent gap in a solid immersion lens microscope. — Joshua S. Jo, Tom D. Milster, and J. Kevin Erwin; **41** (8), 1866-75 (2002).

Pump-controlled signal switching using a nonlinear dual-core fiber. — Yi-Bin Lu and P. L. Chu; **41** (12), 3000-1 (2002).
Chip-level integrated diffractive optical microlenses for multimode vertical-cavity surface-emitting laser to fiber coupling. — Thomas Ammer, Michael T. Gale, and Markus Rossi; **41** (12), 3141-50 (2002).
Parameter optimization of an all-fiber Fourier filter flat-top interleaver. — Tong Liu, Yeng Chai Soh, Ying Zhang, and Zhongping Fang; **41** (12), 3217-20 (2002).
Laser microwelding for fiber-chip coupling modules with tapered standard monomode fiber ends for optical communication systems. — Ulrich H. P. Fischer, Oliver Krips, Edmund Müller, and Alexander Jacob; **41** (12), 3221-9 (2002).

Crystals
Evanescent-wave gas sensing using microstructure fiber. — Y. L. Hoo, W. Jin, H. L. Ho, D. N. Wang, and Robert S. Windeler; **41** (1), 8-9 (2002).
Semi-empirical model of light scattering from submicron pyramidal pits. — Michael Jordan, Jr. , Rodolfo E. Díaz, and E. Dan Hirleman; **41** (2), 518-28 (2002).
Passively Q-switched self-frequency-doubling Nd^{3+}:$GdCa_4O(BO_3)_3$ laser with GaAs saturable absorber. — Shengzhi Zhao, Xingyu Zhang, Jiaan Zheng, Lei Chen, Zhenxiang Cheng, and Huanchu Cheng; **41** (3), 559-60 (2002).
Frequency response characteristics of a birefringent lens. — Sucharita Sanyal and Ajay Ghosh; **41** (3), 592-7 (2002).
Frequency doubled and stabilized all-solid-state Ti:sapphire lasers. — Haroldo J. Onisto, Reinaldo L. Cavasso-Filho, Artemio Scalabrin, Daniel Pereira, and Flavio C. Cruz; **41** (5), 1122-7 (2002).
Novel processing technique to fabricate a three-dimensional silver-polystyrene photonic bandgap crystal. — Mamadou Diop, Gilles Maurin, Amir Tork, and Roger A. Lessard; **41** (8), 1943-6 (2002).
Photonic devices in periodic waveguide structures: generalized analysis of multiple discontinuities. — José Rodríguez García, Orlando Hidalgo Alonso, S. Fernández, Isabel Ibáñez Martín, and Gerardo Doménech García; **41** (8), 1947-56 (2002).

Data compression
Estimating noise and information of multispectral imagery. — Bruno Aiazzi, Luciano Alparone, Alessandro Barducci, Stefano Baronti, and Ivan Pippi; **41** (3), 656-68 (2002).
Noise-constrained hyperspectral data compression. — Mary H. Sharp; **41** (9), 2098-101 (2002).

Data processing
Analysis of astronomical data from optical superconducting tunnel junctions. — J. H. J. de Bruijne, A. P. Reynolds, M. A. C. Perryman, F. Favata, and A. Peacock; **41** (6), 1158-69 (2002).

Data storage
Eminent scene change detection algorithm and new indexing method for video retrieval on MPEG sequences. — Eung-Kwan Kang, Sung-Joo Kim, Surng-Gabb Jahng, and Jong-Soo Choi; **41** (1), 255-63 (2002).
Circularly polarized light-induced rearrangement of optical axis in photoanisotropic recording media. — Artashes Yavrian, Tigran V. Galstian, and M. Piché; **41** (4), 852-5 (2002).
Effect of insulation layer on transcribability and birefringence distribution in optical disk substrate. — Youngmin Kim, Kibyung Seong, and Shinill Kang; **41** (9), 2276-81 (2002).
All-optical angular sensing based on holography multiplexing with spherical waves. — Ching-Cherng Sun, Chih-Yuan Hsu, Yuh Ouyang, Wei-Chia Su, and Arthur E. T. Chiou; **41** (11), 2809-13 (2002).

Deconvolution
Discrete cosine transform based high-resolution image reconstruction considering the inaccurate subpixel motion information. — Min Kyu Park, Eun Sil Lee, Jin Yeol Park, Moon Gi Kang, and Jaihie Kim; **41** (2), 370-80 (2002).
Supersampling multiframe blind deconvolution resolution enhancement of adaptive optics compensated imagery of low earth orbit satellites. — David R. Gerwe, David J. Lee, and Jeffrey D. Barchers; **41** (9), 2238-51 (2002).
APEX method and real-time blind deconvolution of scanning electron microscope imagery. — Alfred S. Carasso, David S. Bright, and András E. Vladár; **41** (10), 2499-514 (2002).

Deflectometry
Automatic wavefront measurement technique using a computer display and a charge-coupled device camera. — Héctor Canabal and José Alonso; **41** (4), 822-6 (2002).

Deflectors
Femtosecond pulsed laser direct writing system. — Krishnan Venkatakrishnan, B. Tan, Paul Stanley, L. E. N. Lim, and Bryan Kok Ann Ngoi; **41** (6), 1441-5 (2002).

Delay effects
High-order polarization mode dispersion emulator. — Russell Chipman and Ravinderkumar Kinnera; **41** (5), 932-7 (2002).

Deposition
Preparation of transparent conductive oxide films by activated reactive evaporation. — K. Narasimha Rao; **41** (11), 2705-6 (2002).
Enhanced soft x-ray reflectivity of Cr/Sc multilayers by ion-assisted sputter deposition. — F. Eriksson, G. A. Johansson, H. M. Hertz, and J. Birch; **41** (11), 2903-9 (2002).

Detection
New morphological detection algorithm based on the hit-miss transform. — Yang-Hoi Doh, Jong-Chan Kim, Jeong-Woo Kim, Soo-Joong Kim, and Mohammad S. Alam; **41** (1), 26-31 (2002).
New wavelet transforms for noise-insensitive edge detection. — Feijun Song and Suganda Jutamulia; **41** (1), 50-4 (2002).
Adaptive multisensor target detection using feature-based fusion. — Heesung Kwon, Sandor Z. Der, and Nasser M. Nasrabadi; **41** (1), 69-80 (2002).
Eminent scene change detection algorithm and new indexing method for video retrieval on MPEG sequences. — Eung-Kwan Kang, Sung-Joo Kim, Surng-Gabb Jahng, and Jong-Soo Choi; **41** (1), 255-63 (2002).
Analytical study on junction detection. — Jiann-Shu Lee, Jzau-Sheng Lin, Ching-Tsorng Tsai, and Ding-Horng Chen; **41** (2), 342-50 (2002).
Peak movement detection method of an equally spaced fringe for precise position measurement. — Jong Hoon Yi, Soo Hyun Kim, Yoon Keun Kwak, and Yun Woo Lee; **41** (2), 428-34 (2002).
Video indexing using a high-performance and low-computation color-based opportunistic technique. — Mohamed Ahmed and Ahmed Karmouch; **41** (2), 505-17 (2002).
Subpixel localization of synthetic references in digital images by use of an augmented template. — Wim Ruyten; **41** (3), 601-7 (2002).
Absolute length measurement using changeable synthetic wavelength chain. — Chunyong Yin, Zhixia Chao, Dejiao Lin, Yi Xu, and Jie Xu; **41** (4), 746-50 (2002).
Novel optical fiber refractometric transducer employing hemispherical detection element. — Vladimir Svirid, Sergei Khotiaintsev, and Pieter L. Swart; **41** (4), 779-87 (2002).
Small-target predetection with an attention mechanism. — Yuehuan Wang, Tianxu Zhang, and Guoyou Wang; **41** (4), 872-85 (2002).
Performance limitations oi a four-channel polarimeter in the presence of detection noise. — Victor L. Gamiz and John F. Belsher; **41** (5), 973-80 (2002).
Infrared polarization measurements and modeling applied to surface-laid antipersonnel landmines. — Frank Cremer, Wim de Jong, and Klamer Schutte; **41** (5), 1021-32 (2002).
Depth detection and image recovery in remote sensing by optical scanning holography. — Taegeun Kim, Ting-Chung Poon, and Guy Indebetouw; **41** (6), 1331-8 (2002).
Spectral modeling and improvement of target detection in a visible cluttered environment. — Zeev Zalevsky and Arnon Goldman; **41** (6), 1358-64 (2002).
Effective moving cast shadow detection for monocular color traffic image sequences. — George S. K. Fung, Nelson H. C. Yung, Grantham K. H. Pang, and Andrew H. S. Lai; **41** (6), 1425-40 (2002).
Unsupervised orthogonal subspace projection approach to magnetic resonance image classification. — Chuin-Mu Wang, Clayton Chi-Chang Chen, Sheng-Chi Yang, Pau-Choo Chung, Yi-Nung Chung, Ching-Wen Yang, and Chein-I Chang; **41** (7), 1546-57 (2002).
Sensitivity comparison of ladar receivers designed to detect glint targets. — Christopher D. Brewer, Bradley D. Duncan, and Edward A. Watson; **41** (7), 1577-85 (2002).
Prediction-based image restoration using a multiple window configuration. — Edward S. Hore, Bin Qiu, and Henry R. Wu; **41** (8), 1855-65 (2002).
New method to optimize atmospheric correction for hyperspectral thermal imaging. — Brian A. Gorin, Robert C. Blosser, and James Sweet; **41** (9), 2088-97 (2002).
Multisensor fusion over the World Trade Center disaster site. — Craig Rodarmel, Lawrence Scott, Deborah Simerlink, and Jeffrey Walker; **41** (9), 2120-8 (2002).
Simple nonlinear dual-window operator for edge detection. — Eugenio Di Sciasio and Cataldo Guaragnella; **41** (9), 2181-5 (2002).
Reasonable optical engineering approximation of the effects of two inclined gratings in Talbot interferometry. — Qian Liu and Ryoji Ohba; **41** (10), 2652-7 (2002).
Nonlinear image decomposition for multiresolution edge detection using gray-level edge maps. — Junaid I. Siddique and Kenneth E. Barner; **41** (11), 2749-63 (2002).
Discriminative fabric defect detection using adaptive wavelets. — Xue Zhi Yang, Grantham K. H. Pang, and Nelson H. C. Yung; **41** (12), 3116-26 (2002).
Dividing snake algorithm for multiple object segmentation. — C. S. Tong, P. C. Yuen, and Y. Y. Wong; **41** (12), 3177-82 (2002).
Unsupervised change-detection methods for remote-sensing images. — Farid Melgani, Gabriele Moser, and Sebastiano B. Serpico; **41** (12), 3288-97 (2002).

Detector arrays
Optoelectronic image scanning with high spatial resolution and reconstruction fidelity. — Siegfried Craubner; **41** (2), 381-94 (2002).

Detectors
Block-matching algorithm for mitigating aliasing effects in undersampled image sequences. — Michael C. Roggemann, and William R. Reynolds; **41** (2), 359-69 (2002).
Measurement of fine 6-degrees-of-freedom displacement of rigid bodies through splitting a laser beam: experimental investigation. — Won Shik Park and Hyung Suck Cho; **41** (4), 860-71 (2002).
Analysis of astronomical data from optical superconducting tunnel junctions. — J. H. J. de Bruijne, A. P. Reynolds, M. A. C. Perryman, F. Favata, and A. Peacock; **41** (6), 1158-69 (2002).
New method of grain-boundary extraction by directional optimal filtering: application to estimating creep in metals. — Stéphane Journaux, Pierre Gouton, and Guy Thauvin; **41** (7), 1507-19 (2002).
Contrast measurement of head-mounted displays. — Gerard C. de Wit; **41** (9), 2202-7 (2002).
Operation of lateral effect photosensitive position sensors using differential time delay mode. — I. Abdulhalim, S. Millward, G. Moores, L. Firth, and F. Placido; **41** (12), 3265-9 (2002).

Diffraction
Linearized inversion of scatterometric data to obtain surface profile information. — Emmanuel M. Drège, Jeffrey A. Reed, and Dale M. Byrne; **41** (1), 225-36 (2002).
Semi-empirical model of light scattering from submicron pyramidal pits. — Michael Jordan, Jr. , Rodolfo E. Díaz, and E. Dan Hirleman; **41** (2), 518-28 (2002).
Detection of small cracks and cavities using laser diffraction. — Xide Li, A. K. Soh, Cong Huang, C. H. Yang, and Hui-Ji Shi; **41** (6), 1295-308 (2002).
Error analysis of gratings in optical pickup heads. — Haitao Zhang, Ruizhen Cui, Mali Gong, Dazun Zhao, Ping Yan, and Weipu Jia; **41** (8), 1780-6 (2002).
Diffractive lens in 8- to 10-μm forward-looking infrared system. — Jun-ichi Kudo, Hideo Wada, Toshihiro Okamura, Masako Kobayashi, and Kunihiro Tanikawa; **41** (8), 1787-91 (2002).
Phase and amplitude apodization induced by focusing through an evanescent gap in a solid immersion lens microscope. — Joshua S. Jo, Tom D. Milster, and J. Kevin Erwin; **41** (8), 1866-75 (2002).
Numerical and experimental study of stable resonators with diffractive output coupling. — Alejandro L. Peuriot, Guillermo D. Santiago, and Carlos A. Rosito; **41** (8), 1903-7 (2002).
Elimination of zero-order diffraction in digital holography. — Cheng Liu, Yinzhu Li, Xiaotian Cheng, Zhigang Liu, Feng Bo, and Jianqiang Zhu; **41** (10), 2434-7 (2002).
Diffraction limit for a circular mask with a periodic rectangular apertures array. — Hone-Ene Hwang, Gwo-Huei Yang, and Jung-Chuan Chou; **41** (10), 2620-6 (2002).
Far-field diffraction characteristics of a time-variant Gaussian pulsed beam propagating from a circular aperture. — Hone-Ene Hwang and Gwo-Huei Yang; **41** (11), 2719-27 (2002).
Accurate diffraction efficiency control for multiplexed volume holographic gratings. — Xuliang Han, Gicherl Kim, and Ray T. Chen; **41** (11), 2799-802 (2002).

Diffractive optical elements
Fabrication of diffractive optical elements with arbitrary surface-relief profile by direct laser writing. — Chao Wang, Yuen Chuen Chan, and Yee Loy Lam; **41** (6), 1240-5 (2002).
Interferometric shape measurement of rough surfaces at grazing incidence. — Roland Schreiner; **41** (7), 1570-6 (2002).
Diffractive lens in 8- to 10-μm forward-looking infrared system. — Jun-ichi Kudo, Hideo Wada, Toshihiro Okamura, Masako Kobayashi, and Kunihiro Tanikawa; **41** (8), 1787-91 (2002).
Electromagnetic analysis of finite-thickness diffractive elements. — Dennis W. Prather, Shouyuan Shi, and Jay Sonstroem; **41** (8), 1792-6 (2002).
Large membrane space optics: imagery and aberrations of diffractive and holographic achromatized optical elements of high diffraction order. — Aden Baker Meinel and Marjorie Pettit Meinel; **41** (8), 1995-2007 (2002).
Rapid prototyping of diffractive optical elements for high-power lasers using laser ablation lithography fabrication and coherence probe microscopy analysis. — Manuel Flury, Abderrazzaq Benatmane, Philippe Gérard, Paul C. Montgomery, Joël Fontaine, Thierry Engel, and Jean Pierre Schunck; **41** (10), 2407-18 (2002).
Optimum even-phase four-beam multiplier. — Riccardo Borghi, Fabrizio Frezza, Lara Pajewski, Massimo Santarsiero, and Giuseppe Schettini; **41** (11), 2736-42 (2002).

Diffractive optics

Optimization method for the design of beam shaping systems. — Gábor Erdei, G. Szarvas, E. Lörincz, and P. Richter; **41** (3), 575-83 (2002).

Wireless infrared data links: ray-trace simulations of diffuse channels and demonstration of diffractive element for multibeam transmitters. — Mikko Karppinen, Kari Kataja, Jukka-Tapani Mäkinen, Sanna Juuso, Hannu J. Rajaniemi, Pertti Pääkkönen, Jari Turunen, Juha T. Rantala, and Pentti Karioja; **41** (4), 899-910 (2002).

Design and fabrication of the diffractive phase element that synthesizes three-color pseudo-nondiffracting beams. — Jyh-Rou Sze and Mao-Hong Lu; **41** (12), 3127-35 (2002).

Fabrication and characterization of hybrid-glass-based axicons. — Terho Kololuoma, Kari Kataja, Sanna Juuso, Janne Aikio, and Juha T. Rantala; **41** (12), 3136-40 (2002).

Diffusers

Binary phase difference diffuser: Design and application in digital holography. — Bhupendra B. Chhetri, Seiichi Serikawa, Shiyuan Yang, and Teruo Shimomura; **41** (2), 319-27 (2002).

Diffusion

Photoacoustic studies on *n*-type InP. — Nibu A. George, C. P. G. Vallabhan, V. P. N. Nampoori, and P. Radhakrishnan; **41** (1), 251-4 (2002).

Photon migration in turbid media: a finite-element solution for the most favorable path. — Jun Zhou and Jing Bai; **41** (10), 2577-81 (2002).

Digital imaging

Subpixel localization of synthetic references in digital images by use of an augmented template. — Wim Ruyten; **41** (3), 601-7 (2002).

Three-dimensional body scanning system for apparel mass customization. — Bugao Xu, Y. Huang, W. Yu, and T. Chen; **41** (7), 1475-9 (2002).

Image quality of sparse-aperture designs for remote sensing. — Robert D. Fiete, Theodore A. Tantalo, Jason R. Calus, and James A. Mooney; **41** (8), 1957-69 (2002).

Watermarking techniques for electronic delivery of remote sensing images. — Mauro Barni, Franco Bartolini, Enrico Magli, and Gabriella Olmo; **41** (9), 2111-9 (2002).

Elimination of zero-order diffraction in digital holography. — Cheng Liu, Yinzhu Li, Xiaotian Cheng, Zhigang Liu, Feng Bo, and Jianqiang Zhu; **41** (10), 2434-7 (2002).

Digital processing

Digital fringe projection system for large-volume 360-deg shape measurement. — Robert Sitnik, Małgorzata Kujawińska, and Jerzy Woźnicki; **41** (2), 443-9 (2002).

Adaptive digital watermarking using fuzzy logic techniques. — Der-Chyuan Lou and Te-Lung Yin; **41** (10), 2675-87 (2002).

Diode lasers

Absolute length measurement using changeable synthetic wavelength chain. — Chunyong Yin, Zhixia Chao, Dejiao Lin, Yi Xu, and Jie Xu; **41** (4), 746-50 (2002).

Diodes

Laser-diode end-pumped passively Q-switched Nd:YVO_4 laser with Cr^{4+}:YAG saturable absorber. — Jiaan Zheng, Shengzhi Zhao, and Lei Chen; **41** (9), 2271-5 (2002).

Two different lasers integrated in a monochip by one-step epitaxy. — WeiLing Guo, Guangdi Shen, JianJun Li, Ying Ding, Ying Liu, Guo Gao, and DeShu Zou; **41** (10), 2391-2 (2002).

Wave optical analysis of light-emitting diode beam shaping using microlens arrays. — Alexander Büttner and Uwe D. Zeitner; **41** (10), 2393-401 (2002).

All-optical angular sensing based on holography multiplexing with spherical waves. — Ching-Cherng Sun, Chih-Yuan Hsu, Yuh Ouyang, Wei-Chia Su, and Arthur E. T. Chiou; **41** (11), 2809-13 (2002).

Dispersion

Wireless infrared data links: ray-trace simulations of diffuse channels and demonstration of diffractive element for multibeam transmitters. — Mikko Karppinen, Kari Kataja, Jukka-Tapani Mäkinen, Sanna Juuso, Hannu J. Rajaniemi, Pertti Pääkkönen, Jari Turunen, Juha T. Rantala, and Pentti Karioja; **41** (4), 899-910 (2002).

High-order polarization mode dispersion emulator. — Russell Chipman and Ravinderkumar Kinnera; **41** (5), 932-7 (2002).

Simple all-fiber-optic component for first-order polarization mode dispersion compensation. — Young Wuk Lee, Ho Jin Jeong, Jung Hyung Pyo, Byoung Yoon Kim, Kyong Mo Yoon, Geun Young Kim, and Yong Gi Lee; **41** (6), 1309-12 (2002).

Electro-optic system for online light transmission control of polymer-dispersed liquid crystal windows. — José M. Sánchez Pena, Carmen Vázquez, Isabel Pérez, I. Rodriguez, and José M. Otón; **41** (7), 1608-11 (2002).

Error dispersion algorithms to improve angle precision for an encoder. — Yuji Matsuzoe, Nobuhiko Tsuji, and Toru Yoshizawa; **41** (9), 2282-9 (2002).

Accurate prediction of the propagation characteristics of single-mode graded-index fibers by a novel approximation of the fundamental modal field. — Santanu Sanyal and Somenath Sarkar; **41** (9), 2290-5 (2002).

Dispersion compensation in externally modulated transmission system using reverse dispersion fiber. — Hai-Han Lu; **41** (9), 2296-300 (2002).

Balance between birefringence and Kerr effect in zero-averaged-path dispersion-managed optical fiber links. — Shuqin Guo and Guosheng Zhou; **41** (10), 2464-7 (2002).

Displays

Synthesis of a color image display using birefringent filters. — Salman Saeed and Philip J. Bos; **41** (1), 167-75 (2002).

Fundamental display properties of flexible devices containing polymer-stabilized ferroelectric liquid crystal between plastic substrates. — Hideo Fujikake, Takeshi Murashige, Hiroto Sato, Yoshiki Iino, Masahiro Kawakita, and Hiroshi Kikuchi; **41** (9), 2195-201 (2002).

Contrast measurement of head-mounted displays. — Gerard C. de Wit; **41** (9), 2202-7 (2002).

Viewing-angle-enhanced integral 3-D imaging using double display devices with masks. — Sungyong Jung, Jae-Hyeung Park, Byoungho Lee, and Bahram Javidi; **41** (10), 2389-90 (2002).

Contrast budget of head-mounted displays. — Gerard C. de Wit; **41** (10), 2419-26 (2002).

Color electro-holographic display using a single white light source and a focal adjustment method. — Kunihiko Takano and Koki Sato; **41** (10), 2427-33 (2002).

Study for wide-viewing integral photography using an aspheric Fresnel-lens array. — Sung-Wook Min, Sungyong Jung, Jae-Hyeung Park, and Byoungho Lee; **41** (10), 2572-6 (2002).

Distortion

Adaptive multiple filtering. — Oleg Billert and Liviu Singher; **41** (1), 55-68 (2002).

Invariant face recognition using a projection-slice synthetic-discriminant-function-based algorithm. — Abdul Rahman Alsamman and Mohammad S. Alam; **41** (1), 87-93 (2002).

Discrete cosine transform based high-resolution image reconstruction considering the inaccurate subpixel motion information. — Min Kyu Park, Eun Sil Lee, Jin Yeol Park, Moon Gi Kang, and Jaihie Kim; **41** (2), 370-80 (2002).

Design of high-power aspherical ophthalmic lenses with a reduced error budget. — Wen-Shing Sun, Horng Chang, Ching-Cherng Sun, Ming-Wen Chang, Ching-Huang Lin, and Chuen-Lin Tien; **41** (2), 460-70 (2002).

Distortion analysis in stereoscopic images. — Jung-Young Son, Yuri Gruts, Joohwan Chun, Yong Jin Choi, Ji-Eun Bahn, and Vladimir I. Bobrinev; **41** (3), 680-5 (2002).

Joint rate-distortion optimization of discrete cosine transform coefficient quantization and disparity field estimation for stereo image coding. — Dong-Goo Kang and Rae-Hong Park; **41** (8), 2008-21 (2002).

Doppler effect

Advantages of a new modulation scheme in an optical self-mixing frequency-modulated continuous-wave system. — Daniel Nordin and Kalevi Hyyppä; **41** (5), 1128-33 (2002).

Dye lasers

Two-photon-pumped short-cavity lasing properties of the dye *trans*-4-[*p*-(*N*-hydroxyethyl-*N*-methylamino)styryl]-*N*-methylpyridinium *p*-toluene sulfonate. — Dong Wang, Guangyong Zhou, Yan Ren, Shengjun Yang, Xinguang Xu, Xian Zhao, Zongshu Shao, and Minhua Jiang; **41** (8), 1899-902 (2002).

Compact solid-state dye polymer laser for ozone lidar applications. — Alton L. Jones, Jr. , Russell J. DeYoung, and Hani E. Elsayed-Ali; **41** (11), 2951-8 (2002).

Edges

New wavelet transforms for noise-insensitive edge detection. — Feijun Song and Suganda Jutamulia; **41** (1), 50-4 (2002).

Analytical study on junction detection. — Jiann-Shu Lee, Jzau-Sheng Lin, Ching-Tsorng Tsai, and Ding-Horng Chen; **41** (2), 342-50 (2002).

Rigorous coupled-wave analysis calculus of submicrometer interference pattern and resolving edge position versus signal-to-noise ratio. — Alexander Tavrov, Michael Totzeck, Norbert Kerwien, and Hans J. Tiziani; **41** (8), 1886-92 (2002).

Cooled high-power laser light transmitting components: beam-induced aberrations and power-handling capability. — Claude A. Klein; **41** (9), 2158-68 (2002).

Simple nonlinear dual-window operator for edge detection. — Eugenio Di Sciasio and Cataldo Guaragnella; **41** (9), 2181-5 (2002).

Nonlinear image decomposition for multiresolution edge detection using gray-level edge maps. — Junaid I. Siddique and Kenneth E. Barner; **41** (11), 2749-63 (2002).

Electro-optics

Electro-optic system for online light transmission control of polymer-dispersed liquid crystal windows. — José M. Sánchez Pena, Carmen Vázquez, Isabel Pérez, I. Rodriguez, and José M. Otón; **41** (7), 1608-11 (2002).

Fundamental display properties of flexible devices containing polymer-stabilized ferroelectric liquid crystal between plastic substrates. — Hideo Fujikake, Takeshi Murashige, Hiroto Sato, Yoshiki Iino, Masahiro Kawakita, and Hiroshi Kikuchi; **41** (9), 2195-201 (2002).

Color electro-holographic display using a single white light source and a focal adjustment method. — Kunihiko Takano and Koki Sato; **41** (10), 2427-33 (2002).

Electric-field-induced optical path change profiling using a Pohl interferometer. — Xi Yang, Lowell T. Wood, and John H. Miller, Jr. ; **41** (11), 2866-8 (2002).

H_∞ control law for line-of-sight stabilization for mobile land vehicles. — J. A. R. Krishna Moorty, Rajeev Marathe, and V. R. Sule'; **41** (11), 2935-44 (2002).

Electromagnetic waves

Nanostructures with small- and large-scale periodic and random rough surfaces and lateral fluctuations in the permittivity and permeability-scattered near fields. — Ezekiel Bahar; **41** (8), 1918-25 (2002).

Electron microscopy

APEX method and real-time blind deconvolution of scanning electron microscope imagery. — Alfred S. Carasso, David S. Bright, and András E. Vladár; **41** (10), 2499-514 (2002).

Electrostriction

Electric-field-induced optical path change profiling using a Pohl interferometer. — Xi Yang, Lowell T. Wood, and John H. Miller, Jr. ; **41** (11), 2866-8 (2002).

Ellipsometry

Principal Mueller matrix of reflection and scattering measured for a one-dimensional rough surface. — Soe-Mie F. Nee and Tsu-Wei Nee; **41** (5), 994-1001 (2002).

Optical topography measurement applying optimal filtering of local slope and surface height data. — Wolfgang Holzapfel, Manfried Sofsky, and Ulrich Neuschaefer-Rube; **41** (9), 2301-9 (2002).

Emission

Polarized directional reflectance from laurel and mullein leaves. — Peter N. Raven, David L. Jordan, and Catherine E. Smith; **41** (5), 1002-12 (2002).

Inclusive bit error rate analysis for coherent optical code-division multiple-access system. — Gilad Katz and Dan Sadot; **41** (6), 1227-31 (2002).

Encoders

Error dispersion algorithms to improve angle precision for an encoder. — Yuji Matsuzoe, Nobuhiko Tsuji, and Toru Yoshizawa; **41** (9), 2282-9 (2002).

Encoding

Wavelet-based image compression using classified interpolative vector quantization. — M. Bi, S. H. Ong, and Y. H. Ang; **41** (7), 1528-35 (2002).

Engineering

Strain contouring using Gabor filters: principle and algorithm. — Anand Asundi and Wang Jun; **41** (6), 1400-5 (2002).

Etching

Sol-gel fabrication and properties of optical channel waveguides and gratings made from composites of titania and organically modified silane. — Wenxiu Que and Chan Hin Kam; **41** (7), 1733-7 (2002).

Extinction

Estimation of differential absorption lidar measurement error for NO_2 profiling in the lower troposphere. — Nianwen Cao, Takashi Fujii, Tetsuo Fukuchi, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **41** (1), 218-24 (2002).

Extreme ultraviolet

Nonoxidized Al-overcoated Ir bilayers with high reflectance in the extreme ultraviolet above 50 nm. — Juan I. Larruquert, José A. Méndez, and José A. Aznárez; **41** (6), 1418-24 (2002).

Improved reflectance and stability of Mo-Si multilayers. — Saša Bajt, Jennifer B. Alameda, Troy W. Barbee, Jr., W. Miles Clift, James A. Folta, Ben Kaufmann, and Eberhard A. Spiller; **41** (8), 1797-804 (2002).

Fabry-Perot

Frequency doubled and stabilized all-solid-state Ti:sapphire lasers. — Haroldo J. Onisto, Reinaldo L. Cavasso-Filho, Artemio Scalabrin, Daniel Pereira, and Flavio C. Cruz; **41** (5), 1122-7 (2002).

Static strain measurement with sub-micro-strain resolution and large dynamic range using a twin-Bragg-grating Fabry-Perot sensor. — M. G. Shlyagin, Pieter L. Swart, S. V. Miridonov, Anatoli A. Chtcherbakov, I. Márquez Borbón, and V. V. Spirin; **41** (8), 1809-14 (2002).
Characteristics of a wavelength-switching fiber laser source. — Yong Wang, Swee Chuan Tjin, Liming He, and Bryan Kok Ann Ngoi; **41** (11), 2783-92 (2002).

Far ultraviolet

Nonoxidized Al-overcoated Ir bilayers with high reflectance in the extreme ultraviolet above 50 nm. — Juan I. Larruquert, José A. Méndez, and José A. Aznárez; **41** (6), 1418-24 (2002).

Femtosecond phenomena

Femtosecond pulsed laser direct writing system. — Krishnan Venkatakrishnan, B. Tan, Paul Stanley, L. E. N. Lim, and Bryan Kok Ann Ngoi; **41** (6), 1441-5 (2002).
Femtosecond laser-driven x-ray tube. — André Egbert, Boris N. Chichkov, Carsten Fallnich, Stefan Zimmermann, and Alfred Reinhold; **41** (10), 2658-67 (2002).

Ferroelectrics

Fundamental display properties of flexible devices containing polymer-stabilized ferroelectric liquid crystal between plastic substrates. — Hideo Fujikake, Takeshi Murashige, Hiroto Sato, Yoshiki Iino, Masahiro Kawakita, and Hiroshi Kikuchi; **41** (9), 2195-201 (2002).
Electric-field-induced optical path change profiling using a Pohl interferometer. — Xi Yang, Lowell T. Wood, and John H. Miller, Jr. ; **41** (11), 2866-8 (2002).

Fiber characteristics

Design of tightly jacketed double-coated optical fibers to minimize long-term hydrostatic-pressure-induced microbending losses. — Sham-Tsong Shiue and Ting-Ying Shen; **41** (6), 1313-6 (2002).

Fiber characterization

Coupling coefficient evaluation of a fiber directional coupler using an all-fiber Sagnac interferometer. — H. H. Cerecedo-Núñez, C. G. Treviño-Palacios, and E. A. Kuzin; **41** (3), 555-6 (2002).
Macrobend sensor via the use of a hollow-core splice fiber: theory and experiments. — Yoonchan Jeong, Seungin Baek, Byoungho Lee, Sangsoo Choi, and Kyunghwan Oh; **41** (8), 1815-20 (2002).

Fiber lasers

Mechanism of bound soliton pulse formation in a passively mode locked fiber ring laser. — Y. D. Gong, D. Y. Tang, P. Shum, C. Lu, T. H. Cheng, W. S. Man, and H. Y. Tam; **41** (11), 2778-82 (2002).

Fiber optic applications

Evanescent-wave gas sensing using microstructure fiber. — Y. L. Hoo, W. Jin, H. L. Ho, D. N. Wang, and Robert S. Windeler; **41** (1), 8-9 (2002).
Macrobend sensor via the use of a hollow-core splice fiber: theory and experiments. — Yoonchan Jeong, Seungin Baek, Byoungho Lee, Sangsoo Choi, and Kyunghwan Oh; **41** (8), 1815-20 (2002).
Balance between birefringence and Kerr effect in zero-averaged-path dispersion-managed optical fiber links. — Shuqin Guo and Guosheng Zhou; **41** (10), 2464-7 (2002).

Fiber optic sensors

Evanescent-wave gas sensing using microstructure fiber. — Y. L. Hoo, W. Jin, H. L. Ho, D. N. Wang, and Robert S. Windeler; **41** (1), 8-9 (2002).
Comparison of distributed fiber optic sensing methods for location and quantity information measurements. — Ilkka Alasaarela, Pentti Karioja, and Harri Kopola; **41** (1), 181-9 (2002).
Simple equation to estimate the output power of an evanescent field absorption-based fiber sensor. — Ö. Galip Saraçoglu and Sedat Özsoy; **41** (3), 598-600 (2002).
Novel optical fiber refractometric transducer employing hemispherical detection element. — Vladimir Svirid, Sergei Khotiaintsev, and Pieter L. Swart; **41** (4), 779-87 (2002).
High dynamic range fiber optic relative humidity sensor. — Rajeev Jindal, Shiquan Tao, Jagdish P. Singh, and Parikshit S. Gaikwad; **41** (5), 1093-6 (2002).
Quantitative analysis of the Shupe reduction in a fiber-optic Sagnac interferometer. — Xuhan Dai, Xiaolin Zhao, Bingchu Cai, Guoguang Yang, Kejiang Zhou, and Chen Liu; **41** (6), 1155-6 (2002).
Temperature monitoring of nuclear reactor cores with multiplexed fiber Bragg grating sensors. — Alberto Fernandez Fernandez, Andrei I. Gusarov, Benoît Brichard, Serge Bodart, Koen Lammens, Francis Berghmans, Marc Decréton, Patrice Mégret, Michel Blondel, and Alain Delchambre; **41** (6), 1246-54 (2002).
Radiometric analysis of a fiber optic temperature sensor. — Jesus Castrellon, Gonzalo Paez, and Marija Strojnik; **41** (6), 1255-61 (2002).
Static strain measurement with sub-micro-strain resolution and large dynamic range using a twin-Bragg-grating Fabry-Perot sensor. — M. G. Shlyagin, Pieter L. Swart, S. V. Miridonov, Anatoli A. Chtcherbakov, I. Márquez Borbón, and V. V. Spirin; **41** (8), 1809-14 (2002).
Macrobend sensor via the use of a hollow-core splice fiber: theory and experiments. — Yoonchan Jeong, Seungin Baek, Byoungho Lee, Sangsoo Choi, and Kyunghwan Oh; **41** (8), 1815-20 (2002).
Microbent optical fibers as evanescent wave sensors. — S. Thomas Lee, K. Geetha, V. P. N. Nampoori, C. P. G. Vallabhan, and P. Radhakrishnan; **41** (12), 3260-4 (2002).

Fiber optics

Coupling coefficient evaluation of a fiber directional coupler using an all-fiber Sagnac interferometer. — H. H. Cerecedo-Núñez, C. G. Treviño-Palacios, and E. A. Kuzin; **41** (3), 555-6 (2002).
Tunable chirping of a fiber Bragg grating without center wavelength shift using a simply supported beam. — Yunqi Liu, Jianping Yao, Xinyong Dong, and Jianliang Yang; **41** (4), 740-1 (2002).
Hybrid AM-VSB/256-QAM WDM system over 70 km of single-mode fiber with praseodymium-doped fiber amplifier. — Hai-Han Lu; **41** (5), 928-9 (2002).
Self-referenced intensity-based fiber optic sensor system using fiber Bragg gratings. — Yu-Lung Lo, Ting-Yang Yan, and Chih-Ping Kuo; **41** (5), 1087-92 (2002).
Intensity compensation of a transmitted spectrum using an all-fiber Sagnac interferometer. — H. H. Cerecedo-Núñez, C. G. Treviño-Palacios, and E. A. Kuzin; **41** (6), 1153-4 (2002).
Simple all-fiber-optic component for first-order polarization mode dispersion compensation. — Young Wuk Lee, Ho Jin Jeong, Jung Hyung Pyo, Byoung Yoon Kim, Kyong Mo Yoon, Geun Young Kim, and Yong Gi Lee; **41** (6), 1309-12 (2002).
Design of tightly jacketed double-coated optical fibers to minimize long-term hydrostatic-pressure-induced microbending losses. — Sham-Tsong Shiue and Ting-Ying Shen; **41** (6), 1313-6 (2002).
Thermally induced optical effects in double-coated optical fibers by viscoelastic theory. — Un-Chia Chen and Win-Jin Chang; **41** (6), 1317-23 (2002).
Ordered bundles of infrared transmitting silver halide fibers: attenuation, resolution and crosstalk in long and flexible bundles. — Eran Rave and Abraham Katzir; **41** (7), 1467-8 (2002).
Generation of an amplitude modulated optical wave up to 275 GHz by laser wave mixing for optical component bandwidth measurement. — P. Dherbecourt, O. Latry, E. Joubert, and M. Ketata; **41** (7), 1469-70 (2002).
Equivalent complex refractive indices for ray-tracing evaluation of dielectric-coated hollow waveguides. — Katsumasa Iwai, Yukio Abe, Yuji Matsuura, and Mitsunobu Miyagi; **41** (7), 1471-2 (2002).
Simultaneous strain and temperature monitoring of the composite cure with a Brillouin-scattering-based distributed sensor. — Xiaoyi Bao, Chao Huang, Xiaodong Zeng, Antoine Arcand, and Pearl Sullivan; **41** (7), 1496-501 (2002).
Four-band fiber optic radiometry for true temperature measurements during an exothermal process. — Vered Scharf and Abraham Katzir; **41** (7), 1502-6 (2002).
Low-loss polymeric materials for passive waveguide components in fiber optical telecommunication. — Ming Zhou; **41** (7), 1631-43 (2002).
Soliton stability and compression in a system with nonlinear gain. — Mário F. S. Ferreira and Sofia C. V. Latas; **41** (7), 1696-703 (2002).
Selective mode excitation by nonaxial evanescent coupling for bandwidth enhancement of multimode fiber links. — Laurent Vaissié and Eric G. Johnson; **41** (8), 1821-8 (2002).
Reconstruction technique for stimulated Brillouin scattering distributed fiber-optic sensors. — Romeo Bernini, Aldo Minardo, and Luigi Zeni; **41** (9), 2186-94 (2002).
Accurate prediction of the propagation characteristics of single-mode graded-index fibers by a novel approximation of the fundamental modal field. — Santanu Sanyal and Somenath Sarkar; **41** (9), 2290-5 (2002).
Dispersion compensation in externally modulated transmission system using reverse dispersion fiber. — Hai-Han Lu; **41** (9), 2296-300 (2002).
Error-probability analysis of MIL-STD-1773 optical fiber data buses. — Jian-Guo Zhang, Nattapol Promkuntong, Yu-De Ni, and Anjum Pervez; **41** (9), 2369-75 (2002).
Single-mode small-form-factor fiber optic connectors for enterprise computing systems. — Casimer M. DeCusatis; **41** (10), 2438-47 (2002).
256-QAM WDM system transmitted over 80 km of single-mode fiber using a 1.3-μm semiconductor optical amplifier. — Hai-Han Lu and Wen-Jen Wang; **41** (11), 2707-8 (2002).
Pump-controlled signal switching using a nonlinear dual-core fiber. — Yi-Bin Lu and P. L. Chu; **41** (12), 3000-1 (2002).
Chip-level integrated diffractive optical microlenses for multimode vertical-cavity surface-emitting laser to fiber coupling. — Thomas Ammer, Michael T. Gale, and Markus Rossi; **41** (12), 3141-50 (2002).

Films

New type of retroreflective film formed by laser-generating glass beads. — Shaomin Wang, Daomu Zhao, and Fuquan Huang; **41** (6), 1396-9 (2002).
Structural and thermal analysis of Ag-Sb-Te alloy and its films for phase change optical memories. — Yagya Deva Sharma and P. K. Bhatnagar; **41** (7), 1668-73 (2002).
Twofold spatial resolution enhancement by two-photon exposure of photographic film. — Dmitriy V. Korobkin and Eli Yablonovitch; **41** (7), 1729-32 (2002).
Preparation of transparent conductive oxide films by activated reactive evaporation. — K. Narasimha Rao; **41** (11), 2705-6 (2002).
High-precision measurement of reflectance for films under substrates. — Xiao Tang and Jian Zheng; **41** (12), 3283-7 (2002).

Filtering

Algorithms for correlating severely obscured images in nonoverlapping zero-mean noise. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **41** (1), 17-25 (2002).
Effect of disjoint illumination in optimal correlation filters with obscured inputs. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **41** (1), 118-25 (2002).
Optoelectronic image scanning with high spatial resolution and reconstruction fidelity. — Siegfried Craubner; **41** (2), 381-94 (2002).
New method of grain-boundary extraction by directional optimal filtering: application to estimating creep in metals. — Stéphane Journaux, Pierre Gouton, and Guy Thauvin; **41** (7), 1507-19 (2002).
Prediction-based image restoration using a multiple window configuration. — Edward S. Hore, Bin Qiu, and Henry R. Wu; **41** (8), 1855-65 (2002).
Optical topography measurement applying optimal filtering of local slope and surface height data. — Wolfgang Holzapfel, Manfried Sofsky, and Ulrich Neuschaefer-Rube; **41** (9), 2301-9 (2002).
Nonlinear image decomposition for multiresolution edge detection using gray-level edge maps. — Junaid I. Siddique and Kenneth E. Barner; **41** (11), 2749-63 (2002).
Parameter optimization of an all-fiber Fourier filter flat-top interleaver. — Tong Liu, Yeng Chai Soh, Ying Zhang, and Zhongping Fang; **41** (12), 3217-20 (2002).

Filters

Adaptive multiple filtering. — Oleg Billert and Liviu Singher; **41** (1), 55-68 (2002).
Morphological radial-harmonic correlation for shift- and scale-invariant pattern recognition. — Jianping Yao, Soon-Meng Tan, and Yuan-Ban Liew; **41** (1), 81-6 (2002).
Legacy of optical information processing. — Francis T. S. Yu; **41** (1), 139-44 (2002).
Synthesis of a color image display using birefringent filters. — Salman Saeed and Philip J. Bos; **41** (1), 167-75 (2002).
1×2 optical waveguide filters based on multimode interference for 1.3- and 1.55-μm operation. — Baojun Li, Soo-Jin Chua, Christopher W. Leitz, and Eugene A. Fitzgerald; **41** (3), 723-7 (2002).
Predictive search algorithm for vector quantization of images. — Chung-Ming Kuo, Chaur-Heh Hsieh, and Shiuh-Ku Weng; **41** (5), 1104-14 (2002).
Spectral modeling and improvement of target detection in a visible cluttered environment. — Zeev Zalevsky and Arnon Goldman; **41** (6), 1358-64 (2002).
Strain contouring using Gabor filters: principle and algorithm. — Anand Asundi and Wang Jun; **41** (6), 1400-5 (2002).
Approaches to color- and texture-based image classification. — Vidya Manian and Ramón Vásquez; **41** (7), 1480-90 (2002).
Analytical study of Bragg-grating fiber-optic filters for DWDM and temperature-sensing applications. — Carlos Alberto De Francisco, Milson T. Camargo Silva, and Murilo Araujo Romero; **41** (7), 1491-5 (2002).
Numerical and experimental study of stable resonators with diffractive output coupling. — Alejandro L. Peuriot, Guillermo D. Santiago, and Carlos A. Rosito; **41** (8), 1903-7 (2002).
Multispectral color image capture using a liquid crystal tunable filter. — Jon Y. Hardeberg, Francis Schmitt, and Hans Brettel; **41** (10), 2532-48 (2002).
Characteristics of a wavelength-switching fiber laser source. — Yong Wang, Swee Chuan Tjin, Liming He, and Bryan Kok Ann Ngoi; **41** (11), 2783-92 (2002).

Electro-optical switch and continuously tunable filter based on a Bragg grating in a planar waveguide with a liquid crystal overlayer. — Luigi Sirleto, Giuseppe Coppola, Giovanni Breglio, Giancarlo Abbate, Giancarlo C. Righini, and José Manuel Otón; **41** (11), 2890-8 (2002).

Beam selector dependent on incident angle by guided-mode resonant subwavelength grating. — Ya Nie, Lei Wang, Zhiheng Wang, and Chengjun Lai; **41** (11), 2966-9 (2002).

Fluorescence

Fluorescence lidar remote sensing: experimental test for investigating black crusts on ancient buildings. — David Lognoli and Marta Pantani; **41** (1), 213-7 (2002).

Radiometric analysis of a fiber optic temperature sensor. — Jesus Castrellon, Gonzalo Paez, and Marija Strojnik; **41** (6), 1255-61 (2002).

Focal plane arrays

Analysis of astronomical data from optical superconducting tunnel junctions. — J. H. J. de Bruijne, A. P. Reynolds, M. A. C. Perryman, F. Favata, and A. Peacock; **41** (6), 1158-69 (2002).

480 × 8 hybrid HgCdTe infrared focal plane arrays for high-definition television format. — Masako Kobayashi, Hideo Wada, Toshihiro Okamura, Junichi Kudo, Kunihiro Tanikawa, Soichiro Hikida, Yoshihiro Miyamoto, Shinji Miyazaki, and Yukihiro Yoshida; **41** (8), 1876-85 (2002).

Focus

Autofocus system for microscope. — Qingxiang Li, Lifen Bai, Shifu Xue, and Luyun Chen; **41** (6), 1289-94 (2002).

Forward-looking infrared

Diffractive lens in 8- to 10-μm forward-looking infrared system. — Jun-ichi Kudo, Hideo Wada, Toshihiro Okamura, Masako Kobayashi, and Kunihiro Tanikawa; **41** (8), 1787-91 (2002).

480 × 8 hybrid HgCdTe infrared focal plane arrays for high-definition television format. — Masako Kobayashi, Hideo Wada, Toshihiro Okamura, Junichi Kudo, Kunihiro Tanikawa, Soichiro Hikida, Yoshihiro Miyamoto, Shinji Miyazaki, and Yukihiro Yoshida; **41** (8), 1876-85 (2002).

Fourier optics

Legacy of optical information processing. — Francis T. S. Yu; **41** (1), 139-44 (2002).

Analysis of the wavelength-to-depth encoded interference microscopy for three-dimensional imaging. — Guoqiang Li and Yeshayahu Fainman; **41** (6), 1281-8 (2002).

Centroid detection based on optical correlation. — Shoude Chang and Chander P. Grover; **41** (10), 2479-86 (2002).

Phase image visualization with white light extended sources: a Fourier-optics-based interpretation. — Gabriella Serafino and Paolo Sirotti; **41** (10), 2549-55 (2002).

Simple method to measure the focal length of lenses. — Alma A. Camacho P., Cristina Solano, Geminiano Martínez-Ponce, and Rosario Baltazar; **41** (11), 2899-902 (2002).

Parameter optimization of an all-fiber Fourier filter flat-top interleaver. — Tong Liu, Yeng Chai Soh, Ying Zhang, and Zhongping Fang; **41** (12), 3217-20 (2002).

Fourier transforms

Optical Fourier-transform theory based on geometrical optics. — Suganda Jutamulia and Toshimitsu Asakura; **41** (1), 13-6 (2002).

Optical and electronic design of a hybrid digital-optical correlator system. — Philip M. Birch, Frédéric Claret-Tournier, David Budgett, Rupert Young, and Christopher Chatwin; **41** (1), 32-40 (2002).

Fractional correlation filter for fuzzy associative memories. — Shuqun Zhang and Mohammad A. Karim; **41** (1), 126-9 (2002).

Binary phase difference diffuser: Design and application in digital holography. — Bhupendra B. Chhetri, Seiichi Serikawa, Shiyuan Yang, and Teruo Shimomura; **41** (2), 319-27 (2002).

Shape and motion measurement of time-varying three-dimensional objects based on spatiotemporal fringe-pattern analysis. — Michał Emanuel Pawłowski, Małgorzata Kujawińska, and Marek Grzegorz Węgiel; **41** (2), 450-9 (2002).

Digital image processing of moiré fringe patterns with an application to fractures in bovine dentin. — Dongsheng Zhang, Dwayne D. Arola, and Min Ma; **41** (5), 1115-21 (2002).

Binocular model for figure-ground segmentation in translucent and occluding images. — David Vernon; **41** (10), 2525-31 (2002).

Output beam analysis of an unstable resonator with a large Fresnel number for a chemical oxygen iodine laser. — Deli Yu, Fengting Sang, Yuqi Jin, and Yizhu Sun; **41** (10), 2668-74 (2002).

Influence of aberrations of a Fourier transform infrared spectrometer optical system on measurement errors. — Leszek Wawrzyniuk and Romuald Jóźwicki; **41** (11), 2959-65 (2002).

Two-dimensional average contrast analysis of the joint Fourier spectrum under rotation of an input object. — Alfonso Padilla-Vivanco, Gonzalo Urcid-Serrano, Javier Báez-Rojas, and Alejandro Cornejo-Rodríguez; **41** (12), 3241-9 (2002).

Fractals

Multiple same-sized block mapping for recursive fractal image coding. — Yao Zhao, Hongxing Wang, and Baozong Yuan; **41** (2), 328-34 (2002).

Fractal image compression based on intrablock variance distribution and vector quantization. — Shin-Si Chen, Chang-Biau Yang, and Kuo-Si Huang; **41** (11), 2824-30 (2002).

Joint source-channel fractal image coding with unequal error protection. — Youssef Charfi, Vladimir M. Stanković, Raouf Hamzaoui, Ameur Haouari, and Dietmar Saupe; **41** (12), 3168-76 (2002).

Frequency conversion

Laser-diode end-pumped passively Q-switched intracavity doubling Nd:YVO_4/KTP laser with Cr^{4+}:YAG saturable absorber. — Jiaan Zheng, Shengzhi Zhao, and Lei Chen; **41** (8), 1970-5 (2002).

Frequency generation

Difference-frequency mixing of output waves from a periodically poled lithium niobate optical parametric oscillator in a GaSe crystal. — S. Haidar, Y. K. Hsu, C. S. Chang, S. C. Wang, and Hiromasa Ito; **41** (8), 1932-5 (2002).

Frequency modulation

Advantages of a new modulation scheme in an optical self-mixing frequency-modulated continuous-wave system. — Daniel Nordin and Kalevi Hyyppä; **41** (5), 1128-33 (2002).

Fringe analysis

Peak movement detection method of an equally spaced fringe for precise position measurement. — Jong Hoon Yi, Soo Hyun Kim, Yoon Keun Kwak, and Yun Woo Lee; **41** (2), 428-34 (2002).

Shape and motion measurement of time-varying three-dimensional objects based on spatiotemporal fringe-pattern analysis. — Michał Emanuel Pawłowski, Małgorzata Kujawińska, and Marek Grzegorz Węgiel; **41** (2), 450-9 (2002).

Strain contouring using Gabor filters: principle and algorithm. — Anand Asundi and Wang Jun; **41** (6), 1400-5 (2002).

Shadow moiré topography using a flatbed scanner. — T. W. Ng and A. Tajuddin; **41** (8), 1908-11 (2002).

Error dispersion algorithms to improve angle precision for an encoder. — Yuji Matsuzoe, Nobuhiko Tsuji, and Toru Yoshizawa; **41** (9), 2282-9 (2002).

Gallium arsenide

Passively Q-switched self-frequency-doubling Nd^{3+}:$GdCa_4O(BO_3)_3$ laser with GaAs saturable absorber. — Shengzhi Zhao, Xingyu Zhang, Jiaan Zheng, Lei Chen, Zhenxiang Cheng, and Huanchu Cheng; **41** (3), 559-60 (2002).

Gases

Cross sensitivity reduction of gas sensors using genetic neural network. — Yong Zhang, Junhua Liu, Yonghuai Zhang, and Xiaojun Tang; **41** (3), 615-25 (2002).

Geometric optics

Optical Fourier-transform theory based on geometrical optics. — Suganda Jutamulia and Toshimitsu Asakura; **41** (1), 13-6 (2002).

Marginal rays in tapered gradient-index lenses. — José Manuel Rivas-Moscoso, Carlos Gómez-Reino, María Victoria Pérez Martín, and Carmen Bao Varela; **41** (2), 303-13 (2002).

Evaluation of a charge-coupled-device-based video sensor for aircraft cargo surveillance. — Thierry Sentenac, Yannick Le Maoult, Jean-José Orteu, and Gérard Boucourt; **41** (4), 796-810 (2002).

Glass

Waveguide distributed Bragg reflector laser arrays in erbium doped glass made by dry Ag film ion exchange. — Pratheepan Madasamy, G. Nunzi Conti, P. Poyhonen, Y. Hu, M. M. Morrell, D. F. Geraghty, S. Honkanen, and N. Peyghambarian; **41** (5), 1084-6 (2002).

Measurement of glass surface layers and their influence on thin-film optical properties. — Zhengtian Gu, Peihui Liang, and Weiqing Zhang; **41** (7), 1738-46 (2002).

Long-term stability of optical surfaces. — Raymond N. Smartt, Philip E. Ciddor, Achim J. Leistner, and Jeffrey A. Seckold; **41** (10), 2688-91 (2002).

Gradient index

Marginal rays in tapered gradient-index lenses. — José Manuel Rivas-Moscoso, Carlos Gómez-Reino, María Victoria Pérez Martín, and Carmen Bao Varela; **41** (2), 303-13 (2002).

Selective mode excitation by nonaxial evanescent coupling for bandwidth enhancement of multimode fiber links. — Laurent Vaissié and Eric G. Johnson; **41** (8), 1821-8 (2002).

Birefringence characterization of quarter-pitch gradient index lenses. — Diana Tentori, Javier Camacho, and Heriberto Márquez; **41** (10), 2468-75 (2002).

Gratings

Linearized inversion of scatterometric data to obtain surface profile information. — Emmanuel M. Drège, Jeffrey A. Reed, and Dale M. Byrne; **41** (1), 225-36 (2002).

Design and simulation of a two-section Fabry-Pérot sampled grating distributed Bragg reflector laser for dense wavelength-division multiplexing applications. — Magdy Hussein Mourad, D. Marcenac, J. P. Vilcot, and D. Decoster; **41** (2), 479-83 (2002).

Fiber Bragg grating current sensor using linear magnetic actuator. — Jianmin Gong, C. C. Chan, M. Zhang, W. Jin, J. M. K. MacAlpine, and Y. B. Liao; **41** (3), 557-8 (2002).

Waveguide grating (moiré) microinterferometer for inplane displacement/strain field investigation. — Leszek Salbut; **41** (3), 626-31 (2002).

Tunable chirping of a fiber Bragg grating without center wavelength shift using a simply supported beam. — Yunqi Liu, Jianping Yao, Xinyong Dong, and Jianliang Yang; **41** (4), 740-1 (2002).

Novel self-consistent method for determining optical coupling coefficients and grating losses of distributed Bragg reflector lasers. — Hoshin H. Yee; **41** (5), 1077-83 (2002).

Self-referenced intensity-based fiber optic sensor system using fiber Bragg gratings. — Yu-Lung Lo, Ting-Yang Yan, and Chih-Ping Kuo; **41** (5), 1087-92 (2002).

Quantitative measurement for the modulation of photorefractive index gratings. — Shoang C. Donn, Chung-Chen Tu, Ching-Cherng Sun, and Ming-Tsung Chen; **41** (6), 1346-9 (2002).

Tunable gain-flattening filter using microbending long-period fiber gratings. — Ik-Bu Sohn, Nam-Kwon Lee, Hyung-Woo Kwon, and Jae-Won Song; **41** (7), 1465-6 (2002).

Analytical study of Bragg-grating fiber-optic filters for DWDM and temperature-sensing applications. — Carlos Alberto De Francisco, Milson T. Camargo Silva, and Murilo Araujo Romero; **41** (7), 1491-5 (2002).

Sol-gel fabrication and properties of optical channel waveguides and gratings made from composites of titania and organically modified silane. — Wenxiu Que and Chan Hin Kam; **41** (7), 1733-7 (2002).

Switchable Bragg grating devices for telecommunications applications. — Serdar Yeralan, John Gunther, Dwight Ritums, Robert Cid, and Milan Popovich; **41** (8), 1774-9 (2002).

Error analysis of gratings in optical pickup heads. — Haitao Zhang, Ruizhen Cui, Mali Gong, Dazun Zhao, Ping Yan, and Weipu Jia; **41** (8), 1780-6 (2002).

Static strain measurement with sub-micro-strain resolution and large dynamic range using a twin-Bragg-grating Fabry-Perot sensor. — M. G. Shlyagin, Pieter L. Swart, S. V. Miridonov, Anatoli A. Chtcherbakov, I. Márquez Borbón, and V. V. Spirin; **41** (8), 1809-14 (2002).

Color grating projection moiré with time-integral fringe capturing for high-speed 3-D imaging. — Moon-Sik Jeong and Seung-Woo Kim; **41** (8), 1912-7 (2002).

Analysis and modeling of distributed feedback and distributed Bragg reflector lasers using regrowth-free index-coupled surface grating technology. — Hery Susanto Djie, Chrisada Sookdhis, and Philip Dowd; **41** (9), 2345-52 (2002).

Novel piezoelectric actuators for tuning an optical fiber Bragg grating. — Sidney G. Allison, Robert L. Fox, Mark E. Froggatt, and Brooks A. Childers; **41** (10), 2448-55 (2002).

Optimal wavelength pair selection and accuracy analysis of dual fiber grating sensors for simultaneously measuring strain and temperature. — Ponniah Sivanesan, James S. Sirkis, Yorinobu Murata, and Steven G. Buckley; **41** (10), 2456-63 (2002).

Reasonable optical engineering approximation of the effects of two inclined gratings in Talbot interferometry. — Qian Liu and Ryoji Ohba; **41** (10), 2652-7 (2002).

Characteristics of a wavelength-switching fiber laser source. — Yong Wang, Swee Chuan Tjin, Liming He, and Bryan Kok Ann Ngoi; **41** (11), 2783-92 (2002).

Accurate diffraction efficiency control for multiplexed volume holographic gratings. — Xuliang Han, Gicherl Kim, and Ray T. Chen; **41** (11), 2799-802 (2002).

Polarization holography with photoinduced anisotropy in bacteriorhodopsin. — Yoshiko Okada-Shudo, Jean-Michel Jonathan, and Gérald Roosen; **41** (11), 2803-8 (2002).

Electro-optical switch and continuously tunable filter based on a Bragg grating in a planar waveguide with a liquid crystal overlayer. — Luigi Sirleto, Giuseppe Coppola, Giovanni Breglio, Giancarlo Abbate, Giancarlo C. Righini, and José Manuel Otón; **41** (11), 2890-8 (2002).

Beam selector dependent on incident angle by guided-mode resonant subwavelength grating. — Ya Nie, Lei Wang, Zhiheng Wang, and Chengjun Lai; **41** (11), 2966-9 (2002).

Polarization-independent wavelength multiplexing using thermally fixed photorefractive gratings in lithium niobate. — Martin Nagel and Azad Siahmakoun; **41** (11), 2975-82 (2002).
Diffraction efficiency of nonsynchronously sampled diffraction gratings. — Jeffrey A. Davis, Jingo Adachi, and Don M. Cottrell; **41** (11), 2983-6 (2002).
Tunable and frequency-stabilized CO_2 waveguide laser. — Yangwu Ma and Di Liang; **41** (12), 3319-23 (2002).

Grazing incidence
Interferometric shape measurement of rough surfaces at grazing incidence. — Roland Schreiner; **41** (7), 1570-6 (2002).

Heterodyning
Birefringence measurements by an electro-optic modulator using a new heterodyne scheme. — Yu-Lung Lo and Ping-Feng Hsu; **41** (11), 2764-7 (2002).
Nonlinear error by orientation and elliptic polarization in a two-beam interferometer. — Huijie Zhao and Guangjun Zhang; **41** (12), 3204-8 (2002).

Heterostructures
Novel concepts for injection lasers. — Nikolai N. Ledentsov and Vitaly A. Shchukin; **41** (12), 3193-203 (2002).

High-power lasers
Rapid prototyping of diffractive optical elements for high-power lasers using laser ablation lithography fabrication and coherence probe microscopy analysis. — Manuel Flury, Abderrazzaq Benatmane, Philippe Gérard, Paul C. Montgomery, Joël Fontaine, Thierry Engel, and Jean Pierre Schunck; **41** (10), 2407-18 (2002).

Holograms
Dot-matrix hologram with hidden image. — Sheng-Lih Yeh and Shyh-Tsong Lin; **41** (2), 314-8 (2002).
Switchable Bragg grating devices for telecommunications applications. — Serdar Yeralan, John Gunther, Dwight Ritums, Robert Cid, and Milan Popovich; **41** (8), 1774-9 (2002).
Optical setup and analysis of disk-type photopolymer high-density holographic storage. — Mingju Huang, Zhongyu Chen, and Fuxi Gan; **41** (9), 2315-20 (2002).

Holographic optical elements
Large membrane space optics: imagery and aberrations of diffractive and holographic achromatized optical elements of high diffraction order. — Aden Baker Meinel and Marjorie Pettit Meinel; **41** (8), 1995-2007 (2002).

Holography
Binary phase difference diffuser: Design and application in digital holography. — Bhupendra B. Chhetri, Seiichi Serikawa, Shiyuan Yang, and Teruo Shimomura; **41** (2), 319-27 (2002).
Frequency analysis of digital holography. — Thomas M. Kreis; **41** (4), 771-8 (2002).
Depth detection and image recovery in remote sensing by optical scanning holography. — Taegeun Kim, Ting-Chung Poon, and Guy Indebetouw; **41** (6), 1331-8 (2002).
Large-aperture holographically corrected membrane telescope. — Geoff P. Andersen, Randall J. Knize, Arthur L. Palisoc, and Costas Cassapakis; **41** (7), 1603-7 (2002).
Frequency analysis of digital holography with reconstruction by convolution. — Thomas M. Kreis; **41** (8), 1829-39 (2002).
Color electro-holographic display using a single white light source and a focal adjustment method. — Kunihiko Takano and Koki Sato; **41** (10), 2427-33 (2002).
Elimination of zero-order diffraction in digital holography. — Cheng Liu, Yinzhu Li, Xiaotian Cheng, Zhigang Liu, Feng Bo, and Jianqiang Zhu; **41** (10), 2434-7 (2002).
Polarization holography with photoinduced anisotropy in bacteriorhodopsin. — Yoshiko Okada-Shudo, Jean-Michel Jonathan, and Gérald Roosen; **41** (11), 2803-8 (2002).
All-optical angular sensing based on holography multiplexing with spherical waves. — Ching-Cherng Sun, Chih-Yuan Hsu, Yuh Ouyang, Wei-Chia Su, and Arthur E. T. Chiou; **41** (11), 2809-13 (2002).

Holography applications
Surface profilometry by a parallel-mode confocal microscope. — Radim Chmelík and Zdeněk Harna; **41** (4), 744-5 (2002).

Hough transforms
Fully automatic algorithm for region of interest location in camera calibration. — Xinyu Kou, Zhong Wang, Mingzhou Chen, and Shenghua Ye; **41** (6), 1220-6 (2002).

Illumination
Diffraction image in an optical microscope: application to detection of birefringence. — Bing Zhao, Zhengyuan Cao, Ruhua Fang, and Anand Asundi; **41** (4), 751-9 (2002).
Model for dc and rf characteristics of optically biased GaN metal semiconductor field effect transistor for electronic/optoelectronic microwave applications. — Adarsh Singh, Anil Kumar, Mridula Gupta, and R. S. Gupta; **41** (11), 2915-22 (2002).

Image analysis
Display of local activity using dynamical speckle patterns. — Ricardo Arizaga, Nelly Lucía Cap, Héctor Rabal, and Marcelo Trivi; **41** (2), 287-94 (2002).
Novel technique for multiresolution color image segmentation. — Jianbo Gao, Jun Zhang, and Matthew G. Fleming; **41** (3), 608-14 (2002).
Adaptive filtering for noise reduction in hue saturation intensity color space. — HyunWook Park, Lakshmanan Gopishankar, and Yongmin Kim; **41** (6), 1232-9 (2002).
Evaluation of the tactical utility of compressed imagery. — John M. Irvine, Barbara A. Eckstein, Robert A. Hummel, Richard J. Peters, and Rhonda Ritzel; **41** (6), 1262-72 (2002).
Effective moving cast shadow detection for monocular color traffic image sequences. — George S. K. Fung, Nelson H. C. Yung, Grantham K. H. Pang, and Andrew H. S. Lai; **41** (6), 1425-40 (2002).
Approaches to color- and texture-based image classification. — Vidya Manian and Ramón Vásquez; **41** (7), 1480-90 (2002).
Watermarking techniques for electronic delivery of remote sensing images. — Mauro Barni, Franco Bartolini, Enrico Magli, and Gabriella Olmo; **41** (9), 2111-9 (2002).
Document layout extraction using soft ordering. — Phillip E. Mitchell and Hong Yan; **41** (11), 2831-43 (2002).
Quadrilateral-based region segmentation for tracking. — Nelson H. C. Yung, Hing Y. Chung, and Paul Y. S. Cheung; **41** (11), 2844-55 (2002).
Integrated and hierarchical sortmap-relabel image segmentation methods. — Lei Ma, Jennie Si, and Glen P. Abousleman; **41** (11), 2856-65 (2002).

Image compression
Multiple same-sized block mapping for recursive fractal image coding. — Yao Zhao, Hongxing Wang, and Baozong Yuan; **41** (2), 328-34 (2002).
Towards improved prediction accuracy in JPEG-LS. — Jianmin Jiang and Christos Grecos; **41** (2), 335-41 (2002).
Wavelet-transform-based stereo residual image compression. — Jung-Jin Kim, Ji-Sang Yoo, and Eun-Soo Kim; **41** (4), 834-8 (2002).
Evaluation of the tactical utility of compressed imagery. — John M. Irvine, Barbara A. Eckstein, Robert A. Hummel, Richard J. Peters, and Rhonda Ritzel; **41** (6), 1262-72 (2002).
Combined image compressor and denoiser based on tree-adapted wavelet shrinkage. — James S. Walker; **41** (7), 1520-7 (2002).
Wavelet-based image compression using classified interpolative vector quantization. — M. Bi, S. H. Ong, and Y. H. Ang; **41** (7), 1528-35 (2002).
Block truncation image bit plane coding. — Yung-Gi Wu; **41** (10), 2476-8 (2002).
Artificial retina large scale integration with on-sensor projection function for high-speed motion detection. — Eiichi Funatsu, Soichiro Kuramochi, Yoji Nagafuchi, Hiroshi Kage, Narumi Sakashita, Fumihide Murao, and Kazuo Kyuma; **41** (11), 2709-18 (2002).
Fractal image compression based on intrablock variance distribution and vector quantization. — Shin-Si Chen, Chang-Biau Yang, and Kuo-Si Huang; **41** (11), 2824-30 (2002).
Fuzzy block truncation coding. — Abdel-Ouahab Boudraa, Azeddine Beghdadi, Sidi Mohammed Réda Dehak, and Răzvan Iordache; **41** (12), 3161-7 (2002).
Joint source-channel fractal image coding with unequal error protection. — Youssef Charfi, Vladimir M. Stanković, Raouf Hamzaoui, Ameur Haouari, and Dietmar Saupe; **41** (12), 3168-76 (2002).

Image enhancement
Sensitivity comparison of ladar receivers designed to detect glint targets. — Christopher D. Brewer, Bradley D. Duncan, and Edward A. Watson; **41** (7), 1577-85 (2002).

Image processing
Discrete cosine transform based high-resolution image reconstruction considering the inaccurate subpixel motion information. — Min Kyu Park, Eun Sil Lee, Jin Yeol Park, Moon Gi Kang, and Jaihie Kim; **41** (2), 370-80 (2002).
Video indexing using a high-performance and low-computation color-based opportunistic technique. — Mohamed Ahmed and Ahmed Karmouch; **41** (2), 505-17 (2002).
Automatic determination of mass functions in Dempster-Shafer theory using fuzzy c-means and spatial neighborhood information for image segmentation. — Yue Min Zhu, Layachi Bentabet, Olivier Dupuis, Valérie Kaftandjian, Daniel Babot, and Michèle Rombaut; **41** (4), 760-70 (2002).
Invariant recognition of polychromatic images of *Vibrio cholerae* O1. — Josué Alvarez-Borrego, Rosa Reyna Mouriño-Pérez, Gabriel Cristóbal-Pérez, and José Luis Pech-Pacheco; **41** (4), 827-33 (2002).
100-×100- pixel CMOS retina for real-time binary pattern matching. — L. F. C. Lew Yan Voon, Guy Cathebras, Bernard Lamalle, Patrick Gorria, B. Bellach, and O. Aubreton; **41** (5), 924-5 (2002).
Digital image processing of moiré fringe patterns with an application to fractures in bovine dentin. — Dongsheng Zhang, Dwayne D. Arola, and Min Ma; **41** (5), 1115-21 (2002).
Hardware implementation of soft color image morphological operations. — Maria I. Vardavoulia, Ioannis Andreadis, and Phillipos Tsalides; **41** (7), 1536-45 (2002).
Prediction-based image restoration using a multiple window configuration. — Edward S. Hore, Bin Qiu, and Henry R. Wu; **41** (8), 1855-65 (2002).
Comparison of automated digital elevation model extraction results using along-track ASTER and across-track SPOT stereo images. — Thierry Toutin and Philip Cheng; **41** (9), 2102-6 (2002).
Extracting straight road structure in urban environments using IKONOS satellite imagery. — Donna Haverkamp; **41** (9), 2107-10 (2002).
Simple nonlinear dual-window operator for edge detection. — Eugenio Di Sciasio and Cataldo Guaragnella; **41** (9), 2181-5 (2002).
Centroid detection based on optical correlation. — Shoude Chang and Chander P. Grover; **41** (10), 2479-86 (2002).
Efficient two-level image thresholding method based on Bayesian formulation and the maximum entropy principle. — Yan Chang, Alan M. N. Fu, Hong Yan, and Mansuo Zhao; **41** (10), 2487-98 (2002).
Artificial retina large scale integration with on-sensor projection function for high-speed motion detection. — Eiichi Funatsu, Soichiro Kuramochi, Yoji Nagafuchi, Hiroshi Kage, Narumi Sakashita, Fumihide Murao, and Kazuo Kyuma; **41** (11), 2709-18 (2002).
Integrated and hierarchical sortmap-relabel image segmentation methods. — Lei Ma, Jennie Si, and Glen P. Abousleman; **41** (11), 2856-65 (2002).
Fuzzy block truncation coding. — Abdel-Ouahab Boudraa, Azeddine Beghdadi, Sidi Mohammed Réda Dehak, and Răzvan Iordache; **41** (12), 3161-7 (2002).

Image quality
Estimating noise and information of multispectral imagery. — Bruno Aiazzi, Luciano Alparone, Alessandro Barducci, Stefano Baronti, and Ivan Pippi; **41** (3), 656-68 (2002).
Comparison of the predictions of a spatiotemporal model with the detection of distortion in small moving images. — Kjell Brunnström and Bo N. Schenkman; **41** (3), 711-22 (2002).
Image quality of sparse-aperture designs for remote sensing. — Robert D. Fiete, Theodore A. Tantalo, Jason R. Calus, and James A. Mooney; **41** (8), 1957-69 (2002).
Context-based image coding using fuzzy logic. — Dušan Gleich, Peter Planinšič, and Žarko Čučej; **41** (11), 2814-23 (2002).

Image reconstruction
Dot-matrix hologram with hidden image. — Sheng-Lih Yeh and Shyh-Tsong Lin; **41** (2), 314-8 (2002).
Block-matching algorithm for mitigating aliasing effects in undersampled image sequences. — Michael C. Roggemann, and William R. Reynolds; **41** (2), 359-69 (2002).
Rational systems exhibit moderate risk aversion with respect to "gambles" on variable-resolution compression. — Jose A. García, Rosa Rodriguez-Sánchez, Joaquín Fdez-Valdivia, and Xose R. Fdez-Vidal; **41** (9), 2216-37 (2002).
Binocular model for figure-ground segmentation in translucent and occluding images. — David Vernon; **41** (10), 2525-31 (2002).
Two-step integral imaging for orthoscopic three-dimensional imaging with improved viewing resolution. — Ju-Seog Jang and Bahram Javidi; **41** (10), 2568-71 (2002).

Image restoration
Hyperparameter estimation in image restoration problems with partially known blurs. — Nikolas P. Galatsanos, Vladimir Z. Mesarović, Rafael Molina, Aggelos K. Katsaggelos, and Javier Mateos; **41** (8), 1845-54 (2002).
Prediction-based image restoration using a multiple window configuration. — Edward S. Hore, Bin Qiu, and Henry R. Wu; **41** (8), 1855-65 (2002).
Supersampling multiframe blind deconvolution resolution enhancement of adaptive optics compensated imagery of low earth orbit satellites. — David R. Gerwe, David J. Lee, and Jeffrey D. Barchers; **41** (9), 2238-51 (2002).
Iterative regularized least-mean mixed-norm image restoration. — Min-Cheol Hong, Tania Stathaki, and Aggelos K. Katsaggelos; **41** (10), 2515-24 (2002).

Restoration of broadband imagery steered with a liquid-crystal optical phased array. — Jeffrey J. Weinschenk, Russell C. Hardie, and Scott R. Harris; **41** (10), 2613-9 (2002).
Differential sensing of vibration for high-quality restoration of motion-blurred images. — Boris Likhterov and Norman S. Kopeika; **41** (11), 2970-4 (2002).
Influence of motion sensor error on image restoration from vibrations and motion. — Sergey Raiter, Ofer Hadar, and Norman S. Kopeika; **41** (12), 3276-82 (2002).

Image segmentation
Fuzzy Hopfield neural network with fixed weight for medical image segmentation. — Chwen-Liang Chang and Yu-Tai Ching; **41** (2), 351-8 (2002).
Novel technique for multiresolution color image segmentation. — Jianbo Gao, Jun Zhang, and Matthew G. Fleming; **41** (3), 608-14 (2002).
Automatic determination of mass functions in Dempster-Shafer theory using fuzzy c-means and spatial neighborhood information for image segmentation. — Yue Min Zhu, Layachi Bentabet, Olivier Dupuis, Valérie Kaftandjian, Daniel Babot, and Michèle Rombaut; **41** (4), 760-70 (2002).
Effective moving cast shadow detection for monocular color traffic image sequences. — George S. K. Fung, Nelson H. C. Yung, Grantham K. H. Pang, and Andrew H. S. Lai; **41** (6), 1425-40 (2002).
Efficient two-level image thresholding method based on Bayesian formulation and the maximum entropy principle. — Yan Chang, Alan M. N. Fu, Hong Yan, and Mansuo Zhao; **41** (10), 2487-98 (2002).
Binocular model for figure-ground segmentation in translucent and occluding images. — David Vernon; **41** (10), 2525-31 (2002).
Integrated and hierarchical sortmap-relabel image segmentation methods. — Lei Ma, Jennie Si, and Glen P. Abousleman; **41** (11), 2856-65 (2002).
Adaptive level set image segmentation using the Mumford and Shah functional. — Fei Liu, Yupin Luo, and Dongcheng Hu; **41** (12), 3002-3 (2002).

Image sensors
100-×100- pixel CMOS retina for real-time binary pattern matching. — L. F. C. Lew Yan Voon, Guy Cathebras, Bernard Lamalle, Patrick Gorria, B. Bellach, and O. Aubreton; **41** (5), 924-5 (2002).
Empirical dark current modeling for complementary metal oxide semiconductor active pixel sensor. — Igor Shcherback, Alexander Belenky, and Orly Yadid-Pecht; **41** (6), 1216-9 (2002).
Artificial retina large scale integration with on-sensor projection function for high-speed motion detection. — Eiichi Funatsu, Soichiro Kuramochi, Yoji Nagafuchi, Hiroshi Kage, Narumi Sakashita, Fumihide Murao, and Kazuo Kyuma; **41** (11), 2709-18 (2002).

Image transmission
Robust image transmission over ATM networks based on scalable wavelet coding. — Wen-Jyi Hwang, Chung-Kun Wu, and Ching-Fung Chine; **41** (9), 2208-15 (2002).
Block truncation image bit plane coding. — Yung-Gi Wu; **41** (10), 2476-8 (2002).

Imaging
Optoelectronic image scanning with high spatial resolution and reconstruction fidelity. — Siegfried Craubner; **41** (2), 381-94 (2002).
Frequency response characteristics of a birefringent lens. — Sucharita Sanyal and Ajay Ghosh; **41** (3), 592-7 (2002).
Acousto-optic tunable filter based visible- to near-infrared spectropolarimetric imager. — Neelam Gupta, Rachid Dahmani, and Steve Choy; **41** (5), 1033-8 (2002).
Snapshot imaging spectropolarimeter. — Derek Sabatke, Ann Locke, Eustace L. Dereniak, Michael Descour, John Garcia, Tom Hamilton, and Robert W. McMillan; **41** (5), 1048-54 (2002).
Analysis of the wavelength-to-depth encoded interference microscopy for three-dimensional imaging. — Guoqiang Li and Yeshayahu Fainman; **41** (6), 1281-8 (2002).
Large-aperture holographically corrected membrane telescope. — Geoff P. Andersen, Randall J. Knize, Arthur L. Palisoc, and Costas Cassapakis; **41** (7), 1603-7 (2002).
Wavefront sensing for deformable space-based optics exploiting natural and synthetic guide stars. — Brian K. McComas and Edward J. Friedman; **41** (8), 2039-49 (2002).
Commercial observation satellites: broadening the sources of geospatial data. — John C. Baker, Kevin M. O'Connell, and Jose A. Venzor, Jr. ; **41** (9), 2077-82 (2002).
Extracting straight road structure in urban environments using IKONOS satellite imagery. — Donna Haverkamp; **41** (9), 2107-10 (2002).
Hyperspectral imaging: a useful technology for transportation analysis. — Richard B. Gomez; **41** (9), 2137-43 (2002).
Viewing-angle-enhanced integral 3-D imaging using double display devices with masks. — Sungyong Jung, Jae-Hyeung Park, Byoungho Lee, and Bahram Javidi; **41** (10), 2389-90 (2002).
APEX method and real-time blind deconvolution of scanning electron microscope imagery. — Alfred S. Carasso, David S. Bright, and András E. Vladár; **41** (10), 2499-514 (2002).
Multispectral color image capture using a liquid crystal tunable filter. — Jon Y. Hardeberg, Francis Schmitt, and Hans Brettel; **41** (10), 2532-48 (2002).
Two-step integral imaging for orthoscopic three-dimensional imaging with improved viewing resolution. — Ju-Seog Jang and Bahram Javidi; **41** (10), 2568-71 (2002).
Design of telecentric imaging systems for noncontact velocity sensors. — Christian Berger; **41** (10), 2599-606 (2002).

Imaging systems
Field-balanced adaptive optics error function for wide field-of-view space-based systems. — Brian K. McComas and Edward J. Friedman; **41** (3), 567-74 (2002).
Phase theory for multiple aperture systems. — Erin M. Sabatke and José M. Sasián; **41** (3), 647-55 (2002).
Design and implementation of a 3-D mapping system for highly irregular shaped objects with application to semiconductor manufacturing. — Vivek A. Sujan and Steven Dubowsky; **41** (6), 1406-17 (2002).
Image quality of sparse-aperture designs for remote sensing. — Robert D. Fiete, Theodore A. Tantalo, Jason R. Calus, and James A. Mooney; **41** (8), 1957-69 (2002).
Satellite image collection optimization. — William Martin; **41** (9), 2083-7 (2002).
Differential sensing of vibration for high-quality restoration of motion-blurred images. — Boris Likhterov and Norman S. Kopeika; **41** (11), 2970-4 (2002).

Information processing
Legacy of optical information processing. — Francis T. S. Yu; **41** (1), 139-44 (2002).
Integration of remote sensing data and geographic information system technology for emergency managers and their applications at the Pacific Disaster Center. — Craig Laben; **41** (9), 2129-36 (2002).
One-step digit-set-restricted modified signed-digit adder using an incoherent correlator based on a shared content-addressable memory. — Feng Qian, Guoqiang Li, and Mohammad S. Alam; **41** (10), 2607-12 (2002).

Information storage
Optical setup and analysis of disk-type photopolymer high-density holographic storage. — Mingju Huang, Zhongyu Chen, and Fuxi Gan; **41** (9), 2315-20 (2002).

Infrared
Design and analysis of a strip-coated parallel-slab beamsplitter for the equipartition of infrared input power. — Aed M. El-Saba and Rasheed M. A. Azzam; **41** (1), 200-4 (2002).
Optical properties and infrared optics applications of composite films based on polyethylene and low-melting-point chalcogenide glass. — Edward Bormashenko, Roman Pogreb, Semion Sutovski, and Mark Levin; **41** (2), 295-302 (2002).
Development of a near-infrared photon-counting system using an InGaAs avalanche photodiode. — Tomoyuki Maruyama, Fumio Narusawa, Makoto Kudo, Mitsuyoshi Tanaka, Yasunori Saito, and Akio Nomura; **41** (2), 395-402 (2002).
Cross sensitivity reduction of gas sensors using genetic neural network. — Yong Zhang, Junhua Liu, Yonghuai Zhang, and Xiaojun Tang; **41** (3), 615-25 (2002).
Wireless infrared data links: ray-trace simulations of diffuse channels and demonstration of diffractive element for multibeam transmitters. — Mikko Karppinen, Kari Kataja, Jukka-Tapani Mäkinen, Sanna Juuso, Hannu J. Rajaniemi, Pertti Pääkkönen, Jari Turunen, Juha T. Rantala, and Pentti Karioja; **41** (4), 899-910 (2002).
Polarimetric microfacet scattering theory with applications to absorptive and reflective surfaces. — Richard G. Priest and Steven R. Meier; **41** (5), 988-93 (2002).
Infrared polarization measurements and modeling applied to surface-laid antipersonnel landmines. — Frank Cremer, Wim de Jong, and Klamer Schutte; **41** (5), 1021-32 (2002).
Two long-wave infrared spectral polarimeters for use in understanding polarization phenomenology. — Stephanie H. Sposato, Matthew P. Fetrow, Kenneth P. Bishop, and Thomas R. Caudill; **41** (5), 1055-64 (2002).
Four-band fiber optic radiometry for true temperature measurements during an exothermal process. — Vered Scharf and Abraham Katzir; **41** (7), 1502-6 (2002).
Experimental study using infrared thermography on the convective heat transfer of a TGV brake disk in the actual environment. — Monica Siroux, Souad Harmand, and Bernard Desmet; **41** (7), 1558-64 (2002).
Light scattering characteristics of small ice circular cylinders in visible, 1.38-μm, and some infrared wavelengths. — Jilie Ding and Lisheng Xu; **41** (9), 2252-66 (2002).
Evaluation of commercial thermal cameras in quality systems. — Krzysztof Chrzanowski; **41** (10), 2556-67 (2002).
Optoelectronics of liquid crystals with nanoparticulate internal structure. — Nelson V. Tabiryan and Sarik R. Nersisyan; **41** (11), 2876-89 (2002).
Characteristic strength and Weibull modulus of selected infrared-transmitting materials. — Claude A. Klein, Richard P. Miller, and Richard L. Gentilman; **41** (12), 3151-60 (2002).

Infrared imaging
Ordered bundles of infrared transmitting silver halide fibers: attenuation, resolution and crosstalk in long and flexible bundles. — Eran Rave and Abraham Katzir; **41** (7), 1467-8 (2002).
Modeling of the hysteretic metal-insulator transition in a vanadium dioxide infrared detector. — Luiz Alberto Luz de Almeida, Gurdip Singh Deep, Antonio Marcus Nogueira Lima, and Helmut Neff; **41** (10), 2582-8 (2002).

Infrared lasers
Equivalent complex refractive indices for ray-tracing evaluation of dielectric-coated hollow waveguides. — Katsumasa Iwai, Yukio Abe, Yuji Matsuura, and Mitsunobu Miyagi; **41** (7), 1471-2 (2002).
Short-range remote spectral sensor using mid-infrared semiconductor lasers with orthogonal code-division multiplexing approach. — Z. Morbi, D. B. Ho, H.-W. Ren, H. Q. Le, and S. S. Pei; **41** (9), 2321-37 (2002).

Integrated optics
Optical waveguide components with high refractive index difference in silicon-oxynitride for application in integrated optoelectronics. — Bernd Schauwecker, Michael Arnold, Christian V. Radehaus, Georges Przyrembel, and Berndt Kuhlow; **41** (1), 237-43 (2002).
Two different lasers integrated in a monochip by one-step epitaxy. — WeiLing Guo, Guangdi Shen, JianJun Li, Ying Ding, Ying Liu, Guo Gao, and DeShu Zou; **41** (10), 2391-2 (2002).
Effective refractive index change of *X*-cut *Z*-propagation Ti:$LiNbO_3$ waveguides by laser ablation. — Chii-Chang Chen, Vincent Armbruster, Henri Porte, Alain Carenco, and Jean-Pierre Goedgebuer; **41** (11), 2930-4 (2002).
Integrated optoelectric sensor for measurement of microdisplacement, roughness, and microprofile. — Zhao-fei Zhou, Tao Zhang, Wenjie Li, and Wei Huang; **41** (12), 3270-5 (2002).

Interconnects
Wireless infrared data links: ray-trace simulations of diffuse channels and demonstration of diffractive element for multibeam transmitters. — Mikko Karppinen, Kari Kataja, Jukka-Tapani Mäkinen, Sanna Juuso, Hannu J. Rajaniemi, Pertti Pääkkönen, Jari Turunen, Juha T. Rantala, and Pentti Karioja; **41** (4), 899-910 (2002).
New structure for bit synchronization in a terabit-per-second optical interconnection network. — Wencai Jing, Yimo Zhang, and Ge Zhou; **41** (7), 1644-9 (2002).

Interference
Phase theory for multiple aperture systems. — Erin M. Sabatke and José M. Sasián; **41** (3), 647-55 (2002).
1×2 optical waveguide filters based on multimode interference for 1.3- and 1.55-μm operation. — Baojun Li, Soo-Jin Chua, Christopher W. Leitz, and Eugene A. Fitzgerald; **41** (3), 723-7 (2002).
Analysis of the wavelength-to-depth encoded interference microscopy for three-dimensional imaging. — Guoqiang Li and Yeshayahu Fainman; **41** (6), 1281-8 (2002).
Rigorous coupled-wave analysis calculus of submicrometer interference pattern and resolving edge position versus signal-to-noise ratio. — Alexander Tavrov, Michael Totzeck, Norbert Kerwien, and Hans J. Tiziani; **41** (8), 1886-92 (2002).
Error dispersion algorithms to improve angle precision for an encoder. — Yuji Matsuzoe, Nobuhiko Tsuji, and Toru Yoshizawa; **41** (9), 2282-9 (2002).
Adaptive digital watermarking using fuzzy logic techniques. — Der-Chyuan Lou and Te-Lung Yin; **41** (10), 2675-87 (2002).

Interferometers
Optical waveguide components with high refractive index difference in silicon-oxynitride for application in integrated optoelectronics. — Bernd Schauwecker, Michael Arnold, Christian V. Radehaus, Georges Przyrembel, and Berndt Kuhlow; **41** (1), 237-43 (2002).
Waveguide grating (moiré) microinterferometer for inplane displacement/strain field investigation. — Leszek Salbut; **41** (3), 626-31 (2002).
High-performance laser tracker using an articulating mirror for the calibration of coordinate measuring machine. — Hong Jiang, Sonko Osawa, Toshiyuki Takatsuji, Hironori Noguchi, and Tomizo Kurosawa; **41** (3), 632-7 (2002).

Nanometer indicating system based on surface plasmon resonance and its application in an interferometer. — Jian Wu, Dejiao Lin, and Chunyong Yin; **41** (3), 669-73 (2002).
Phase-shifting interferometry: measurements with high-reflectance surfaces. — Parameswaran Hariharan; **41** (4), 856-9 (2002).
Intensity compensation of a transmitted spectrum using an all-fiber Sagnac interferometer. — H. H. Cerecedo-Núñez, C. G. Treviño-Palacios, and E. A. Kuzin; **41** (6), 1153-4 (2002).
Quantitative analysis of the Shupe reduction in a fiber-optic Sagnac interferometer. — Xuhan Dai, Xiaolin Zhao, Bingchu Cai, Guoguang Yang, Kejiang Zhou, and Chen Liu; **41** (6), 1155-6 (2002).
Static strain measurement with sub-micro-strain resolution and large dynamic range using a twin-Bragg-grating Fabry-Perot sensor. — M. G. Shlyagin, Pieter L. Swart, S. V. Miridonov, Anatoli A. Chtcherbakov, I. Márquez Borbón, and V. V. Spirin; **41** (8), 1809-14 (2002).
Simple algorithms of wavefront reconstruction for cyclic radial shearing interferometer. — Dahai Li, Huaixin Chen, and Zhenpei Chen; **41** (8), 1893-8 (2002).
Nonlinear error by orientation and elliptic polarization in a two-beam interferometer. — Huijie Zhao and Guangjun Zhang; **41** (12), 3204-8 (2002).
Parameter optimization of an all-fiber Fourier filter flat-top interleaver. — Tong Liu, Yeng Chai Soh, Ying Zhang, and Zhongping Fang; **41** (12), 3217-20 (2002).

Interferometry

Quantum-noise-limited sensitivity of an interferometer using a phase generated carrier demodulation scheme. — Tristan J. Tayag; **41** (2), 276-7 (2002).
Stitching interferometric measurement data for inspection of large optical components. — Mikael Sjödahl and Bozenko F. Oreb; **41** (2), 403-8 (2002).
Absolute length measurement using changeable synthetic wavelength chain. — Chunyong Yin, Zhixia Chao, Dejiao Lin, Yi Xu, and Jie Xu; **41** (4), 746-50 (2002).
Quasi-distributed frequency-modulated continuous-wave reflectometric optical fiber strain sensor. — Pei Chin Won, Leong Keey Seah, and Guangping Xie; **41** (4), 788-95 (2002).
Wavefront fitting of interferograms with Zernike polynomials. — Bo Qi, Hongbin Chen, and Nengli Dong; **41** (7), 1565-9 (2002).
Interferometric shape measurement of rough surfaces at grazing incidence. — Roland Schreiner; **41** (7), 1570-6 (2002).
Containerless photothermal spectroscopy using photorefractive interferometric detection. — Robert S. Schley and Ken L. Telschow; **41** (7), 1688-95 (2002).
Reasonable optical engineering approximation of the effects of two inclined gratings in Talbot interferometry. — Qian Liu and Ryoji Ohba; **41** (10), 2652-7 (2002).
Long-term stability of optical surfaces. — Raymond N. Smartt, Philip E. Ciddor, Achim J. Leistner, and Jeffrey A. Seckold; **41** (10), 2688-91 (2002).
Electric-field-induced optical path change profiling using a Pohl interferometer. — Xi Yang, Lowell T. Wood, and John H. Miller, Jr. : **41** (11), 2866-8 (2002).
Null corrector design for white light scatterplate interferometry on a large conic surface. — Rex M. Kremer, Brian DeBoo, and José M. Sasián; **41** (11), 2869-75 (2002).

Inverse optics

Composite filters for inverse synthetic aperture radar classification of small ships. — Chao Yuan and David Casasent; **41** (1), 94-104 (2002).

Inverse problems

Linearized inversion of scatterometric data to obtain surface profile information. — Emmanuel M. Drège, Jeffrey A. Reed, and Dale M. Byrne; **41** (1), 225-36 (2002).

Ions

Polarization and spectral properties of ion-implanted and oxide-confined vertical-cavity surface-emitting lasers. — M. Yasin Akhtar Raja, Yang Cao, Guthrie H. Cooper, Abdullah S. Al-Dwayyan, and Charlie X. Wang; **41** (3), 704-10 (2002).
Sensitivity and hysteresis properties of a-WO_3, Ta_2O_5, and a-Si:H gate ion-sensitive field-effect transistors. — Jung-Lung Chiang, Jung-Chuan Chou, and Ying-Chung Chen; **41** (8), 2032-8 (2002).

Joint transforms

Comparisons of performance under brightness changes of target scenes between nonlinear joint transform correlators that use input images with pure-amplitude, pure-phase, and complex data. — Yasuhiro Iwamoto and Takumi Minemoto; **41** (1), 41-9 (2002).
Invariant face recognition using a projection-slice synthetic-discriminant-function-based algorithm. — Abdul Rahman Alsamman and Mohammad S. Alam; **41** (1), 87-93 (2002).
Invariant face recognition using a neural network based on the fringe-adjusted joint transform correlator. — A. F. Alsamman and Mohammad S. Alam; **41** (11), 2768-77 (2002).
Distortion-invariant joint transform correlator based on a phase-encoding technique. — Xiang Yan Yuan, Chun Kan Tao, Da Yong Yu, and MingSheng Huo; **41** (11), 2923-9 (2002).
Two-dimensional average contrast analysis of the joint Fourier spectrum under rotation of an input object. — Alfonso Padilla-Vivanco, Gonzalo Urcid-Serrano, Javier Báez-Rojas, and Alejandro Cornejo-Rodríguez; **41** (12), 3241-9 (2002).
Harmonic wavelet joint transform correlator: analysis, algorithm, and application to image denoising. — Khan M. Iftekharuddin; **41** (12), 3307-15 (2002).

Kerr effect

Balance between birefringence and Kerr effect in zero-averaged-path dispersion-managed optical fiber links. — Shuqin Guo and Guosheng Zhou; **41** (10), 2464-7 (2002).

Kinoforms

Diffraction efficiency of nonsynchronously sampled diffraction gratings. — Jeffrey A. Davis, Jingo Adachi, and Don M. Cottrell; **41** (11), 2983-6 (2002).

Laser applications

Beam shape analysis of waveguide delivered infrared lasers. — Israel Gannot, M. Ben-David, A. Inberg, Nathan Croitoru, and R. W. Waynant; **41** (1), 244-50 (2002).

Lasers

Nonlinear calibration of a laser stripe profiler. — Alan M. McIvor; **41** (1), 205-12 (2002).
Beam shape analysis of waveguide delivered infrared lasers. — Israel Gannot, M. Ben-David, A. Inberg, Nathan Croitoru, and R. W. Waynant; **41** (1), 244-50 (2002).
Dot-matrix hologram with hidden image. — Sheng-Lih Yeh and Shyh-Tsong Lin; **41** (2), 314-8 (2002).
Design and simulation of a two-section Fabry-Pérot sampled grating distributed Bragg reflector laser for dense wavelength-division multiplexing applications. — Magdy Hussein Mourad, D. Marcenac, J. P. Vilcot, and D. Decoster; **41** (2), 479-83 (2002).
High-performance laser tracker using an articulating mirror for the calibration of coordinate measuring machine. — Hong Jiang, Sonko Osawa, Toshiyuki Takatsuji, Hironori Noguchi, and Tomizo Kurosawa; **41** (3), 632-7 (2002).
Polarization and spectral properties of ion-implanted and oxide-confined vertical-cavity surface-emitting lasers. — M. Yasin Akhtar Raja, Yang Cao, Guthrie H. Cooper, Abdullah S. Al-Dwayyan, and Charlie X. Wang; **41** (3), 704-10 (2002).
Periodically poled lithium niobate optical parametric oscillator pump-tuned by a single-axial-mode Ti:sapphire laser. — Chris J. Lee, Glenn W. Baxter, Jan C. Diettrich, Iain T. McKinnie, Donald M. Warrington, Peter G. R. Smith, Graeme W. Ross, and David C. Hanna; **41** (4), 848-51 (2002).
Laser polarization noise elimination in sensitive polarimetric systems. — Justin Shekwoga Baba, Jung-Rae Chung, and Gerard L. Coté; **41** (5), 938-42 (2002).
Novel self-consistent method for determining optical coupling coefficients and grating losses of distributed Bragg reflector lasers. — Hoshin H. Yee; **41** (5), 1077-83 (2002).
Waveguide distributed Bragg reflector laser arrays in erbium doped glass made by dry Ag film ion exchange. — Pratheepan Madasamy, G. Nunzi Conti, P. Poyhonen, Y. Hu, M. M. Morrell, D. F. Geraghty, S. Honkanen, and N. Peyghambarian; **41** (5), 1084-6 (2002).
Frequency doubled and stabilized all-solid-state Ti:sapphire lasers. — Haroldo J. Onisto, Reinaldo L. Cavasso-Filho, Artemio Scalabrin, Daniel Pereira, and Flavio C. Cruz; **41** (5), 1122-7 (2002).
Fabrication of diffractive optical elements with arbitrary surface-relief profile by direct laser writing. — Chao Wang, Yuen Chuen Chan, and Yee Loy Lam; **41** (6), 1240-5 (2002).
Optical sensing by using photonic quantum ring lasers and resonance-enhanced photodetectors. — Byeong Hoon Park, Seung Duk Baek, Jun Yeon Kim, Joongwoo Bae, Haewook Han, and O'Dae Kwon; **41** (6), 1339-45 (2002).
Femtosecond pulsed laser direct writing system. — Krishnan Venkatakrishnan, B. Tan, Paul Stanley, L. E. N. Lim, and Bryan Kok Ann Ngoi; **41** (6), 1441-5 (2002).
Generation of an amplitude modulated optical wave up to 275 GHz by laser wave mixing for optical component bandwidth measurement. — P. Dherbecourt, O. Latry, E. Joubert, and M. Ketata; **41** (7), 1469-70 (2002).
Sensitivity comparison of ladar receivers designed to detect glint targets. — Christopher D. Brewer, Bradley D. Duncan, and Edward A. Watson; **41** (7), 1577-85 (2002).
Nd:YAP 1.34-μm/1.08-μm laser passively mode-locked and Q-switched by V^{3+}:YAG/BDN II saturable absorbers with efficient radiation delivery through a hollow glass waveguide coated with COP/Ag. — Helena Jelínková, Pavel Černý, Jan Šulc, Jan K. Jabczyński, Krzysztof Kopczyński, Zygmunt Mierczyk, Mitsunobu Miyagi, Yuji Matsuura, and Yi-Wei Shi; **41** (8), 1976-82 (2002).
Cooled high-power laser light transmitting components: beam-induced aberrations and power-handling capability. — Claude A. Klein; **41** (9), 2158-68 (2002).
Laser-diode end-pumped passively Q-switched Nd:YVO_4 laser with Cr^{4+}:YAG saturable absorber. — Jiaan Zheng, Shengzhi Zhao, and Lei Chen; **41** (9), 2271-5 (2002).
Intensity dependence of two-photon absorption in CdS measured by photoluminescence excited by femtosecond laser pulses. — Natalia Mitkova Dushkina and Bruno Ullrich; **41** (9), 2365-8 (2002).
Femtosecond laser-driven x-ray tube. — André Egbert, Boris N. Chichkov, Carsten Fallnich, Stefan Zimmermann, and Alfred Reinhold; **41** (10), 2658-67 (2002).
Output beam analysis of an unstable resonator with a large Fresnel number for a chemical oxygen iodine laser. — Deli Yu, Fengting Sang, Yuqi Jin, and Yizhu Sun; **41** (10), 2668-74 (2002).
Characteristics of a wavelength-switching fiber laser source. — Yong Wang, Swee Chuan Tjin, Liming He, and Bryan Kok Ann Ngoi; **41** (11), 2783-92 (2002).
Compact solid-state dye polymer laser for ozone lidar applications. — Alton L. Jones, Jr. , Russell J. DeYoung, and Hani E. Elsayed-Ali; **41** (11), 2951-8 (2002).
Beam selector dependent on incident angle by guided-mode resonant subwavelength grating. — Ya Nie, Lei Wang, Zhiheng Wang, and Chengjun Lai; **41** (11), 2966-9 (2002).
Chip-level integrated diffractive optical microlenses for multimode vertical-cavity surface-emitting laser to fiber coupling. — Thomas Ammer, Michael T. Gale, and Markus Rossi; **41** (12), 3141-50 (2002).
Laser microwelding for fiber-chip coupling modules with tapered standard monomode fiber ends for optical communication systems. — Ulrich H. P. Fischer, Oliver Krips, Edmund Müller, and Alexander Jacob; **41** (12), 3221-9 (2002).

Lenses

Optical Fourier-transform theory based on geometrical optics. — Suganda Jutamulia and Toshimitsu Asakura; **41** (1), 13-6 (2002).
Marginal rays in tapered gradient-index lenses. — José Manuel Rivas-Moscoso, Carlos Gómez-Reino, María Victoria Pérez Martín, and Carmen Bao Varela; **41** (2), 303-13 (2002).
Design of high-power aspherical ophthalmic lenses with a reduced error budget. — Wen-Shing Sun, Horng Chang, Ching-Cherng Sun, Ming-Wen Chang, Ching-Huang Lin, and Chuen-Lin Tien; **41** (2), 460-70 (2002).
Experimental results for expanding the dynamic range of a Shack-Hartmann sensor using astigmatic microlenses. — Norbert Lindlein and Johannes Pfund; **41** (2), 529-33 (2002).
Cascading low-quality beam shapers to improve overall performance. — Gábor Erdei, G. Szarvas, E. Lörincz, and P. Richter; **41** (3), 584-91 (2002).
Optical design of a miniature Fourier transform lens system for a hybrid digital-optical correlator. — Philip M. Birch, Gongde Li, Frédéric Claret-Tournier, Rupert Young, David Budgett, and Christopher Chatwin; **41** (7), 1650-4 (2002).
Design and analysis of a diffraction-limited cat's-eye retroreflector. — Mark L. Biermann, William S. Rabinovich, Rita Mahon, and G. Charmaine Gilbreath; **41** (7), 1655-60 (2002).
Diffractive lens in 8- to 10-μm forward-looking infrared system. — Jun-ichi Kudo, Hideo Wada, Toshihiro Okamura, Masako Kobayashi, and Kunihiro Tanikawa; **41** (8), 1787-91 (2002).
Electromagnetic analysis of finite-thickness diffractive elements. — Dennis W. Prather, Shouyuan Shi, and Jay Sonstroem; **41** (8), 1792-6 (2002).
Contrast measurement of head-mounted displays. — Gerard C. de Wit; **41** (9), 2202-7 (2002).
Fabrication of polymeric microlens of hemispherical shape using micromolding. — Sudong Moon, Shinill Kang, and Jong-Uk Bu; **41** (9), 2267-70 (2002).
Wave optical analysis of light-emitting diode beam shaping using microlens arrays. — Alexander Büttner and Uwe D. Zeitner; **41** (10), 2393-401 (2002).
Birefringence characterization of quarter-pitch gradient index lenses. — Diana Tentori, Javier Camacho, and Heriberto Márquez; **41** (10), 2468-75 (2002).
Daytime aspect camera for balloon altitudes. — Kurt L. Dietz, Brian D. Ramsey, Cheryl D. Alexander, Jeff A. Apple, Kajal K. Ghosh, and Wesley R. Swift; **41** (10), 2641-51 (2002).
Simple method to measure the focal length of lenses. — Alma A. Camacho P., Cristina Solano, Geminiano Martínez-Ponce, and Rosario Baltazar; **41** (11), 2899-902 (2002).
Null test compensators for ophthalmic lenses. — Gerardo Trujillo-Schiaffino and Daniel Malacara-Hernández; **41** (11), 2910-4 (2002).
Chip-level integrated diffractive optical microlenses for multimode vertical-cavity surface-emitting laser to fiber coupling. — Thomas Ammer, Michael T. Gale, and Markus Rossi; **41** (12), 3141-50 (2002).

Lidar

Fluorescence lidar remote sensing: experimental test for investigating black crusts on ancient buildings. — David Lognoli and Marta Pantani; **41** (1), 213-7 (2002).

Estimation of differential absorption lidar measurement error for NO_2 profiling in the lower troposphere. — Nianwen Cao, Takashi Fujii, Tetsuo Fukuchi, Naohiko Goto, Koshichi Nemoto, and Nobuo Takeuchi; **41** (1), 218-24 (2002).
Development of a near-infrared photon-counting system using an InGaAs avalanche photodiode. — Tomoyuki Maruyama, Fumio Narusawa, Makoto Kudo, Mitsuyoshi Tanaka, Yasunori Saito, and Akio Nomura; **41** (2), 395-402 (2002).
Advantages of a new modulation scheme in an optical self-mixing frequency-modulated continuous-wave system. — Daniel Nordin and Kalevi Hyyppä; **41** (5), 1128-33 (2002).
Retrieval of near-surface temperature profiles from passive and active optical measurements. — William P. Hooper, Gerald E. Nedoluha, and Lee U. Martin; **41** (7), 1586-602 (2002).
Compact solid-state dye polymer laser for ozone lidar applications. — Alton L. Jones, Jr. , Russell J. DeYoung, and Hani E. Elsayed-Ali; **41** (11), 2951-8 (2002).

Light
Color pattern recognition with CIELAB coordinates. — Montse Corbalán, María S. Millán, and María J. Yzuel; **41** (1), 130-8 (2002).
Calibration of a three-dimensional reconstruction system using a structured light source. — Franck S. Marzani, Yvon Voisin, Lew F. C. Lew Yan Voon, and Alain Diou; **41** (2), 484-92 (2002).
Performance limitations of a four-channel polarimeter in the presence of detection noise. — Victor L. Gamiz and John F. Belsher; **41** (5), 973-80 (2002).
Multisensor fusion over the World Trade Center disaster site. — Craig Rodarmel, Lawrence Scott, Deborah Simerlink, and Jeffrey Walker; **41** (9), 2120-8 (2002).
Light scattering characteristics of small ice circular cylinders in visible, 1.38-μm, and some infrared wavelengths. — Jilie Ding and Lisheng Xu; **41** (9), 2252-66 (2002).
Color electro-holographic display using a single white light source and a focal adjustment method. — Kunihiko Takano and Koki Sato; **41** (10), 2427-33 (2002).
Far-field diffraction characteristics of a time-variant Gaussian pulsed beam propagating from a circular aperture. — Hone-Ene Hwang and Gwo-Huei Yang; **41** (11), 2719-27 (2002).
Planar light-emitting electro-optical interfaces in standard silicon complementary metal oxide semiconductor integrated circuitry. — Lukas Willem Snyman, Herzl Aharoni, Monuko du Plessis, Jan F. K. Marais, Deon Van Niekerk, and Alice Biber; **41** (12), 3230-40 (2002).

Liquid crystals
Synthesis of a color image display using birefringent filters. — Salman Saeed and Philip J. Bos; **41** (1), 167-75 (2002).
Improved red color with cholesteric liquid crystals in Bragg reflection mode. — Peter Kipfer, Rolf Klappert, Hans Peter Herzig, Joachim Grupp, and René Dändliker; **41** (3), 638-46 (2002).
Origin and characteristics of ambiguous properties in measuring physical parameters of twisted nematic liquid crystal spatial light modulators. — Makoto Yamauchi; **41** (5), 1134-41 (2002).
Electro-optic system for online light transmission control of polymer-dispersed liquid crystal windows. — José M. Sánchez Pena, Carmen Vázquez, Isabel Pérez, I. Rodríguez, and José M. Otón; **41** (7), 1608-11 (2002).
Switchable Bragg grating devices for telecommunications applications. — Serdar Yeralan, John Gunther, Dwight Ritums, Robert Cid, and Milan Popovich; **41** (8), 1774-9 (2002).
Fundamental display properties of flexible devices containing polymer-stabilized ferroelectric liquid crystal between plastic substrates. — Hideo Fujikake, Takeshi Murashige, Hiroto Sato, Yoshiki Iino, Masahiro Kawakita, and Hiroshi Kikuchi; **41** (9), 2195-201 (2002).
Multispectral color image capture using a liquid crystal tunable filter. — Jon Y. Hardeberg, Francis Schmitt, and Hans Brettel; **41** (10), 2532-48 (2002).
Restoration of broadband imagery steered with a liquid-crystal optical phased array. — Jeffrey J. Weinschenk, Russell C. Hardie, and Scott R. Harris; **41** (10), 2613-9 (2002).
Optoelectronics of liquid crystals with nanoparticulate internal structure. — Nelson V. Tabiryan and Sarik R. Nersisyan; **41** (11), 2876-89 (2002).
Electro-optical switch and continuously tunable filter based on a Bragg grating in a planar waveguide with a liquid crystal overlayer. — Luigi Sirleto, Giuseppe Coppola, Giovanni Breglio, Giancarlo Abbate, Giancarlo C. Righini, and José Manuel Otón; **41** (11), 2890-8 (2002).
Diffraction efficiency of nonsynchronously sampled diffraction gratings. — Jeffrey A. Davis, Jingo Adachi, and Don M. Cottrell; **41** (11), 2983-6 (2002).

Lithium niobate
Difference-frequency mixing of output waves from a periodically poled lithium niobate optical parametric oscillator in a GaSe crystal. — S. Haidar, Y. K. Hsu, C. S. Chang, S. C. Wang, and Hiromasa Ito; **41** (8), 1932-5 (2002).
Polarization-independent wavelength multiplexing using thermally fixed photorefractive gratings in lithium niobate. — Martin Nagel and Azad Siahmakoun; **41** (11), 2975-82 (2002).

Lithography
Fabrication of diffractive optical elements with arbitrary surface-relief profile by direct laser writing. — Chao Wang, Yuen Chuen Chan, and Yee Loy Lam; **41** (6), 1240-5 (2002).
Improved reflectance and stability of Mo-Si multilayers. — Saša Bajt, Jennifer B. Alameda, Troy W. Barbee, Jr., W. Miles Clift, James A. Folta, Ben Kaufmann, and Eberhard A. Spiller; **41** (8), 1797-804 (2002).

Local area networks
Wireless infrared data links: ray-trace simulations of diffuse channels and demonstration of diffractive element for multibeam transmitters. — Mikko Karppinen, Kari Kataja, Jukka-Tapani Mäkinen, Sanna Juuso, Hannu J. Rajaniemi, Pertti Pääkkönen, Jari Turunen, Juha T. Rantala, and Pentti Karioja; **41** (4), 899-910 (2002).
Selective mode excitation by nonaxial evanescent coupling for bandwidth enhancement of multimode fiber links. — Laurent Vaissié and Eric G. Johnson; **41** (8), 1821-8 (2002).

Logic
Adaptive digital watermarking using fuzzy logic techniques. — Der-Chyuan Lou and Te-Lung Yin; **41** (10), 2675-87 (2002).
Context-based image coding using fuzzy logic. — Dušan Gleich, Peter Planinšič, and Žarko Čučej; **41** (11), 2814-23 (2002).

Machine vision
New wavelet transforms for noise-insensitive edge detection. — Feijun Song and Suganda Jutamulia; **41** (1), 50-4 (2002).
Method for aligning any-order polynomial surfaces in three-dimensional space. — Nicolas Alvertos; **41** (4), 886-98 (2002).
Motion estimation using modified dynamic programming. — Mikhail Mozerov, Vitaly Kober, Andrei Tchernykh, and Tae Sun Choi; **41** (10), 2592-8 (2002).

Magnetic resonance imaging
Unsupervised orthogonal subspace projection approach to magnetic resonance image classification. — Chuin-Mu Wang, Clayton Chi-Chang Chen, Sheng-Chi Yang, Pau-Choo Chung, Yi-Nung Chung, Ching-Wen Yang, and Chein-I Chang; **41** (7), 1546-57 (2002).

Mapping
Design and implementation of a 3-D mapping system for highly irregular shaped objects with application to semiconductor manufacturing. — Vivek A. Sujan and Steven Dubowsky; **41** (6), 1406-17 (2002).
Novel coordinate mapping algorithm for three-dimensional profile noncontact measurement. — Kao-Hui Lin, Ming Chang, and Tyun-Jye Felipe Chen; **41** (7), 1615-20 (2002).
Comparison of Brewer ultraviolet irradiance measurements with total ozone mapping spectrometer satellite retrievals. — Vitali E. Fioletov, James B. Kerr, David I. Wardle, Nikolay Krotkov, and Jay R. Herman; **41** (12), 3051-61 (2002).

Masks
Viewing-angle-enhanced integral 3-D imaging using double display devices with masks. — Sungyong Jung, Jae-Hyeung Park, Byoungho Lee, and Bahram Javidi; **41** (10), 2389-90 (2002).
Diffraction limit for a circular mask with a periodic rectangular apertures array. — Hone-Ene Hwang, Gwo-Huei Yang, and Jung-Chuan Chou; **41** (10), 2620-6 (2002).

Materials
Fabrication and characterization of hybrid-glass-based axicons. — Terho Kololuoma, Kari Kataja, Sanna Juuso, Janne Aikio, and Juha T. Rantala; **41** (12), 3136-40 (2002).

Mathematical morphology
Hardware implementation of soft color image morphological operations. — Maria I. Vardavoulia, Ioannis Andreadis, and Phillipos Tsalides; **41** (7), 1536-45 (2002).

Matrices
Laser polarization noise elimination in sensitive polarimetric systems. — Justin Shekwoga Baba, Jung-Rae Chung, and Gerard L. Coté; **41** (5), 938-42 (2002).
Optimization and structuring of the instrument matrix for polarimetric measurements. — Sergey N. Savenkov; **41** (5), 965-72 (2002).
Principal Mueller matrix of reflection and scattering measured for a one-dimensional rough surface. — Soe-Mie F. Nee and Tsu-Wei Nee; **41** (5), 994-1001 (2002).
Polarized directional reflectance from laurel and mullein leaves. — Peter N. Raven, David L. Jordan, and Catherine E. Smith; **41** (5), 1002-12 (2002).
Spectropolarimetric reflectometer. — Dennis H. Goldstein and David B. Chenault; **41** (5), 1013-20 (2002).
Origin and characteristics of ambiguous properties in measuring physical parameters of twisted nematic liquid crystal spatial light modulators. — Makoto Yamauchi; **41** (5), 1134-41 (2002).
Matrix effects on the photochemical fatigue resistance of fulgide-doped polymers. — Amir Tork, Christophe Lafond, Ozra Pouraghajani, Michèle Bolte, Anna M. Ritcey, and Roger A. Lessard; **41** (9), 2310-4 (2002).

Medical imaging
Fuzzy Hopfield neural network with fixed weight for medical image segmentation. — Chwen-Liang Chang and Yu-Tai Ching; **41** (2), 351-8 (2002).

Meteorology
Rain pattern tracking by means of COTREC and modal matching. — Fabio Dell'Acqua and Paolo Gamba; **41** (2), 278-86 (2002).

Metrology
Linearized inversion of scatterometric data to obtain surface profile information. — Emmanuel M. Drège, Jeffrey A. Reed, and Dale M. Byrne; **41** (1), 225-36 (2002).
Quantum-noise-limited sensitivity of an interferometer using a phase generated carrier demodulation scheme. — Tristan J. Tayag; **41** (2), 276-7 (2002).
Display of local activity using dynamical speckle patterns. — Ricardo Arizaga, Nelly Lucía Cap, Héctor Rabal, and Marcelo Trivi; **41** (2), 287-94 (2002).
Measurement of fine 6-degrees-of-freedom displacement of rigid bodies through splitting a laser beam: experimental investigation. — Won Shik Park and Hyung Suck Cho; **41** (4), 860-71 (2002).
Method for measurement of the angles of a tetragonal or corner cube prism. — S. Madhusudana Rao; **41** (7), 1612-4 (2002).
Evaluation of commercial thermal cameras in quality systems. — Krzysztof Chrzanowski; **41** (10), 2556-67 (2002).
Methods for making prisms with submultiple or half angles: applications to the measurement of the angles of Pechan and Pellin-Broca prisms. — S. Madhusudana Rao; **41** (11), 2945-50 (2002).

Micro-optics
Fabrication of polymeric microlens of hemispherical shape using micromolding. — Su-dong Moon, Shinill Kang, and Jong-Uk Bu; **41** (9), 2267-70 (2002).
Two-step integral imaging for orthoscopic three-dimensional imaging with improved viewing resolution. — Ju-Seog Jang and Bahram Javidi; **41** (10), 2568-71 (2002).
Chip-level integrated diffractive optical microlenses for multimode vertical-cavity surface-emitting laser to fiber coupling. — Thomas Ammer, Michael T. Gale, and Markus Rossi; **41** (12), 3141-50 (2002).

Microfabrication
In-situ Er-doped GaN optical storage devices using high-resolution focused ion beam milling. — B. K. Lee, C. J. Chi, I. Chyr, D. S. Lee, F. R. Beyette, Jr., and A. J. Steckl; **41** (4), 742-3 (2002).

Microlithography
Linearized inversion of scatterometric data to obtain surface profile information. — Emmanuel M. Drège, Jeffrey A. Reed, and Dale M. Byrne; **41** (1), 225-36 (2002).
In-situ Er-doped GaN optical storage devices using high-resolution focused ion beam milling. — B. K. Lee, C. J. Chi, I. Chyr, D. S. Lee, F. R. Beyette, Jr., and A. J. Steckl; **41** (4), 742-3 (2002).

Microscopes
Autofocus system for microscope. — Qingxiang Li, Lifen Bai, Shifu Xue, and Luyun Chen; **41** (6), 1289-94 (2002).
Micro-Raman scattering and microphotoluminescence of GaN thin films grown on sapphire by metal-organic chemical vapor deposition. — Zhe Chuan Feng; **41** (8), 2022-31 (2002).

Microscopy
Polarization aberrations caused by differential transmission and phase shift in high-numerical-aperture lenses: theory, measurement, and rectification. — Michael Shribak, Shinya Inoué, and Rudolf Oldenbourg; **41** (5), 943-54 (2002).
Analysis of the wavelength-to-depth encoded interference microscopy for three-dimensional imaging. — Guoqiang Li and Yeshayahu Fainman; **41** (6), 1281-8 (2002).
Rigorous coupled-wave analysis calculus of submicrometer interference pattern and resolving edge position versus signal-to-noise ratio. — Alexander Tavrov, Michael Totzeck, Norbert Kerwien, and Hans J. Tiziani; **41** (8), 1886-92 (2002).

Rapid prototyping of diffractive optical elements for high-power lasers using laser ablation lithography fabrication and coherence probe microscopy analysis. — Manuel Flury, Abderrazzaq Benatmane, Philippe Gérard, Paul C. Montgomery, Joël Fontaine, Thierry Engel, and Jean Pierre Schunck; **41** (10), 2407-18 (2002).
Enhanced soft x-ray reflectivity of Cr/Sc multilayers by ion-assisted sputter deposition. — F. Eriksson, G. A. Johansson, H. M. Hertz, and J. Birch; **41** (11), 2903-9 (2002).

Microwave
Optical radiation and temperature-dependent microwave performance of optically biased GaAs metal-semiconductor field effect transistor. — Srikanta Bose, Mridula Gupta, Subhasis Haldar, and R. S. Gupta; **41** (1), 190-9 (2002).

Millimeter waves
Generation of continuous-wave millimeter-wave signals in a nonlinear lithium niobate optical waveguide. — Ki-Hwan Park and Wataru Chujo; **41** (10), 2589-91 (2002).

Mirror alignment
Ray-mixing polarization errors resulting from surface aberrations in large segmented mirrors. — Johnny K. Jennings and Barbara T. Landesman; **41** (5), 955-64 (2002).

Mirrors
Optical performance evaluation of thin-film micromirror array in projection display. — Young Shik Jo, Dong-Seon Yoon, Seung-Woo Kim, and Kyu-Ho Hwang; **41** (2), 409-15 (2002).
Adaptive optic correction using microelectromechanical deformable mirrors. — Julie A. Perreault, Thomas G. Bifano, B. Martin Levine, and Mark N. Horenstein; **41** (3), 561-6 (2002).
Measurement of fine 6-degrees-of-freedom displacement of rigid bodies through splitting a laser beam: experimental investigation. — Won Shik Park and Hyung Suck Cho; **41** (4), 860-71 (2002).
Optimization of single-mode fiber coupling efficiency with an adaptive membrane mirror. — Frédéric Gonté, Alain Courteville, and René Dändliker; **41** (5), 1073-6 (2002).
Large-aperture holographically corrected membrane telescope. — Geoff P. Andersen, Randall J. Knize, Arthur L. Palisoc, and Costas Cassapakis; **41** (7), 1603-7 (2002).
Advances in spherical-mirror telescopic systems design: application to large-aperture solar coronagraphs. — Raymond N. Smartt and Eugene W. Cross, Jr. ; **41** (8), 2055-8 (2002).
New phasing algorithm for large segmented telescope mirrors. — Weiyao Zou; **41** (9), 2338-44 (2002).
Baffles design for an axial two-mirror telescope. — Ning Song, Zongmin Yin, and Fengyao Hu; **41** (9), 2353-6 (2002).
Null corrector design for white light scatterplate interferometry on a large conic surface. — Rex M. Kremer, Brian DeBoo, and José M. Sasián; **41** (11), 2869-75 (2002).

Missiles
Image-based target tracking through rapid sensor orientation change. — Thomas Tsao and Zhiqing Wen; **41** (3), 697-703 (2002).

Modes
High-order polarization mode dispersion emulator. — Russell Chipman and Ravinderkumar Kinnera; **41** (5), 932-7 (2002).
Simple all-fiber-optic component for first-order polarization mode dispersion compensation. — Young Wuk Lee, Ho Jin Jeong, Jung Hyung Pyo, Byoung Yoon Kim, Kyong Mo Yoon, Geun Young Kim, and Yong Gi Lee; **41** (6), 1309-12 (2002).
Analytical study of Bragg-grating fiber-optic filters for DWDM and temperature-sensing applications. — Carlos Alberto De Francisco, Milson T. Camargo Silva, and Murilo Araujo Romero; **41** (7), 1491-5 (2002).
Nd:YAP 1.34-μm/1.08-μm laser passively mode-locked and Q-switched by V^{3+}:YAG/BDN II saturable absorbers with efficient radiation delivery through a hollow glass waveguide coated with COP/Ag. — Helena Jelínková, Pavel Černý, Jan Šulc, Jan K. Jabczyński, Krzysztof Kopczyński, Zygmunt Mierczyk, Mitsunobu Miyagi, Yuji Matsuura, and Yi-Wei Shi; **41** (8), 1976-82 (2002).
Wavefront sensing for deformable space-based optics exploiting natural and synthetic guide stars. — Brian K. McComas and Edward J. Friedman; **41** (8), 2039-49 (2002).

Modulation
Computer-generated complex filter for an all-optical and a digital-optical hybrid correlator. — Philip Birch, Rupert Young, Frédéric Claret-Tournier, David Budgett, and Christopher Chatwin; **41** (1), 105-11 (2002).
Quasi-distributed frequency-modulated continuous-wave reflectometric optical fiber strain sensor. — Pei Chin Won, Leong Keey Seah, and Guangping Xie; **41** (4), 788-95 (2002).
Quantitative measurement for the modulation of photorefractive index gratings. — Shoang C. Donn, Chung-Chen Tu, Ching-Cherng Sun, and Ming-Tsung Chen; **41** (6), 1346-9 (2002).
Phase unwrapping algorithm based on phase fitting reliability in structured light projection. — Wan-Song Li and Xian-Yu Su; **41** (6), 1365-72 (2002).
Generation of an amplitude modulated optical wave up to 275 GHz by laser wave mixing for optical component bandwidth measurement. — P. Dherbecourt, O. Latry, E. Joubert, and M. Ketata; **41** (7), 1469-70 (2002).
Measuring and sensing a complex refractive index by laser reflection near the critical angle. — Augusto García-Valenzuela, Mary Carmen Peña-Gomar, and Claudia Fajardo-Lira; **41** (7), 1704-16 (2002).
Using optical single sideband modulation technique to improve CATV system performance. — Hai-Han Lu and Shah-Jye Tzeng; **41** (8), 1765-6 (2002).
Error analysis on measuring angle-differential profiles of optical reflectivity by dynamic reflectometry. — Augusto García-Valenzuela and M. Peña-Gomar; **41** (8), 2050-4 (2002).
Dispersion compensation in externally modulated transmission system using reverse dispersion fiber. — Hai-Han Lu; **41** (9), 2296-300 (2002).
Error-probability analysis of MIL-STD-1773 optical fiber data buses. — Jian-Guo Zhang, Nattapol Promkuntong, Yu-De Ni, and Anjum Pervez; **41** (9), 2369-75 (2002).
256-QAM WDM system transmitted over 80 km of single-mode fiber using a 1.3-μm semiconductor optical amplifier. — Hai-Han Lu and Wen-Jen Wang; **41** (11), 2707-8 (2002).
Distortion-invariant joint transform correlator based on a phase-encoding technique. — Xiang Yan Yuan, Chun Kan Tao, Da Yong Yu, and MingSheng Huo; **41** (11), 2923-9 (2002).

Modulation transfer functions
Ordered bundles of infrared transmitting silver halide fibers: attenuation, resolution and crosstalk in long and flexible bundles. — Eran Rave and Abraham Katzir; **41** (7), 1467-8 (2002).

Modulators
Linear birefringence measurement instrument using two photoelastic modulators. — Baoliang Wang; **41** (5), 981-7 (2002).
Birefringence measurements by an electro-optic modulator using a new heterodyne scheme. — Yu-Lung Lo and Ping-Feng Hsu; **41** (11), 2764-7 (2002).

Moire
Waveguide grating (moiré) microinterferometer for inplane displacement/strain field investigation. — Leszek Salbut; **41** (3), 626-31 (2002).
Automatic wavefront measurement technique using a computer display and a charge-coupled device camera. — Héctor Canabal and José Alonso; **41** (4), 822-6 (2002).
Digital image processing of moiré fringe patterns with an application to fractures in bovine dentin. — Dongsheng Zhang, Dwayne D. Arola, and Min Ma; **41** (5), 1115-21 (2002).
Shadow moiré topography using a flatbed scanner. — T. W. Ng and A. Tajuddin; **41** (8), 1908-11 (2002).
Color grating projection moiré with time-integral fringe capturing for high-speed 3-D imaging. — Moon-Sik Jeong and Seung-Woo Kim; **41** (8), 1912-7 (2002).
Reasonable optical engineering approximation of the effects of two inclined gratings in Talbot interferometry. — Qian Liu and Ryoji Ohba; **41** (10), 2652-7 (2002).

Motion
Methods cooperation for multiresolution motion estimation. — Rémy Leconge, Olivier Laligant, Fréderic Truchetet, and Alain Diou; **41** (2), 435-42 (2002).
Measurement of fine 6-degrees-of-freedom displacement of rigid bodies through splitting a laser beam: experimental investigation. — Won Shik Park and Hyung Suck Cho; **41** (4), 860-71 (2002).
Motion estimation using modified dynamic programming. — Mikhail Mozerov, Vitaly Kober, Andrei Tchernykh, and Tae Sun Choi; **41** (10), 2592-8 (2002).
H_∞ control law for line-of-sight stabilization for mobile land vehicles. — J. A. R. Krishna Moorty, Rajeev Marathe, and V. R. Sule'; **41** (11), 2935-44 (2002).
Differential sensing of vibration for high-quality restoration of motion-blurred images. — Boris Likhterov and Norman S. Kopeika; **41** (11), 2970-4 (2002).
Influence of motion sensor error on image restoration from vibrations and motion. — Sergey Raiter, Ofer Hadar, and Norman S. Kopeika; **41** (12), 3276-82 (2002).

Motion detection
Motion estimation using modified dynamic programming. — Mikhail Mozerov, Vitaly Kober, Andrei Tchernykh, and Tae Sun Choi; **41** (10), 2592-8 (2002).
Artificial retina large scale integration with on-sensor projection function for high-speed motion detection. — Eiichi Funatsu, Soichiro Kuramochi, Yoji Nagafuchi, Hiroshi Kage, Narumi Sakashita, Fumihide Murao, and Kazuo Kyuma; **41** (11), 2709-18 (2002).

Multilayers
Nonoxidized Al-overcoated Ir bilayers with high reflectance in the extreme ultraviolet above 50 nm. — Juan I. Larruquert, José A. Méndez, and Jose A. Aznárez; **41** (6), 1418-24 (2002).
Improved reflectance and stability of Mo-Si multilayers. — Saša Bajt, Jennifer B. Alameda, Troy W. Barbee, Jr., W. Miles Clift, James A. Folta, Ben Kaufmann, and Eberhard A. Spiller; **41** (8), 1797-804 (2002).
Enhanced soft x-ray reflectivity of Cr/Sc multilayers by ion-assisted sputter deposition. — F. Eriksson, G. A. Johansson, H. M. Hertz, and J. Birch; **41** (11), 2903-9 (2002).

Multiplexers
Coupling coefficient evaluation of a fiber directional coupler using an all-fiber Sagnac interferometer. — H. H. Cerecedo-Núñez, C. G. Treviño-Palacios, and E. A. Kuzin; **41** (3), 555-6 (2002).
Wavelength demultiplexer using a multi-reflection-mirror waveguide. — Hideaki Okayama and Taiji Tsuruoka; **41** (6), 1446-51 (2002).
Polarization-independent wavelength multiplexing using thermally fixed photorefractive gratings in lithium niobate. — Martin Nagel and Azad Siahmakoun; **41** (11), 2975-82 (2002).

Multiplexing
Design and simulation of a two-section Fabry-Pérot sampled grating distributed Bragg reflector laser for dense wavelength-division multiplexing applications. — Magdy Hussein Mourad, D. Marcenac, J. P. Vilcot, and D. Decoster; **41** (2), 479-83 (2002).
Hybrid AM-VSB/256-QAM WDM system over 70 km of single-mode fiber with praseodymium-doped fiber amplifier. — Hai-Han Lu; **41** (5), 928-9 (2002).
Self-referenced intensity-based fiber optic sensor system using fiber Bragg gratings. — Yu-Lung Lo, Ting-Yang Yan, and Chih-Ping Kuo; **41** (5), 1087-92 (2002).
Inclusive bit error rate analysis for coherent optical code-division multiple-access system. — Gilad Katz and Dan Sadot; **41** (6), 1227-31 (2002).
Temperature monitoring of nuclear reactor cores with multiplexed fiber Bragg grating sensors. — Alberto Fernandez Fernandez, Andrei I. Gusarov, Benoît Brichard, Serge Bodart, Koen Lammens, Francis Berghmans, Marc Decréton, Patrice Mégret, Michel Blondel, and Alain Delchambre; **41** (6), 1246-54 (2002).
Wavelength demultiplexer using a multi-reflection-mirror waveguide. — Hideaki Okayama and Taiji Tsuruoka; **41** (6), 1446-51 (2002).
Analysis and modeling of distributed feedback and distributed Bragg reflector lasers using regrowth-free index-coupled surface grating technology. — Hery Susanto Djie, Chrisada Sookdhis, and Philip Dowd; **41** (9), 2345-52 (2002).
256-QAM WDM system transmitted over 80 km of single-mode fiber using a 1.3-μm semiconductor optical amplifier. — Hai-Han Lu and Wen-Jen Wang; **41** (11), 2707-8 (2002).
All-optical angular sensing based on holography multiplexing with spherical waves. — Ching-Cherng Sun, Chih-Yuan Hsu, Yuh Ouyang, Wei-Chia Su, and Arthur E. T. Chiou; **41** (11), 2809-13 (2002).

Networks
Fuzzy possibilistic neural network to vector quantizer in frequency domains. — Jzau-Sheng Lin; **41** (4), 839-47 (2002).
Optoelectronics of liquid crystals with nanoparticulate internal structure. — Nelson V. Tabiryan and Sarik R. Nersisyan; **41** (11), 2876-89 (2002).

Neural networks
Fuzzy Hopfield neural network with fixed weight for medical image segmentation. — Chwen-Liang Chang and Yu-Tai Ching; **41** (2), 351-8 (2002).
Cross sensitivity reduction of gas sensors using genetic neural network. — Yong Zhang, Junhua Liu, Yonghuai Zhang, and Xiaojun Tang; **41** (3), 615-25 (2002).
Fuzzy possibilistic neural network to vector quantizer in frequency domains. — Jzau-Sheng Lin; **41** (4), 839-47 (2002).
Mismatch-tolerant distributed photonic analog-to-digital conversion using spatial oversampling and spectral noise shaping. — Barry L. Shoop and Pankaj K. Das; **41** (7), 1674-87 (2002).
New independent component analysis method using higher order statistics with application to remote sensing images. — Xiaohui Zhang and Chi Hau Chen; **41** (7), 1717-28 (2002).
Gesture labeling based on gaze direction recognition for human-machine interaction. — Yong Wang, Jinghe Yuan, Shengjiang Chang, and Yanxin Zhang; **41** (8), 1840-4 (2002).

Invariant face recognition using a neural network based on the fringe-adjusted joint transform correlator. — A. F. Alsamman and Mohammad S. Alam; **41** (11), 2768-77 (2002).

Noise

Quantum-noise-limited sensitivity of an interferometer using a phase generated carrier demodulation scheme. — Tristan J. Tayag; **41** (2), 276-7 (2002).

Estimating noise and information of multispectral imagery. — Bruno Aiazzi, Luciano Alparone, Alessandro Barducci, Stefano Baronti, and Ivan Pippi; **41** (3), 656-68 (2002).

Polarization and spectral properties of ion-implanted and oxide-confined vertical-cavity surface-emitting lasers. — M. Yasin Akhtar Raja, Yang Cao, Guthrie H. Cooper, Abdullah S. Al-Dwayyan, and Charlie X. Wang; **41** (3), 704-10 (2002).

Inclusive bit error rate analysis for coherent optical code-division multiple-access system. — Gilad Katz and Dan Sadot; **41** (6), 1227-31 (2002).

Novel denoising algorithm for obtaining a superresolved position estimation. — Zeev Zalevsky, Yoav Shrot, Uriel Levy, and David Mendelovic; **41** (6), 1350-7 (2002).

Innovative phase unwrapping algorithm: hybrid approach. — M. J. Huang and Cian-Jhih Lai; **41** (6), 1373-86 (2002).

Combined image compressor and denoiser based on tree-adapted wavelet shrinkage. — James S. Walker; **41** (7), 1520-7 (2002).

Wavefront fitting of interferograms with Zernike polynomials. — Bo Qi, Hongbin Chen, and Nengli Dong; **41** (7), 1565-9 (2002).

Hyperparameter estimation in image restoration problems with partially known blurs. — Nikolas P. Galatsanos, Vladimir Z. Mesarović, Rafael Molina, Aggelos K. Katsaggelos, and Javier Mateos; **41** (8), 1845-54 (2002).

Prediction-based image restoration using a multiple window configuration. — Edward S. Hore, Bin Qiu, and Henry R. Wu; **41** (8), 1855-65 (2002).

Bad pixel identification by means of principal components analysis. — José Manuel López-Alonso and Javier Alda; **41** (9), 2152-7 (2002).

Iterative regularized least-mean mixed-norm image restoration. — Min-Cheol Hong, Tania Stathaki, and Aggelos K. Katsaggelos; **41** (10), 2515-24 (2002).

Harmonic wavelet joint transform correlator: analysis, algorithm, and application to image denoising. — Khan M. Iftekharuddin; **41** (12), 3307-15 (2002).

Nondestructive testing

Fluorescence lidar remote sensing: experimental test for investigating black crusts on ancient buildings. — David Lognoli and Marta Pantani; **41** (1), 213-7 (2002).

Detection of small cracks and cavities using laser diffraction. — Xide Li, A. K. Soh, Cong Huang, C. H. Yang, and Hui-Ji Shi; **41** (6), 1295-308 (2002).

Four-band fiber optic radiometry for true temperature measurements during an exothermal process. — Vered Scharf and Abraham Katzir; **41** (7), 1502-6 (2002).

Nonlinear image processing

Nonlinear image decomposition for multiresolution edge detection using gray-level edge maps. — Junaid I. Siddique and Kenneth E. Barner; **41** (11), 2749-63 (2002).

Nonlinear optics

Comparisons of performance under brightness changes of target scenes between nonlinear joint transform correlators that use input images with pure-amplitude, pure-phase, and complex data. — Yasuhiro Iwamoto and Takumi Minemoto; **41** (1), 41-9 (2002).

Small-target predetection with an attention mechanism. — Yuehuan Wang, Tianxu Zhang, and Guoyou Wang; **41** (4), 872-85 (2002).

Soliton stability and compression in a system with nonlinear gain. — Mário F. S. Ferreira and Sofia C. V. Latas; **41** (7), 1696-703 (2002).

Simple nonlinear dual-window operator for edge detection. — Eugenio Di Sciasio and Cataldo Guaragnella; **41** (9), 2181-5 (2002).

Reconstruction technique for stimulated Brillouin scattering distributed fiber-optic sensors. — Romeo Bernini, Aldo Minardo, and Luigi Zeni; **41** (9), 2186-94 (2002).

Optoelectronics of liquid crystals with nanoparticulate internal structure. — Nelson V. Tabiryan and Sarik R. Nersisyan; **41** (11), 2876-89 (2002).

Pump-controlled signal switching using a nonlinear dual-core fiber. — Yi-Bin Lu and P. L. Chu; **41** (12), 3000-1 (2002).

Oceanography

Ultraviolet and visible radiation in the atmosphere-ocean system: a tutorial review of modeling capabilities. — Knut Stamnes; **41** (12), 3008-18 (2002).

Ophthalmology

Design of high-power aspherical ophthalmic lenses with a reduced error budget. — Wen-Shing Sun, Horng Chang, Ching-Cherng Sun, Ming-Wen Chang, Ching-Huang Lin, and Chuen-Lin Tien; **41** (2), 460-70 (2002).

Automatic wavefront measurement technique using a computer display and a charge-coupled device camera. — Héctor Canabal and José Alonso; **41** (4), 822-6 (2002).

Null test compensators for ophthalmic lenses. — Gerardo Trujillo-Schiaffino and Daniel Malacara-Hernández; **41** (11), 2910-4 (2002).

Optical communications

Coupling coefficient evaluation of a fiber directional coupler using an all-fiber Sagnac interferometer. — H. H. Cerecedo-Núñez, C. G. Treviño-Palacios, and E. A. Kuzin; **41** (3), 555-6 (2002).

Simple all-fiber-optic component for first-order polarization mode dispersion compensation. — Young Wuk Lee, Ho Jin Jeong, Jung Hyung Pyo, Byoung Yoon Kim, Kyong Mo Yoon, Geun Young Kim, and Yong Gi Lee; **41** (6), 1309-12 (2002).

System and method for information security in optical communication networks. — Dariush Shemtoob and Dan Sadot; **41** (7), 1621-30 (2002).

Soliton stability and compression in a system with nonlinear gain. — Mário F. S. Ferreira and Sofia C. V. Latas; **41** (7), 1696-703 (2002).

Error-probability analysis of MIL-STD-1773 optical fiber data buses. — Jian-Guo Zhang, Nattapol Promkuntong, Yu-De Ni, and Anjum Pervez; **41** (9), 2369-75 (2002).

Mechanism of bound soliton pulse formation in a passively mode locked fiber ring laser. — Y. D. Gong, D. Y. Tang, P. Shum, C. Lu, T. H. Cheng, W. S. Man, and H. Y. Tam; **41** (11), 2778-82 (2002).

Laser microwelding for fiber-chip coupling modules with tapered standard monomode fiber ends for optical communication systems. — Ulrich H. P. Fischer, Oliver Krips, Edmund Müller, and Alexander Jacob; **41** (12), 3221-9 (2002).

Optical design

Optical and electronic design of a hybrid digital-optical correlator system. — Philip M. Birch, Frédéric Claret-Tournier, David Budgett, Rupert Young, and Christopher Chatwin; **41** (1), 32-40 (2002).

Optimization method for the design of beam shaping systems. — Gábor Erdei, G. Szarvas, E. Lőrincz, and P. Richter; **41** (3), 575-83 (2002).

Cascading low-quality beam shapers to improve overall performance. — Gábor Erdei, G. Szarvas, E. Lőrincz, and P. Richter; **41** (3), 584-91 (2002).

Equivalent complex refractive indices for ray-tracing evaluation of dielectric-coated hollow waveguides. — Katsumasa Iwai, Yukio Abe, Yuji Matsuura, and Mitsunobu Miyagi; **41** (7), 1471-2 (2002).

Optical design of a miniature Fourier transform lens system for a hybrid digital-optical correlator. — Philip M. Birch, Gongde Li, Frédéric Claret-Tournier, Rupert Young, David Budgett, and Christopher Chatwin; **41** (7), 1650-4 (2002).

Design and analysis of a diffraction-limited cat's-eye retroreflector. — Mark L. Biermann, William S. Rabinovich, Rita Mahon, and G. Charmaine Gilbreath; **41** (7), 1655-60 (2002).

Genetic algorithm optimization for Bragg cell design. — Vladimir V. Nikulin, Victor A. Skormin, and Timothy E. Busch; **41** (8), 1767-73 (2002).

Advances in spherical-mirror telescopic systems design: application to large-aperture solar coronagraphs. — Raymond N. Smartt and Eugene W. Cross, Jr. ; **41** (8), 2055-8 (2002).

Baffles design for an axial two-mirror telescope. — Ning Song, Zongmin Yin, and Fengyao Hu; **41** (9), 2353-6 (2002).

Dual purpose two-way optics for multimedia communication. — Nalliah Raman, Neil Collings, and Rafie Mavaddat; **41** (10), 2636-40 (2002).

Optical devices

1×2 optical waveguide filters based on multimode interference for 1.3- and 1.55-μm operation. — Baojun Li, Soo-Jin Chua, Christopher W. Leitz, and Eugene A. Fitzgerald; **41** (3), 723-7 (2002).

Photonic devices in periodic waveguide structures: generalized analysis of multiple discontinuities. — José Rodríguez García, Orlando Hidalgo Alonso, S. Fernández, Isabel Ibáñez Martín, and Gerardo Doménech García; **41** (8), 1947-56 (2002).

Programmable wave plates using a twisted nematic liquid crystal display. — Josep Nicolás and Jeffrey A. Davis; **41** (12), 3004-5 (2002).

Planar light-emitting electro-optical interfaces in standard silicon complementary metal oxide semiconductor integrated circuitry. — Lukas Willem Snyman, Herzl Aharoni, Monuko du Plessis, Jan F. K. Marais, Deon Van Niekerk, and Alice Biber; **41** (12), 3230-40 (2002).

Optical disks

Structural and thermal analysis of Ag-Sb-Te alloy and its films for phase change optical memories. — Yagya Deva Sharma and P. K. Bhatnagar; **41** (7), 1668-73 (2002).

Effect of insulation layer on transcribability and birefringence distribution in optical disk substrate. — Youngmin Kim, Kibyung Seong, and Shinill Kang; **41** (9), 2276-81 (2002).

High-precision measurement of reflectance for films under substrates. — Xiao Tang and Jian Zheng; **41** (12), 3283-7 (2002).

Optical fabrication

Aspheric optics: smoothing the ripples with semi-flexible tools. — Michael T. Tuell, James H. Burge, and Bill Anderson; **41** (7), 1473-4 (2002).

Error analysis of gratings in optical pickup heads. — Haitao Zhang, Ruizhen Cui, Mali Gong, Dazun Zhao, Ping Yan, and Weipu Jia; **41** (8), 1780-6 (2002).

Nanometer deep shaping with fluid jet polishing. — Silvia M. Booij, Hedser van Brug, Joseph J. M. Braat, and Oliver W. Fähnle; **41** (8), 1926-31 (2002).

Optical fibers

Evanescent-wave gas sensing using microstructure fiber. — Y. L. Hoo, W. Jin, H. L. Ho, D. N. Wang, and Robert S. Windeler; **41** (1), 8-9 (2002).

Optical materials

Characteristic strength and Weibull modulus of selected infrared-transmitting materials. — Claude A. Klein, Richard P. Miller, and Richard L. Gentilman; **41** (12), 3151-60 (2002).

Optical networks

New structure for bit synchronization in a terabit-per-second optical interconnection network. — Wencai Jing, Yimo Zhang, and Ge Zhou; **41** (7), 1644-9 (2002).

General computer model for both erbium-doped fiber amplifier and fiber Raman amplifier. — Lin Zhu, Yonghong Ma, Guozhong Wang, Li Xia, and Shizhong Xie; **41** (8), 1805-8 (2002).

Optical processing

Demultiplexing and phase-locking via a self-pumped phase-conjugate mirror. — J. Khoury, Jonathan S. Kane, Peter D. Gianino, and Charles L. Woods; **41** (1), 112-7 (2002).

Centroid detection based on optical correlation. — Shoude Chang and Chander P. Grover; **41** (10), 2479-86 (2002).

Phase image visualization with white light extended sources: a Fourier-optics-based interpretation. — Gabriella Serafino and Paolo Sirotti; **41** (10), 2549-55 (2002).

One-step digit-set-restricted modified signed-digit adder using an incoherent correlator based on a shared content-addressable memory. — Feng Qian, Guoqiang Li, and Mohammad S. Alam; **41** (10), 2607-12 (2002).

Optical properties

New optical method for determining Poisson's ratio/Young's modulus for transparent materials. — Nashwan T. Younis; **41** (2), 471-8 (2002).

Influence of deposition parameters on optical properties of TiO_2 films. — K. Narasimha Rao; **41** (9), 2357-64 (2002).

Preparation of transparent conductive oxide films by activated reactive evaporation. — K. Narasimha Rao; **41** (11), 2705-6 (2002).

Problems in assessment of the ultraviolet penetration into natural waters from space-based measurements. — Alexander P. Vasilkov, Jay Herman, Nickolay A. Krotkov, Mati Kahru, B. Greg Mitchell, and Christina Hsu; **41** (12), 3019-27 (2002).

Optical recording

Structural and thermal analysis of Ag-Sb-Te alloy and its films for phase change optical memories. — Yagya Deva Sharma and P. K. Bhatnagar; **41** (7), 1668-73 (2002).

Photorefractive recording of subwavelength-size binary data using near-field scanning optical microscopy. — Kyoung-Youm Kim, Jingu Kang, and Byoungho Lee; **41** (8), 1936-42 (2002).

Optical setup and analysis of disk-type photopolymer high-density holographic storage. — Mingju Huang, Zhongyu Chen, and Fuxi Gan; **41** (9), 2315-20 (2002).

Optical storage

In-situ Er-doped GaN optical storage devices using high-resolution focused ion beam milling. — B. K. Lee, C. J. Chi, I. Chyr, D. S. Lee, F. R. Beyette, Jr., and A. J. Steckl; **41** (4), 742-3 (2002).

Quantitative measurement for the modulation of photorefractive index gratings. — Shoang C. Donn, Chung-Chen Tu, Ching-Cherng Sun, and Ming-Tsung Chen; **41** (6), 1346-9 (2002).

Novel approach to super-resolution pits readout. — Jingsong Wei and Fuxi Gan; **41** (9), 2073-4 (2002).

SUBJECT INDEX

Optical systems

Influence of optical imaging on phase measurements in fringe projection coherent systems. — Tomasz Tkaczyk and Romuald Jóźwicki; **41** (4), 811-21 (2002).

Ray-mixing polarization errors resulting from surface aberrations in large segmented mirrors. — Johnny K. Jennings and Barbara T. Landesman; **41** (5), 955-64 (2002).

Adaptive optics schemes for future extremely large telescopes. — Alexander V. Goncharov, Mette Owner-Petersen, Torben Andersen, and Jacques M. Beckers; **41** (5), 1065-72 (2002).

Design and analysis of a diffraction-limited cat's-eye retroreflector. — Mark L. Biermann, William S. Rabinovich, Rita Mahon, and G. Charmaine Gilbreath; **41** (7), 1655-60 (2002).

Large sparse-aperture space optical systems. — Aden Baker Meinel and Marjorie Pettit Meinel; **41** (8), 1983-94 (2002).

Study for wide-viewing integral photography using an aspheric Fresnel-lens array. — Sung-Wook Min, Sungyong Jung, Jae-Hyeung Park, and Byoungho Lee; **41** (10), 2572-6 (2002).

Intrinsic apodization effect in a compact two-mirror system with a spherical primary mirror. — Alexander V. Goncharov, Mette Owner-Petersen, and Daniil T. Puryayev; **41** (12), 3111-5 (2002).

Optical testing

Comparison of distributed fiber optic sensing methods for location and quantity information measurements. — Ilkka Alasaarela, Pentti Karioja, and Harri Kopola; **41** (1), 181-9 (2002).

Waveguide grating (moiré) microinterferometer for inplane displacement/strain field investigation. — Leszek Salbut; **41** (3), 626-31 (2002).

Phase-shifting interferometry: measurements with high-reflectance surfaces. — Parameswaran Hariharan; **41** (4), 856-9 (2002).

Interferometric shape measurement of rough surfaces at grazing incidence. — Roland Schreiner; **41** (7), 1570-6 (2002).

Null corrector design for white light scatterplate interferometry on a large conic surface. — Rex M. Kremer, Brian DeBoo, and José M. Sasián; **41** (11), 2869-75 (2002).

Characteristic strength and Weibull modulus of selected infrared-transmitting materials. — Claude A. Klein, Richard P. Miller, and Richard L. Gentilman; **41** (12), 3151-60 (2002).

Optical transfer functions

Frequency response characteristics of a birefringent lens. — Sucharita Sanyal and Ajay Ghosh; **41** (3), 592-7 (2002).

Ordered bundles of infrared transmitting silver halide fibers: attenuation, resolution and crosstalk in long and flexible bundles. — Eran Rave and Abraham Katzir; **41** (7), 1467-8 (2002).

Optics

Semi-empirical model of light scattering from submicron pyramidal pits. — Michael Jordan, Jr. , Rodolfo E. Díaz, and E. Dan Hirleman; **41** (2), 518-28 (2002).

Phase and amplitude apodization induced by focusing through an evanescent gap in a solid immersion lens microscope. — Joshua S. Jo, Tom D. Milster, and J. Kevin Erwin; **41** (8), 1866-75 (2002).

Photorefractive recording of subwavelength-size binary data using near-field scanning optical microscopy. — Kyoung-Youm Kim, Jingu Kang, and Byoungho Lee; **41** (8), 1936-42 (2002).

Optoelectronics

Operation of lateral effect photosensitive position sensors using differential time delay mode. — I. Abdulhalim, S. Millward, G. Moores, L. Firth, and F. Placido; **41** (12), 3265-9 (2002).

Integrated optoelectric sensor for measurement of microdisplacement, roughness, and microprofile. — Zhao-fei Zhou, Tao Zhang, Wenjie Li, and Wei Huang; **41** (12), 3270-5 (2002).

Oscillators

Periodically poled lithium niobate optical parametric oscillator pump-tuned by a single-axial-mode Ti:sapphire laser. — Chris J. Lee, Glenn W. Baxter, Jan C. Dietrich, Iain T. McKinnie, Donald M. Warrington, Peter G. R. Smith, Graeme W. Ross, and David C. Hanna; **41** (4), 848-51 (2002).

Difference-frequency mixing of output waves from a periodically poled lithium niobate optical parametric oscillator in a GaSe crystal. — S. Haidar, Y. K. Hsu, C. S. Chang, S. C. Wang, and Hiromasa Ito; **41** (8), 1932-5 (2002).

Compact solid-state dye polymer laser for ozone lidar applications. — Alton L. Jones, Jr. , Russell J. DeYoung, and Hani E. Elsayed-Ali; **41** (11), 2951-8 (2002).

Ozone

Ultraviolet and visible radiation in the atmosphere-ocean system: a tutorial review of modeling capabilities. — Knut Stamnes; **41** (12), 3008-18 (2002).

Global validation of a forecast model for irradiance of solar. erythemally effective ultraviolet radiation. — Alois W. Schmalwieser, Günther Schauberger, Michal Janouch, Manuel Nunez, Tapani Koskela, Daniel Berger, Gabriel Karamanian, Pavel Prosek, and Kamil Laska; **41** (12), 3040-50 (2002).

Comparison of Brewer ultraviolet irradiance measurements with total ozone mapping spectrometer satellite retrievals. — Vitali E. Fioletov, James B. Kerr, David I. Wardle, Nikolay Krotkov, and Jay R. Herman; **41** (12), 3051-61 (2002).

Increasing trend of biologically active solar ultraviolet-B irradiance in mid-latitude Japan in the 1990s. — Masako Sasaki, Shu Takeshita, Takehiko Oyanagi, Yukiharu Miyake, and Toshibumi Sakata; **41** (12), 3062-9 (2002).

Comparisons between ground measurements of broadband ultraviolet irradiance (300 to 380 nm) and total ozone mapping spectrometer ultraviolet estimates at Moscow from 1979 to 2000. — Nataly Ye. Chubarova, Alla Yu. Yurova, Nickolay Krotkov, Jay Herman, and Pawan K. Bhartia; **41** (12), 3070-81 (2002).

Investigation on a low ozone episode at the end of November 2000 and its effect on ultraviolet radiation. — Anna Maria Siani, Giuseppe Rocco Casale, and Alessandro Galliani; **41** (12), 3082-9 (2002).

United States Department of Agriculture reference ultraviolet spectroradiometer: current performance and operational experience at Table Mountain, Colorado. — Lee Harrison, Jerry Berndt, Piotr Kiedron, and Patrick Disterhoft; **41** (12), 3096-103 (2002).

Applications of ultraviolet absolute radiometry in satellite and surface-based remote sensing of atmospheric ozone. — Donald F. Heath, Ziauddin Ahmad, and Zongyang Wei; **41** (12), 3104-10 (2002).

Particles

Semi-empirical model of light scattering from submicron pyramidal pits. — Michael Jordan, Jr. , Rodolfo E. Díaz, and E. Dan Hirleman; **41** (2), 518-28 (2002).

Measuring and sensing a complex refractive index by laser reflection near the critical angle. — Augusto Garcia-Valenzuela, Mary Carmen Peña-Gomar, and Claudia Fajardo-Lira; **41** (7), 1704-16 (2002).

Light scattering characteristics of small ice circular cylinders in visible, 1.38-μm, and some infrared wavelengths. — Jilie Ding and Lisheng Xu; **41** (9), 2252-66 (2002).

Pattern recognition

Algorithms for correlating severely obscured images in nonoverlapping zero-mean noise. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **41** (1), 17-25 (2002).

New morphological detection algorithm based on the hit-miss transform. — Yang-Hoi Doh, Jong-Chan Kim, Jeong-Woo Kim, Soo-Joong Kim, and Mohammad S. Alam; **41** (1), 26-31 (2002).

Comparisons of performance under brightness changes of target scenes between nonlinear joint transform correlators that use input images with pure-amplitude, pure-phase, and complex data. — Yasuhiro Iwamoto and Takumi Minemoto; **41** (1), 41-9 (2002).

Adaptive multiple filtering. — Oleg Billert and Liviu Singher; **41** (1), 55-68 (2002).

Morphological radial-harmonic correlation for shift- and scale-invariant pattern recognition. — Jianping Yao, Soon-Meng Tan, and Yuan-Ban Liew; **41** (1), 81-6 (2002).

Composite filters for inverse synthetic aperture radar classification of small ships. — Chao Yuan and David Casasent; **41** (1), 94-104 (2002).

Effect of disjoint illumination in optimal correlation filters with obscured inputs. — J. Khoury, Peter D. Gianino, and Charles L. Woods; **41** (1), 118-25 (2002).

Color pattern recognition with CIELAB coordinates. — Montse Corbalán, María S. Millán, and María J. Yzuel; **41** (1), 130-8 (2002).

100-$\times$100- pixel CMOS retina for real-time binary pattern matching. — L. F. C. Lew Yan Voon, Guy Cathebras, Bernard Lamalle, Patrick Gorria, B. Bellach, and O. Aubreton; **41** (5), 924-5 (2002).

Optical recognition of three-dimensional objects with scale invariance using a classical convergent correlator. — José J. Esteve-Taboada, Javier García, and Carlos Ferreira; **41** (6), 1324-30 (2002).

Depth detection and image recovery in remote sensing by optical scanning holography. — Taegeun Kim, Ting-Chung Poon, and Guy Indebetouw; **41** (6), 1331-8 (2002).

Invariant face recognition using a neural network based on the fringe-adjusted joint transform correlator. — A. F. Alsamman and Mohammad S. Alam; **41** (11), 2768-77 (2002).

Document layout extraction using soft ordering. — Phillip E. Mitchell and Hong Yan; **41** (11), 2831-43 (2002).

Distortion-invariant joint transform correlator based on a phase-encoding technique. — Xiang Yan Yuan, Chun Kan Tao, Da Yong Yu, and MingSheng Huo; **41** (11), 2923-9 (2002).

Discriminative fabric defect detection using adaptive wavelets. — Xue Zhi Yang, Grantham K. H. Pang, and Nelson H. C. Yung; **41** (12), 3116-26 (2002).

Optimization of the polychromatic discrimination capability in multichannel pattern recognition. — Abdelaziz Attaleb, Esmail Ahouzi, Juan Campos, Ignacio Moreno, and María J. Yzuel; **41** (12), 3250-9 (2002).

Unsupervised change-detection methods for remote-sensing images. — Farid Melgani, Gabriele Moser, and Sebastiano B. Serpico; **41** (12), 3288-97 (2002).

Phase

Binary phase difference diffuser: Design and application in digital holography. — Bhupendra B. Chhetri, Seiichi Serikawa, Shiyuan Yang, and Teruo Shimomura; **41** (2), 319-27 (2002).

Adaptive optic correction using microelectromechanical deformable mirrors. — Julie A. Perreault, Thomas G. Bifano, B. Martin Levine, and Mark N. Horenstein; **41** (3), 561-6 (2002).

Two-dimensional selection of optical spatial frequencies by acousto-optic methods. — Vitaly B. Voloshinov, Tatyana M. Babkina, and Vladimir Y. Molchanov; **41** (6), 1273-80 (2002).

Innovative phase unwrapping algorithm: hybrid approach. — M. J. Huang and Cian-Jhih Lai; **41** (6), 1373-86 (2002).

Structural and thermal analysis of Ag-Sb-Te alloy and its films for phase change optical memories. — Yagya Deva Sharma and P. K. Bhatnagar; **41** (7), 1668-73 (2002).

New phasing algorithm for large segmented telescope mirrors. — Weiyao Zou; **41** (9), 2338-44 (2002).

Phase image visualization with white light extended sources: a Fourier-optics-based interpretation. — Gabriella Serafino and Paolo Sirotti; **41** (10), 2549-55 (2002).

Optimum even-phase four-beam multiplier. — Riccardo Borghi, Fabrizio Frezza, Lara Pajewski, Massimo Santarsiero, and Giuseppe Schettini; **41** (11), 2736-42 (2002).

Design and fabrication of the diffractive phase element that synthesizes three-color pseudo-nondiffracting beams. — Jyh-Rou Sze and Mao-Hong Lu; **41** (12), 3127-35 (2002).

Phase conjugation

Demultiplexing and phase-locking via a self-pumped phase-conjugate mirror. — J. Khoury, Jonathan S. Kane, Peter D. Gianino, and Charles L. Woods; **41** (1), 112-7 (2002).

Phase measurement

Stitching interferometric measurement data for inspection of large optical components. — Mikael Sjödahl and Bozenko F. Oreb; **41** (2), 403-8 (2002).

Phase unwrapping algorithm based on phase fitting reliability in structured light projection. — Wan-Song Li and Xian-Yu Su; **41** (6), 1365-72 (2002).

Evaluation of the continuous wavelet transform method for the phase measurement of electronic speckle pattern interferometry fringes. — Alejandro Federico and Guillermo H. Kaufmann; **41** (12), 3209-16 (2002).

Phase modulation

Origin and characteristics of ambiguous properties in measuring physical parameters of twisted nematic liquid crystal spatial light modulators. — Makoto Yamauchi; **41** (5), 1134-41 (2002).

Phase retrieval

Theoretical performance of phase retrieval on a subdivided aperture. — Marcos A. van Dam and Richard G. Lane; **41** (6), 1387-95 (2002).

Phase shifts

Quasi-distributed frequency-modulated continuous-wave reflectometric optical fiber strain sensor. — Pei Chin Won, Leong Keey Seah, and Guangping Xie; **41** (4), 788-95 (2002).

Automatic wavefront measurement technique using a computer display and a charge-coupled device camera. — Héctor Canabal and José Alonso; **41** (4), 822-6 (2002).

Phase-shifting interferometry: measurements with high-reflectance surfaces. — Parameswaran Hariharan; **41** (4), 856-9 (2002).

Color grating projection moiré with time-integral fringe capturing for high-speed 3-D imaging. — Moon-Sik Jeong and Seung-Woo Kim; **41** (8), 1912-7 (2002).

Simple method for determining the fast axis of a wave plate. — Petre Cătălin Logofătu; **41** (12), 3316-8 (2002).

Phase-only filters

Optimization of the polychromatic discrimination capability in multichannel pattern recognition. — Abdelaziz Attaleb, Esmail Ahouzi, Juan Campos, Ignacio Moreno, and María J. Yzuel; **41** (12), 3250-9 (2002).

Phased arrays

Phase theory for multiple aperture systems. — Erin M. Sabatke and José M. Sasián; **41** (3), 647-55 (2002).

Restoration of broadband imagery steered with a liquid-crystal optical phased array. — Jeffrey J. Weinschenk, Russell C. Hardie, and Scott R. Harris; **41** (10), 2613-9 (2002).

Photoacoustics

Photoacoustic studies on *n*-type InP. — Nibu A. George, C. P. G. Vallabhan, V. P. N. Nampoori, and P. Radhakrishnan; **41** (1), 251-4 (2002).

Containerless photothermal spectroscopy using photorefractive interferometric detection. — Robert S. Schley and Ken L. Telschow; **41** (7), 1688-95 (2002).

Photodetectors

Optical sensing by using photonic quantum ring lasers and resonance-enhanced photodetectors. — Byeong Hoon Park, Seung Duk Baek, Jun Yeon Kim, Joongwoo Bae, Haewook Han, and O'Dae Kwon; **41** (6), 1339-45 (2002).

Spectral correction of the measurement CCD array. — Irena Fryc and Eugeniusz Czech; **41** (10), 2402-6 (2002).

Photodiodes

Measurement of the characteristics of a quadrant avalanche photodiode and its application to a laser tracking system. — Masahiro Toyoda, Kenichi Araki, and Yoshiaki Suzuki; **41** (1), 145-9 (2002).

Development of a near-infrared photon-counting system using an InGaAs avalanche photodiode. — Tomoyuki Maruyama, Fumio Narusawa, Makoto Kudo, Mitsuyoshi Tanaka, Yasunori Saito, and Akio Nomura; **41** (2), 395-402 (2002).

High dynamic range fiber optic relative humidity sensor. — Rajeev Jindal, Shiquan Tao, Jagdish P. Singh, and Parikshit S. Gaikwad; **41** (5), 1093-6 (2002).

Lux transfer: Complementary metal oxide semiconductors versus charge-coupled devices. — James Janesick; **41** (6), 1203-15 (2002).

Empirical dark current modeling for complementary metal oxide semiconductor active pixel sensor. — Igor Shcherback, Alexander Belenky, and Orly Yadid-Pecht; **41** (6), 1216-9 (2002).

Generation of an amplitude modulated optical wave up to 275 GHz by laser wave mixing for optical component bandwidth measurement. — P. Dherbecourt, O. Latry, E. Joubert, and M. Ketata; **41** (7), 1469-70 (2002).

Photoelasticity

Linear birefringence measurement instrument using two photoelastic modulators. — Baoliang Wang; **41** (5), 981-7 (2002).

Effective refractive index change of *X*-cut *Z*-propagation Ti:$LiNbO_3$ waveguides by laser ablation. — Chii-Chang Chen, Vincent Armbruster, Henri Porte, Alain Carenco, and Jean-Pierre Goedgebuer; **41** (11), 2930-4 (2002).

Two-dimensional optical measurement techniques based on optical birefringence effects. — Yongchang Zhu, Tatsuo Takada, and Yoshihiro Murooka; **41** (12), 3183-92 (2002).

Photogrammetry

Shape and motion measurement of time-varying three-dimensional objects based on spatiotemporal fringe-pattern analysis. — Michał Emanuel Pawłowski, Małgorzata Kujawińska, and Marek Grzegorz Węgiel; **41** (2), 450-9 (2002).

Photography

Viewing-angle-enhanced integral 3-D imaging using double display devices with masks. — Sungyong Jung, Jae-Hyeung Park, Byoungho Lee, and Bahram Javidi; **41** (10), 2389-90 (2002).

Photoluminescence

Micro-Raman scattering and microphotoluminescence of GaN thin films grown on sapphire by metal-organic chemical vapor deposition. — Zhe Chuan Feng; **41** (8), 2022-31 (2002).

Intensity dependence of two-photon absorption in CdS measured by photoluminescence excited by femtosecond laser pulses. — Natalia Mitkova Dushkina and Bruno Ullrich; **41** (9), 2365-8 (2002).

Photometry

Subpixel sensitivity maps for a back-illuminated charge-coupled device and the effects of nonuniform response on measurement accuracy. — Albert Piterman and Zoran Ninkov; **41** (6), 1192-202 (2002).

Spectral correction of the measurement CCD array. — Irena Fryc and Eugeniusz Czech; **41** (10), 2402-6 (2002).

Photonics

Novel processing technique to fabricate a three-dimensional silver-polystyrene photonic bandgap crystal. — Mamadou Diop, Gilles Maurin, Amir Tork, and Roger A. Lessard; **41** (8), 1943-6 (2002).

Laser microwelding for fiber-chip coupling modules with tapered standard monomode fiber ends for optical communication systems. — Ulrich H. P. Fischer, Oliver Krips, Edmund Müller, and Alexander Jacob; **41** (12), 3221-9 (2002).

Photons

Development of a near-infrared photon-counting system using an InGaAs avalanche photodiode. — Tomoyuki Maruyama, Fumio Narusawa, Makoto Kudo, Mitsuyoshi Tanaka, Yasunori Saito, and Akio Nomura; **41** (2), 395-402 (2002).

Twofold spatial resolution enhancement by two-photon exposure of photographic film. — Dmitriy V. Korobkin and Eli Yablonovitch; **41** (7), 1729-32 (2002).

Two-photon-pumped short-cavity lasing properties of the dye *trans*-4-[*p*-(*N*-hydroxyethyl-*N*-methylamino)styryl]-*N*-methylpyridinium *p*-toluene sulfonate. — Dong Wang, Guangyong Zhou, Yan Ren, Shengjun Yang, Xinguang Xu, Xian Zhao, Zongshu Shao, and Minhua Jiang; **41** (8), 1899-902 (2002).

Intensity dependence of two-photon absorption in CdS measured by photoluminescence excited by femtosecond laser pulses. — Natalia Mitkova Dushkina and Bruno Ullrich; **41** (9), 2365-8 (2002).

Photon migration in turbid media: a finite-element solution for the most favorable path. — Jun Zhou and Jing Bai; **41** (10), 2577-81 (2002).

Photorefraction

Demultiplexing and phase-locking via a self-pumped phase-conjugate mirror. — J. Khoury, Jonathan S. Kane, Peter D. Gianino, and Charles L. Woods; **41** (1), 112-7 (2002).

Quantitative measurement for the modulation of photorefractive index gratings. — Shoang C. Donn, Chung-Chen Tu, Ching-Cherng Sun, and Ming-Tsung Chen; **41** (6), 1346-9 (2002).

Containerless photothermal spectroscopy using photorefractive interferometric detection. — Robert S. Schley and Ken L. Telschow; **41** (7), 1688-95 (2002).

Photorefractive recording of subwavelength-size binary data using near-field scanning optical microscopy. — Kyoung-Youm Kim, Jingu Kang, and Byoungho Lee; **41** (8), 1936-42 (2002).

Photovoltaic systems

Optical radiation and temperature-dependent microwave performance of optically biased GaAs metal-semiconductor field effect transistor. — Srikanta Bose, Mridula Gupta, Subhasis Haldar, and R. S. Gupta; **41** (1), 190-9 (2002).

Picosecond phenomena

Simple approach for wavelength tunable picosecond pulse generation by an external injection seeding scheme. — Min Zhang, Dongning Wang, Wei Jin, and M. Süleyman Demokan; **41** (7), 1747-51 (2002).

Piezoelectric effect

Novel piezoelectric actuators for tuning an optical fiber Bragg grating. — Sidney G. Allison, Robert L. Fox, Mark E. Froggatt, and Brooks A. Childers; **41** (10), 2448-55 (2002).

Electric-field-induced optical path change profiling using a Pohl interferometer. — Xi Yang, Lowell T. Wood, and John H. Miller, Jr. ; **41** (11), 2866-8 (2002).

Point spread functions

Hyperparameter estimation in image restoration problems with partially known blurs. — Nikolas P. Galatsanos, Vladimir Z. Mesarović, Rafael Molina, Aggelos K. Katsaggelos, and Javier Mateos; **41** (8), 1845-54 (2002).

Intrinsic apodization effect in a compact two-mirror system with a spherical primary mirror. — Alexander V. Goncharov, Mette Owner-Petersen, and Daniil T. Puryayev; **41** (12), 3111-5 (2002).

Pointing

H_∞ control law for line-of-sight stabilization for mobile land vehicles. — J. A. R. Krishna Moorty, Rajeev Marathe, and V. R. Sule'; **41** (11), 2935-44 (2002).

Polarimeters

Linear birefringence measurement instrument using two photoelastic modulators. — Baoliang Wang; **41** (5), 981-7 (2002).

Two long-wave infrared spectral polarimeters for use in understanding polarization phenomenology. — Stephanie H. Sposato, Matthew P. Fetrow, Kenneth P. Bishop, and Thomas R. Caudill; **41** (5), 1055-64 (2002).

Polarimetry

Optimization and structuring of the instrument matrix for polarimetric measurements. — Sergey N. Savenkov; **41** (5), 965-72 (2002).

Performance limitations of a four-channel polarimeter in the presence of detection noise. — Victor L. Gamiz and John F. Belsher; **41** (5), 973-80 (2002).

Spectropolarimetric reflectometer. — Dennis H. Goldstein and David B. Chenault; **41** (5), 1013-20 (2002).

Calibration and exploitation of a narrow-band imaging polarimeter. — M. J. Duggin and R. S. Loe; **41** (5), 1039-47 (2002).

Snapshot imaging spectropolarimeter. — Derek Sabatke, Ann Locke, Eustace L. Dereniak, Michael Descour, John Garcia, Tom Hamilton, and Robert W. McMillan; **41** (5), 1048-54 (2002).

Optimal polarization for contrast enhancement in polarimetric synthetic aperture radar using a genetic algorithm. — Ruey Long Su, K. S. Chen, and Chia-Tang Chen; **41** (11), 2728-35 (2002).

Polarization

Synthesis of a color image display using birefringent filters. — Salman Saeed and Philip J. Bos; **41** (1), 167-75 (2002).

Frequency response characteristics of a birefringent lens. — Sucharita Sanyal and Ajay Ghosh; **41** (3), 592-7 (2002).

Polarizing beamsplitter based on the effects of birefringent and resonance anomaly. — Ya Nie, Zhiheng Wang, Kexiang Fu, Chuanhong Zhou, and Qizhi Zhang; **41** (3), 674-9 (2002).

Polarization and spectral properties of ion-implanted and oxide-confined vertical-cavity surface-emitting lasers. — M. Yasin Akhtar Raja, Yang Cao, Guthrie H. Cooper, Abdullah S. Al-Dwayyan, and Charlie X. Wang; **41** (3), 704-10 (2002).

Circularly polarized light-induced rearrangement of optical axis in photoanisotropic recording media. — Artashes Yavrian, Tigran V. Galstian, and M. Piché; **41** (4), 852-5 (2002).

High-order polarization mode dispersion emulator. — Russell Chipman and Ravinderkumar Kinnera; **41** (5), 932-7 (2002).

Laser polarization noise elimination in sensitive polarimetric systems. — Justin Shekwoga Baba, Jung-Rae Chung, and Gerard L. Coté; **41** (5), 938-42 (2002).

Polarization aberrations caused by differential transmission and phase shift in high-numerical-aperture lenses: theory, measurement, and rectification. — Michael Shribak, Shinya Inoué, and Rudolf Oldenbourg; **41** (5), 943-54 (2002).

Ray-mixing polarization errors resulting from surface aberrations in large segmented mirrors. — Johnny K. Jennings and Barbara T. Landesman; **41** (5), 955-64 (2002).

Optimization and structuring of the instrument matrix for polarimetric measurements. — Sergey N. Savenkov; **41** (5), 965-72 (2002).

Performance limitations of a four-channel polarimeter in the presence of detection noise. — Victor L. Gamiz and John F. Belsher; **41** (5), 973-80 (2002).

Linear birefringence measurement instrument using two photoelastic modulators. — Baoliang Wang; **41** (5), 981-7 (2002).

Polarimetric microfacet scattering theory with applications to absorptive and reflective surfaces. — Richard G. Priest and Steven R. Meier; **41** (5), 988-93 (2002).

Principal Mueller matrix of reflection and scattering measured for a one-dimensional rough surface. — Soe-Mie F. Nee and Tsu-Wei Nee; **41** (5), 994-1001 (2002).

Polarized directional reflectance from laurel and mullein leaves. — Peter N. Raven, David L. Jordan, and Catherine E. Smith; **41** (5), 1002-12 (2002).

Infrared polarization measurements and modeling applied to surface-laid antipersonnel landmines. — Frank Cremer, Wim de Jong, and Klamer Schutte; **41** (5), 1021-32 (2002).

Acousto-optic tunable filter based visible- to near-infrared spectropolarimetric imager. — Neelam Gupta, Rachid Dahmani, and Steve Choy; **41** (5), 1033-8 (2002).

Calibration and exploitation of a narrow-band imaging polarimeter. — M. J. Duggin and R. S. Loe; **41** (5), 1039-47 (2002).

Two long-wave infrared spectral polarimeters for use in understanding polarization phenomenology. — Stephanie H. Sposato, Matthew P. Fetrow, Kenneth P. Bishop, and Thomas R. Caudill; **41** (5), 1055-64 (2002).

Simple all-fiber-optic component for first-order polarization mode dispersion compensation. — Young Wuk Lee, Ho Jin Jeong, Jung Hyung Pyo, Byoung Yoon Kim, Kyong Mo Yoon, Geun Young Kim, and Yong Gi Lee; **41** (6), 1309-12 (2002).

Measurement of glass surface layers and their influence on thin-film optical properties. — Zhengtian Gu, Peihui Liang, and Weiqing Zhang; **41** (7), 1738-46 (2002).

Phase and amplitude apodization induced by focusing through an evanescent gap in a solid immersion lens microscope. — Joshua S. Jo, Tom D. Milster, and J. Kevin Erwin; **41** (8), 1866-75 (2002).

Balance between birefringence and Kerr effect in zero-averaged-path dispersion-managed optical fiber links. — Shuqin Guo and Guosheng Zhou; **41** (10), 2464-7 (2002).
Birefringence characterization of quarter-pitch gradient index lenses. — Diana Tentori, Javier Camacho, and Heriberto Márquez; **41** (10), 2468-75 (2002).
Optimal polarization for contrast enhancement in polarimetric synthetic aperture radar using a genetic algorithm. — Ruey Long Su, K. S. Chen, and Chia-Tang Chen; **41** (11), 2728-35 (2002).
Effective refractive index change of *X*-cut *Z*-propagation Ti:$LiNbO_3$ waveguides by laser ablation. — Chii-Chang Chen, Vincent Armbruster, Henri Porte, Alain Carenco, and Jean-Pierre Goedgebuer; **41** (11), 2930-4 (2002).
Polarization-independent wavelength multiplexing using thermally fixed photorefractive gratings in lithium niobate. — Martin Nagel and Azad Siahmakoun; **41** (11), 2975-82 (2002).
Programmable wave plates using a twisted nematic liquid crystal display. — Josep Nicolás and Jeffrey A. Davis; **41** (12), 3004-5 (2002).
Nonlinear error by orientation and elliptic polarization in a two-beam interferometer. — Huijie Zhao and Guangjun Zhang; **41** (12), 3204-8 (2002).
Simple method for determining the fast axis of a wave plate. — Petre Cătălin Logofătu; **41** (12), 3316-8 (2002).

Polarizers
Optical properties and infrared optics applications of composite films based on polyethylene and low-melting-point chalcogenide glass. — Edward Bormashenko, Roman Pogreb, Semion Sutovski, and Mark Levin; **41** (2), 295-302 (2002).

Polishing
Nanometer deep shaping with fluid jet polishing. — Silvia M. Booij, Hedser van Brug, Joseph J. M. Braat, and Oliver W. Fähnle; **41** (8), 1926-31 (2002).

Polymers
Optical properties and infrared optics applications of composite films based on polyethylene and low-melting-point chalcogenide glass. — Edward Bormashenko, Roman Pogreb, Semion Sutovski, and Mark Levin; **41** (2), 295-302 (2002).
New optical method for determining Poisson's ratio/Young's modulus for transparent materials. — Nashwan T. Younis; **41** (2), 471-8 (2002).
Design of tightly jacketed double-coated optical fibers to minimize long-term hydrostatic-pressure-induced microbending losses. — Sham-Tsong Shiue and Ting-Ying Shen; **41** (6), 1313-6 (2002).
Electro-optic system for online light transmission control of polymer-dispersed liquid crystal windows. — José M. Sánchez Pena, Carmen Vázquez, Isabel Pérez, I. Rodríguez, and José M. Otón; **41** (7), 1608-11 (2002).
Low-loss polymeric materials for passive waveguide components in fiber optical telecommunication. — Ming Zhou; **41** (7), 1631-43 (2002).
Fundamental display properties of flexible devices containing polymer-stabilized ferroelectric liquid crystal between plastic substrates. — Hideo Fujikake, Takeshi Murashige, Hiroto Sato, Yoshiki Iino, Masahiro Kawakita, and Hiroshi Kikuchi; **41** (9), 2195-201 (2002).
Matrix effects on the photochemical fatigue resistance of fulgide-doped polymers. — Amir Tork, Christophe Lafond, Ozra Pouraghajani, Michèle Bolte, Anna M. Ritcey, and Roger A. Lessard; **41** (9), 2310-4 (2002).
Document scanner using polymer waveguides with a microlens array. — Ryuta Iijima, Manabu Fujimoto, Yuji Maruo, Mamoru Nakatsuka, Tetsuya Inui, Shingo Abe, and Yutaka Unuma; **41** (11), 2743-8 (2002).

Prisms
Method for measurement of the angles of a tetragonal or corner cube prism. — S. Madhusudana Rao; **41** (7), 1612-4 (2002).
Methods for making prisms with submultiple or half angles: applications to the measurement of the angles of Pechan and Pellin-Broca prisms. — S. Madhusudana Rao; **41** (11), 2945-50 (2002).

Profiles
Properties of high-resolution range profiles. — Mengdao Xing, Zheng Bao, and Bingnan Pei; **41** (2), 493-504 (2002).
Retrieval of near-surface temperature profiles from passive and active optical measurements. — William P. Hooper, Gerald E. Nedoluha, and Lee U. Martin; **41** (7), 1586-602 (2002).

Profiling
Nonlinear calibration of a laser stripe profiler. — Alan M. McIvor; **41** (1), 205-12 (2002).
Surface profilometry by a parallel-mode confocal microscope. — Radim Chmelík and Zdeněk Harna; **41** (4), 744-5 (2002).
Phase unwrapping algorithm based on phase fitting reliability in structured light projection. — Wan-Song Li and Xian-Yu Su; **41** (6), 1365-72 (2002).

Projection
Unsupervised orthogonal subspace projection approach to magnetic resonance image classification. — Chuin-Mu Wang, Clayton Chi-Chang Chen, Sheng-Chi Yang, Pau-Choo Chung, Yi-Nung Chung, Ching-Wen Yang, and Chein-I Chang; **41** (7), 1546-57 (2002).

Projection systems
Optical performance evaluation of thin-film micromirror array in projection display. — Young Shik Jo, Dong-Seon Yoon, Seung-Woo Kim, and Kyu-Ho Hwang; **41** (2), 409-15 (2002).
Distortion analysis in stereoscopic images. — Jung-Young Son, Yuri Gruts, Joohwan Chun, Yong Jin Choi, Ji-Eun Bahn, and Vladimir I. Bobrinev; **41** (3), 680-5 (2002).

Projectors
Nonlinear calibration of a laser stripe profiler. — Alan M. McIvor; **41** (1), 205-12 (2002).
Digital fringe projection system for large-volume 360-deg shape measurement. — Robert Sitnik, Małgorzata Kujawińska, and Jerzy Woźnicki; **41** (2), 443-9 (2002).

Propagation
Marginal rays in tapered gradient-index lenses. — José Manuel Rivas-Moscoso, Carlos Gómez-Reino, María Victoria Pérez Martín, and Carmen Bao Varela; **41** (2), 303-13 (2002).
Atmospheric characterization with Shack-Hartmann wavefront sensors for non-Kolmogorov turbulence. — Changhui Rao, Wenhan Jiang, and Ning Ling; **41** (2), 534-41 (2002).
Turbulence induced beam spreading of higher order mode optical waves. — Cynthia Y. Young, Yadira V. Gilchrest, and Brian R. Macon; **41** (5), 1097-103 (2002).
Electromagnetic analysis of finite-thickness diffractive elements. — Dennis W. Prather, Shouyuan Shi, and Jay Sonstroem; **41** (8), 1792-6 (2002).
Improved mode model for infrared wave propagation in a toroidal dielectric waveguide and applications. — Zion Menachem, Nathan Croitoru, and Jacob Aboudi; **41** (9), 2169-80 (2002).
Accurate prediction of the propagation characteristics of single-mode graded-index fibers by a novel approximation of the fundamental modal field. — Santanu Sanyal and Somenath Sarkar; **41** (9), 2290-5 (2002).
Photon migration in turbid media: a finite-element solution for the most favorable path. — Jun Zhou and Jing Bai; **41** (10), 2577-81 (2002).

Pulses
Soliton stability and compression in a system with nonlinear gain. — Mário F. S. Ferreira and Sofia C. V. Latas; **41** (7), 1696-703 (2002).
Simple approach for wavelength tunable picosecond pulse generation by an external injection seeding scheme. — Min Zhang, Dongning Wang, Wei Jin, and M. Süleyman Demokan; **41** (7), 1747-51 (2002).
Intensity dependence of two-photon absorption in CdS measured by photoluminescence excited by femtosecond laser pulses. — Natalia Mitkova Dushkina and Bruno Ullrich; **41** (9), 2365-8 (2002).
Far-field diffraction characteristics of a time-variant Gaussian pulsed beam propagating from a circular aperture. — Hone-Ene Hwang and Gwo-Huei Yang; **41** (11), 2719-27 (2002).
Mechanism of bound soliton pulse formation in a passively mode locked fiber ring laser. — Y. D. Gong, D. Y. Tang, P. Shum, C. Lu, T. H. Cheng, W. S. Man, and H. Y. Tam; **41** (11), 2778-82 (2002).

Quantization
Fuzzy possibilistic neural network to vector quantizer in frequency domains. — Jzau-Sheng Lin; **41** (4), 839-47 (2002).
Predictive search algorithm for vector quantization of images. — Chung-Ming Kuo, Chaur-Heh Hsieh, and Shiuh-Ku Weng; **41** (5), 1104-14 (2002).
Evaluation of the tactical utility of compressed imagery. — John M. Irvine, Barbara A. Eckstein, Robert A. Hummel, Richard J. Peters, and Rhonda Ritzel; **41** (6), 1262-72 (2002).
Wavelet-based image compression using classified interpolative vector quantization. — M. Bi, S. H. Ong, and Y. H. Ang; **41** (7), 1528-35 (2002).
Joint rate-distortion optimization of discrete cosine transform coefficient quantization and disparity field estimation for stereo image coding. — Dong-Goo Kang and Rae-Hong Park; **41** (8), 2008-21 (2002).
Optimum even-phase four-beam multiplier. — Riccardo Borghi, Fabrizio Frezza, Lara Pajewski, Massimo Santarsiero, and Giuseppe Schettini; **41** (11), 2736-42 (2002).
Context-based image coding using fuzzy logic. — Dušan Gleich, Peter Planinšič, and Žarko Čučej; **41** (11), 2814-23 (2002).
Fractal image compression based on intrablock variance distribution and vector quantization. — Shin-Si Chen, Chang-Biau Yang, and Kuo-Si Huang; **41** (11), 2824-30 (2002).
Fuzzy block truncation coding. — Abdel-Ouahab Boudraa, Azeddine Beghdadi, Sidi Mohammed Réda Dehak, and Răzvan Iordache; **41** (12), 3161-7 (2002).

Quantum dots
Novel concepts for injection lasers. — Nikolai N. Ledentsov and Vitaly A. Shchukin; **41** (12), 3193-203 (2002).

Quantum optics
Optical sensing by using photonic quantum ring lasers and resonance-enhanced photodetectors. — Byeong Hoon Park, Seung Duk Baek, Jun Yeon Kim, Joongwoo Bae, Haewook Han, and O'Dae Kwon; **41** (6), 1339-45 (2002).

Quantum wells
Analysis and modeling of distributed feedback and distributed Bragg reflector lasers using regrowth-free index-coupled surface grating technology. — Hery Susanto Djie, Chrisada Sookdhis, and Philip Dowd; **41** (9), 2345-52 (2002).

Radar
Expectation-maximization approach to target model generation from multiple synthetic aperture radar images. — John A. Richards, Alan S. Willsky, and John W. Fisher, III ; **41** (1), 150-66 (2002).
Rain pattern tracking by means of COTREC and modal matching. — Fabio Dell'Acqua and Paolo Gamba; **41** (2), 278-86 (2002).

Radiation
Temperature monitoring of nuclear reactor cores with multiplexed fiber Bragg grating sensors. — Alberto Fernandez Fernandez, Andrei I. Gusarov, Benoît Brichard, Serge Bodart, Koen Lammens, Francis Berghmans, Marc Decréton, Patrice Mégret, Michel Blondel, and Alain Delchambre; **41** (6), 1246-54 (2002).
Nd:YAP 1.34-μm/1.08-μm laser passively mode-locked and *Q*-switched by V^{3+}:YAG/BDN II saturable absorbers with efficient radiation delivery through a hollow glass waveguide coated with COP/Ag. — Helena Jelínková, Pavel Černý, Jan Šulc, Jan K. Jabczyński, Krzysztof Kopczyński, Zygmunt Mierczyk, Mitsunobu Miyagi, Yuji Matsuura, and Yi-Wei Shi; **41** (8), 1976-82 (2002).
Ultraviolet and visible radiation in the atmosphere-ocean system: a tutorial review of modeling capabilities. — Knut Stamnes; **41** (12), 3008-18 (2002).
Global validation of a forecast model for irradiance of solar, erythemally effective ultraviolet radiation. — Alois W. Schmalwieser, Günther Schauberger, Michal Janouch, Manuel Nunez, Tapani Koskela, Daniel Berger, Gabriel Karamanian, Pavel Prosek, and Kamil Laska; **41** (12), 3040-50 (2002).
Investigation on a low ozone episode at the end of November 2000 and its effect on ultraviolet radiation. — Anna Maria Siani, Giuseppe Rocco Casale, and Alessandro Galliani; **41** (12), 3082-9 (2002).
Ultraviolet radiation in the Alps: the altitude effect. — Daniel A. Schmucki and Rolf Philipona; **41** (12), 3090-5 (2002).

Radiative transfer
Problems in assessment of the ultraviolet penetration into natural waters from space-based measurements. — Alexander P. Vasilkov, Jay Herman, Nickolay A. Krotkov, Mati Kahru, B. Greg Mitchell, and Christina Hsu; **41** (12), 3019-27 (2002).
Version 2 total ozone mapping spectrometer ultraviolet algorithm: problems and enhancements. — Nickolay Krotkov, Jay Herman, Pawan K. Bhartia, Colin Seftor, Antti Arola, Jussi Kaurola, Sari Kalliskota, Petteri Taalas, and Igor V. Geogdzhaev; **41** (12), 3028-39 (2002).
Ultraviolet radiation in the Alps: the altitude effect. — Daniel A. Schmucki and Rolf Philipona; **41** (12), 3090-5 (2002).

Radiometers
Evaluation of a charge-coupled-device-based video sensor for aircraft cargo surveillance. — Thierry Sentenac, Yannick Le Maoult, Jean-José Orteu, and Gérard Boucourt; **41** (4), 796-810 (2002).
Increasing trend of biologically active solar ultraviolet-B irradiance in mid-latitude Japan in the 1990s. — Masako Sasaki, Shu Takeshita, Takehiko Oyanagi, Yukiharu Miyake, and Toshibumi Sakata; **41** (12), 3062-9 (2002).

United States Department of Agriculture reference ultraviolet spectroradiometer: current performance and operational experience at Table Mountain, Colorado. — Lee Harrison, Jerry Berndt, Piotr Kiedron, and Patrick Disterhoft; **41** (12), 3096-103 (2002).

Radiometry

Radiometric analysis of a fiber optic temperature sensor. — Jesus Castrellon, Gonzalo Paez, and Marija Strojnik; **41** (6), 1255-61 (2002).

Four-band fiber optic radiometry for true temperature measurements during an exothermal process. — Vered Scharf and Abraham Katzir; **41** (7), 1502-6 (2002).

Applications of ultraviolet absolute radiometry in satellite and surface-based remote sensing of atmospheric ozone. — Donald F. Heath, Ziauddin Ahmad, and Zongyang Wei; **41** (12), 3104-10 (2002).

Radon transform

Ship wake detection in synthetic aperture radar images using a combination of a wavelet correlator and Radon transform. — Jin Min Kuo and Kun Shan Chen; **41** (3), 686-96 (2002).

Fully automatic algorithm for region of interest location in camera calibration. — Xinyu Kou, Zhong Wang, Mingzhou Chen, and Shenghua Ye; **41** (6), 1220-6 (2002).

Raman effect

General computer model for both erbium-doped fiber amplifier and fiber Raman amplifier. — Lin Zhu, Yonghong Ma, Guozhong Wang, Li Xia, and Shizhong Xie; **41** (8), 1805-8 (2002).

Ranging

Sensitivity comparison of ladar receivers designed to detect glint targets. — Christopher D. Brewer, Bradley D. Duncan, and Edward A. Watson; **41** (7), 1577-85 (2002).

Reflectance

Phase-shifting interferometry: measurements with high-reflectance surfaces. — Parameswaran Hariharan; **41** (4), 856-9 (2002).

Polarized directional reflectance from laurel and mullein leaves. — Peter N. Raven, David L. Jordan, and Catherine E. Smith; **41** (5), 1002-12 (2002).

Nonoxidized Al-overcoated Ir bilayers with high reflectance in the extreme ultraviolet above 50 nm. — Juan I. Larruquert, José A. Méndez, and José A. Aznárez; **41** (6), 1418-24 (2002).

Measurement of glass surface layers and their influence on thin-film optical properties. — Zhengtian Gu, Peihui Liang, and Weiqing Zhang; **41** (7), 1738-46 (2002).

Improved reflectance and stability of Mo-Si multilayers. — Saša Bajt, Jennifer B. Alameda, Troy W. Barbee, Jr., W. Miles Clift, James A. Folta, Ben Kaufmann, and Eberhard A. Spiller; **41** (8), 1797-804 (2002).

Multispectral color image capture using a liquid crystal tunable filter. — Jon Y. Hardeberg, Francis Schmitt, and Hans Brettel; **41** (10), 2532-48 (2002).

High-precision measurement of reflectance for films under substrates. — Xiao Tang and Jian Zheng; **41** (12), 3283-7 (2002).

Reflection

Improved red color with cholesteric liquid crystals in Bragg reflection mode. — Peter Kipfer, Rolf Klappert, Hans Peter Herzig, Joachim Grupp, and René Dändliker; **41** (3), 638-46 (2002).

Principal Mueller matrix of reflection and scattering measured for a one-dimensional rough surface. — Soe-Mie F. Nee and Tsu-Wei Nee; **41** (5), 994-1001 (2002).

Nonlinear error by orientation and elliptic polarization in a two-beam interferometer. — Huijie Zhao and Guangjun Zhang; **41** (12), 3204-8 (2002).

Reflectivity

Optical performance evaluation of thin-film micromirror array in projection display. — Young Shik Jo, Dong-Seon Yoon, Seung-Woo Kim, and Kyu-Ho Hwang; **41** (2), 409-15 (2002).

Error analysis on measuring angle-differential profiles of optical reflectivity by dynamic reflectometry. — Augusto García-Valenzuela and M. Peña-Gomar; **41** (8), 2050-4 (2002).

Enhanced soft x-ray reflectivity of Cr/Sc multilayers by ion-assisted sputter deposition. — F. Eriksson, G. A. Johansson, H. M. Hertz, and J. Birch; **41** (11), 2903-9 (2002).

Reflectometers

Spectropolarimetric reflectometer. — Dennis H. Goldstein and David B. Chenault; **41** (5), 1013-20 (2002).

Reflectometry

Comparison of distributed fiber optic sensing methods for location and quantity information measurements. — Ilkka Alasaarela, Pentti Karioja, and Harri Kopola; **41** (1), 181-9 (2002).

Quasi-distributed frequency-modulated continuous-wave reflectometric optical fiber strain sensor. — Pei Chin Won, Leong Keey Seah, and Guangping Xie; **41** (4), 788-95 (2002).

Reflectors

Novel self-consistent method for determining optical coupling coefficients and grating losses of distributed Bragg reflector lasers. — Hoshin H. Yee; **41** (5), 1077-83 (2002).

Waveguide distributed Bragg reflector laser arrays in erbium doped glass made by dry Ag film ion exchange. — Pratheepan Madasamy, G. Nunzi Conti, P. Poyhonen, Y. Hu, M. M. Morrell, D. F. Geraghty, S. Honkanen, and N. Peyghambarian; **41** (5), 1084-6 (2002).

Wavelength demultiplexer using a multi-reflection-mirror waveguide. — Hideaki Okayama and Taiji Tsuruoka; **41** (6), 1446-51 (2002).

Analysis and modeling of distributed feedback and distributed Bragg reflector lasers using regrowth-free index-coupled surface grating technology. — Hery Susanto Djie, Chrisada Sookdhis, and Philip Dowd; **41** (9), 2345-52 (2002).

Refraction

Retrieval of near-surface temperature profiles from passive and active optical measurements. — William P. Hooper, Gerald E. Nedoluha, and Lee U. Martin; **41** (7), 1586-602 (2002).

Refractive index

Thermally induced optical effects in double-coated optical fibers by viscoelastic theory. — Un-Chia Chen and Win-Jin Chang; **41** (6), 1317-23 (2002).

Equivalent complex refractive indices for ray-tracing evaluation of dielectric-coated hollow waveguides. — Katsumasa Iwai, Yukio Abe, Yuji Matsuura, and Mitsunobu Miyagi; **41** (7), 1471-2 (2002).

Optoelectronic refractometer characterized by high sensitivity over a wide range of refractive index. — L. M. Bali, Anchal Srivastava, R. K. Shukla, P. Srivastava, A. Kulshreshtha, Atul Srivastava, and M. Kumar; **41** (10), 2627-35 (2002).

Beam selector dependent on incident angle by guided-mode resonant subwavelength grating. — Ya Nie, Lei Wang, Zhiheng Wang, and Chengjun Lai; **41** (11), 2966-9 (2002).

Refractometry

Novel optical fiber refractometric transducer employing hemispherical detection element. — Vladimir Svirid, Sergei Khotiaintsev, and Pieter L. Swart; **41** (4), 779-87 (2002).

Measuring and sensing a complex refractive index by laser reflection near the critical angle. — Augusto García-Valenzuela, Mary Carmen Peña-Gomar, and Claudia Fajardo-Lira; **41** (7), 1704-16 (2002).

Optoelectronic refractometer characterized by high sensitivity over a wide range of refractive index. — L. M. Bali, Anchal Srivastava, R. K. Shukla, P. Srivastava, A. Kulshreshtha, Atul Srivastava, and M. Kumar; **41** (10), 2627-35 (2002).

Remote sensing

Block-matching algorithm for mitigating aliasing effects in undersampled image sequences. — Michael C. Roggemann, and William R. Reynolds; **41** (2), 359-69 (2002).

Field-balanced adaptive optics error function for wide field-of-view space-based systems. — Brian K. McComas and Edward J. Friedman; **41** (3), 567-74 (2002).

Depth detection and image recovery in remote sensing by optical scanning holography. — Taegeun Kim, Ting-Chung Poon, and Guy Indebetouw; **41** (6), 1331-8 (2002).

New independent component analysis method using higher order statistics with application to remote sensing images. — Xiaohui Zhang and Chi Hau Chen; **41** (7), 1717-28 (2002).

Image quality of sparse-aperture designs for remote sensing. — Robert D. Fiete, Theodore A. Tantalo, Jason R. Calus, and James A. Mooney; **41** (8), 1957-69 (2002).

Commercial observation satellites: broadening the sources of geospatial data. — John C. Baker, Kevin M. O'Connell, and Jose A. Venzor, Jr. ; **41** (9), 2077-82 (2002).

Satellite image collection optimization. — William Martin; **41** (9), 2083-7 (2002).

Watermarking techniques for electronic delivery of remote sensing images. — Mauro Barni, Franco Bartolini, Enrico Magli, and Gabriella Olmo; **41** (9), 2111-9 (2002).

Multisensor fusion over the World Trade Center disaster site. — Craig Rodarmel, Lawrence Scott, Deborah Simerlink, and Jeffrey Walker; **41** (9), 2120-8 (2002).

Integration of remote sensing data and geographic information system technology for emergency managers and their applications at the Pacific Disaster Center. — Craig Laben; **41** (9), 2129-36 (2002).

Hyperspectral imaging: a useful technology for transportation analysis. — Richard B. Gomez; **41** (9), 2137-43 (2002).

Use of SPOT images as a tool for coastal zone management and monitoring of environmental impacts in the coastal zone. — Paola Almeida-Guerra; **41** (9), 2144-51 (2002).

Short-range remote spectral sensor using mid-infrared semiconductor lasers with orthogonal code-division multiplexing approach. — Z. Morbi, D. B. Ho, H.-W. Ren, H. Q. Le, and S. S. Pei; **41** (9), 2321-37 (2002).

United States Department of Agriculture reference ultraviolet spectroradiometer: current performance and operational experience at Table Mountain, Colorado. — Lee Harrison, Jerry Berndt, Piotr Kiedron, and Patrick Disterhoft; **41** (12), 3096-103 (2002).

Applications of ultraviolet absolute radiometry in satellite and surface-based remote sensing of atmospheric ozone. — Donald F. Heath, Ziauddin Ahmad, and Zongyang Wei; **41** (12), 3104-10 (2002).

Unsupervised change-detection methods for remote-sensing images. — Farid Melgani, Gabriele Moser, and Sebastiano B. Serpico; **41** (12), 3288-97 (2002).

Resolution

Methods cooperation for multiresolution motion estimation. — Rémy Leconge, Olivier Laligant, Fréderic Truchetet, and Alain Diou; **41** (2), 435-42 (2002).

Properties of high-resolution range profiles. — Mengdao Xing, Zheng Bao, and Bingnan Pei; **41** (2), 493-504 (2002).

Ordered bundles of infrared transmitting silver halide fibers: attenuation, resolution and crosstalk in long and flexible bundles. — Eran Rave and Abraham Katzir; **41** (7), 1467-8 (2002).

Measuring and sensing a complex refractive index by laser reflection near the critical angle. — Augusto García-Valenzuela, Mary Carmen Peña-Gomar, and Claudia Fajardo-Lira; **41** (7), 1704-16 (2002).

Twofold spatial resolution enhancement by two-photon exposure of photographic film. — Dmitriy V. Korobkin and Eli Yablonovitch; **41** (7), 1729-32 (2002).

Error analysis on measuring angle-differential profiles of optical reflectivity by dynamic reflectometry. — Augusto García-Valenzuela and M. Peña-Gomar; **41** (8), 2050-4 (2002).

Novel approach to super-resolution pits readout. — Jingsong Wei and Fuxi Gan; **41** (9), 2073-4 (2002).

Extracting straight road structure in urban environments using IKONOS satellite imagery. — Donna Haverkamp; **41** (9), 2107-10 (2002).

Error dispersion algorithms to improve angle precision for an encoder. — Yuji Matsuzoe, Nobuhiko Tsuji, and Toru Yoshizawa; **41** (9), 2282-9 (2002).

Daytime aspect camera for balloon altitudes. — Kurt L. Dietz, Brian D. Ramsey, Cheryl D. Alexander, Jeff A. Apple, Kajal K. Ghosh, and Wesley R. Swift; **41** (10), 2641-51 (2002).

Resonators

Polarizing beamsplitter based on the effects of birefringent and resonance anomaly. — Ya Nie, Zhiheng Wang, Kexiang Fu, Chuanhong Zhou, and Qizhi Zhang; **41** (3), 674-9 (2002).

Periodically poled lithium niobate optical parametric oscillator pump-tuned by a single-axial-mode Ti:sapphire laser. — Chris J. Lee, Glenn W. Baxter, Jan C. Dietrich, Iain T. McKinnie, Donald M. Warrington, Peter G. R. Smith, Graeme W. Ross, and David C. Hanna; **41** (4), 848-51 (2002).

Wide tunable filters using a recirculating delay line with multi-reflections. — S. Vargas, C. Vázquez, and J. M. S. Pena; **41** (5), 926-7 (2002).

Numerical and experimental study of stable resonators with diffractive output coupling. — Alejandro L. Peuriot, Guillermo D. Santiago, and Carlos A. Rosito; **41** (8), 1903-7 (2002).

Output beam analysis of an unstable resonator with a large Fresnel number for a chemical oxygen iodine laser. — Deli Yu, Fengting Sang, Yuqi Jin, and Yizhu Sun; **41** (10), 2668-74 (2002).

Retarders

Acousto-optic tunable filter based visible- to near-infrared spectropolarimetric imager. — Neelam Gupta, Rachid Dahmani, and Steve Choy; **41** (5), 1033-8 (2002).

Retroreflectors

Nanometer indicating system based on surface plasmon resonance and its application in an interferometer. — Jian Wu, Dejiao Lin, and Chunyong Yin; **41** (3), 669-73 (2002).

New type of retroreflective film formed by laser-generating glass beads. — Shaomin Wang, Daomu Zhao, and Fuquan Huang; **41** (6), 1396-9 (2002).

Design and analysis of a diffraction-limited cat's-eye retroreflector. — Mark L. Biermann, William S. Rabinovich, Rita Mahon, and G. Charmaine Gilbreath; **41** (7), 1655-60 (2002).

Roughness

Interferometric shape measurement of rough surfaces at grazing incidence. — Roland Schreiner; **41** (7), 1570-6 (2002).

SUBJECT INDEX

Satellites

Image quality of sparse-aperture designs for remote sensing. — Robert D. Fiete, Theodore A. Tantalo, Jason R. Calus, and James A. Mooney; **41** (8), 1957-69 (2002).

Commercial observation satellites: broadening the sources of geospatial data. — John C. Baker, Kevin M. O'Connell, and Jose A. Venzor, Jr. ; **41** (9), 2077-82 (2002).

Satellite image collection optimization. — William Martin; **41** (9), 2083-7 (2002).

Comparison of automated digital elevation model extraction results using along-track ASTER and across-track SPOT stereo images. — Thierry Toutin and Philip Cheng; **41** (9), 2102-6 (2002).

Extracting straight road structure in urban environments using IKONOS satellite imagery. — Donna Haverkamp; **41** (9), 2107-10 (2002).

Use of SPOT images as a tool for coastal zone management and monitoring of environmental impacts in the coastal zone. — Paola Almeida-Guerra; **41** (9), 2144-51 (2002).

Supersampling multiframe blind deconvolution resolution enhancement of adaptive optics compensated imagery of low earth orbit satellites. — David R. Gerwe, David J. Lee, and Jeffrey D. Barchers; **41** (9), 2238-51 (2002).

Scanners

Optoelectronic image scanning with high spatial resolution and reconstruction fidelity. — Siegfried Craubner; **41** (2), 381-94 (2002).

Shadow moiré topography using a flatbed scanner. — T. W. Ng and A. Tajuddin; **41** (8), 1908-11 (2002).

Document scanner using polymer waveguides with a microlens array. — Ryuta Iijima, Manabu Fujimoto, Yuji Maruo, Mamoru Nakatsuka, Tetsuya Inui, Shingo Abe, and Yutaka Unuma; **41** (11), 2743-8 (2002).

Scanning

Optoelectronic image scanning with high spatial resolution and reconstruction fidelity. — Siegfried Craubner; **41** (2), 381-94 (2002).

Depth detection and image recovery in remote sensing by optical scanning holography. — Taegeun Kim, Ting-Chung Poon, and Guy Indebetouw; **41** (6), 1331-8 (2002).

Three-dimensional body scanning system for apparel mass customization. — Bugao Xu, Y. Huang, W. Yu, and T. Chen; **41** (7), 1475-9 (2002).

Compact mid-wavelength infrared zoom camera with 20:1 zoom range and automatic athermalization. — Hyun Sook Kim, Chang Woo Kim, and Seok Min Hong; **41** (7), 1661-7 (2002).

Nanometer deep shaping with fluid jet polishing. — Silvia M. Booij, Hedser van Brug, Joseph J. M. Braat, and Oliver W. Fähnle; **41** (8), 1926-31 (2002).

Scanning microscopy

Structural and thermal analysis of Ag-Sb-Te alloy and its films for phase change optical memories. — Yagya Deva Sharma and P. K. Bhatnagar; **41** (7), 1668-73 (2002).

Photorefractive recording of subwavelength-size binary data using near-field scanning optical microscopy. — Kyoung-Youm Kim, Jingu Kang, and Byoungho Lee; **41** (8), 1936-42 (2002).

APEX method and real-time blind deconvolution of scanning electron microscope imagery. — Alfred S. Carasso, David S. Bright, and András E. Vladár; **41** (10), 2499-514 (2002).

Scattering

Expectation-maximization approach to target model generation from multiple synthetic aperture radar images. — John A. Richards, Alan S. Willsky, and John W. Fisher, III ; **41** (1), 150-66 (2002).

Linearized inversion of scatterometric data to obtain surface profile information. — Emmanuel M. Drège, Jeffrey A. Reed, and Dale M. Byrne; **41** (1), 225-36 (2002).

Optical properties and infrared optics applications of composite films based on polyethylene and low-melting-point chalcogenide glass. — Edward Bormashenko, Roman Pogreb, Semion Sutovski, and Mark Levin; **41** (2), 295-302 (2002).

Polarimetric microfacet scattering theory with applications to absorptive and reflective surfaces. — Richard G. Priest and Steven R. Meier; **41** (5), 988-93 (2002).

Principal Mueller matrix of reflection and scattering measured for a one-dimensional rough surface. — Soe-Mie F. Nee and Tsu-Wei Nee; **41** (5), 994-1001 (2002).

Simultaneous strain and temperature monitoring of the composite cure with a Brillouin-scattering-based distributed sensor. — Xiaoyi Bao, Chao Huang, Xiaodong Zeng, Antoine Arcand, and Pearl Sullivan; **41** (7), 1496-501 (2002).

Nanostructures with small- and large-scale periodic and random rough surfaces and lateral fluctuations in the permittivity and permeability-scattered near fields. — Ezekiel Bahar; **41** (8), 1918-25 (2002).

Photonic devices in periodic waveguide structures: generalized analysis of multiple discontinuities. — José Rodríguez García, Orlando Hidalgo Alonso, S. Fernández, Isabel Ibáñez Martín, and Gerardo Doménech García; **41** (8), 1947-56 (2002).

Micro-Raman scattering and microphotoluminescence of GaN thin films grown on sapphire by metal-organic chemical vapor deposition. — Zhe Chuan Feng; **41** (8), 2022-31 (2002).

Reconstruction technique for stimulated Brillouin scattering distributed fiber-optic sensors. — Romeo Bernini, Aldo Minardo, and Luigi Zeni; **41** (9), 2186-94 (2002).

Light scattering characteristics of small ice circular cylinders in visible, 1.38-μm, and some infrared wavelengths. — Jilie Ding and Lisheng Xu; **41** (9), 2252-66 (2002).

Contrast budget of head-mounted displays. — Gerard C. de Wit; **41** (10), 2419-26 (2002).

Photon migration in turbid media: a finite-element solution for the most favorable path. — Jun Zhou and Jing Bai; **41** (10), 2577-81 (2002).

Model for dc and rf characteristics of optically biased GaN metal semiconductor field effect transistor for electronic/optoelectronic microwave applications. — Adarsh Singh, Anil Kumar, Mridula Gupta, and R. S. Gupta; **41** (11), 2915-22 (2002).

Integrated optoelectric sensor for measurement of microdisplacement, roughness, and microprofile. — Zhao-fei Zhou, Tao Zhang, Wenjie Li, and Wei Huang; **41** (12), 3270-5 (2002).

Increasing the discrimination of synthetic aperture radar recognition models. — Bir Bhanu and Grinnell Jones, III; **41** (12), 3298-306 (2002).

Schlieren techniques

Phase image visualization with white light extended sources: a Fourier-optics-based interpretation. — Gabriella Serafino and Paolo Sirotti; **41** (10), 2549-55 (2002).

Segmentation

Video indexing using a high-performance and low-computation color-based opportunistic technique. — Mohamed Ahmed and Ahmed Karmouch; **41** (2), 505-17 (2002).

Ray-mixing polarization errors resulting from surface aberrations in large segmented mirrors. — Johnny K. Jennings and Barbara T. Landesman; **41** (5), 955-64 (2002).

Document layout extraction using soft ordering. — Phillip E. Mitchell and Hong Yan; **41** (11), 2831-43 (2002).

Quadrilateral-based region segmentation for tracking. — Nelson H. C. Yung, Hing Y. Chung, and Paul Y. S. Cheung; **41** (11), 2844-55 (2002).

Adaptive level set image segmentation using the Mumford and Shah functional. — Fei Liu, Yupin Luo, and Dongcheng Hu; **41** (12), 3002-3 (2002).

Dividing snake algorithm for multiple object segmentation. — C. S. Tong, P. C. Yuen, and Y. Y. Wong; **41** (12), 3177-82 (2002).

Semiconductor lasers

Short-range remote spectral sensor using mid-infrared semiconductor lasers with orthogonal code-division multiplexing approach. — Z. Morbi, D. B. Ho, H.-W. Ren, H. Q. Le, and S. S. Pei; **41** (9), 2321-37 (2002).

Two different lasers integrated in a monochip by one-step epitaxy. — WeiLing Guo, Guangdi Shen, JianJun Li, Ying Ding, Ying Liu, Guo Gao, and DeShu Zou; **41** (10), 2391-2 (2002).

Novel concepts for injection lasers. — Nikolai N. Ledentsov and Vitaly A. Shchukin; **41** (12), 3193-203 (2002).

Semiconductors

Photoacoustic studies on *n*-type InP. — Nibu A. George, C. P. G. Vallabhan, V. P. N. Nampoori, and P. Radhakrishnan; **41** (1), 251-4 (2002).

Lux transfer: Complementary metal oxide semiconductors versus charge-coupled devices. — James Janesick; **41** (6), 1203-15 (2002).

Empirical dark current modeling for complementary metal oxide semiconductor active pixel sensor. — Igor Shcherback, Alexander Belenky, and Orly Yadid-Pecht; **41** (6), 1216-9 (2002).

Design and implementation of a 3-D mapping system for highly irregular shaped objects with application to semiconductor manufacturing. — Vivek A. Sujan and Steven Dubowsky; **41** (6), 1406-17 (2002).

256-QAM WDM system transmitted over 80 km of single-mode fiber using a 1.3-μm semiconductor optical amplifier. — Hai-Han Lu and Wen-Jen Wang; **41** (11), 2707-8 (2002).

Planar light-emitting electro-optical interfaces in standard silicon complementary metal oxide semiconductor integrated circuitry. — Lukas Willem Snyman, Herzl Aharoni, Monuko du Plessis, Jan F. K. Marais, Deon Van Niekerk, and Alice Biber; **41** (12), 3230-40 (2002).

Sensors

Quantum-noise-limited sensitivity of an interferometer using a phase generated carrier demodulation scheme. — Tristan J. Tayag; **41** (2), 276-7 (2002).

Experimental results for expanding the dynamic range of a Shack-Hartmann sensor using astigmatic microlenses. — Norbert Lindlein and Johannes Pfund; **41** (2), 529-33 (2002).

Atmospheric characterization with Shack-Hartmann wavefront sensors for non-Kolmogorov turbulence. — Changhui Rao, Wenhan Jiang, and Ning Ling; **41** (2), 534-41 (2002).

Fiber Bragg grating current sensor using linear magnetic actuator. — Jianmin Gong, C. C. Chan, M. Zhang, W. Jin, J. M. K. MacAlpine, and Y. B. Liao; **41** (3), 557-8 (2002).

Cross sensitivity reduction of gas sensors using genetic neural network. — Yong Zhang, Junhua Liu, Yonghuai Zhang, and Xiaojun Tang; **41** (3), 615-25 (2002).

Quasi-distributed frequency-modulated continuous-wave reflectometric optical fiber strain sensor. — Pei Chin Won, Leong Keey Seah, and Guangping Xie; **41** (4), 788-95 (2002).

Calibration and exploitation of a narrow-band imaging polarimeter. — M. J. Duggin and R. S. Loe; **41** (5), 1039-47 (2002).

Self-referenced intensity-based fiber optic sensor system using fiber Bragg gratings. — Yu-Lung Lo, Ting-Yang Yan, and Chih-Ping Kuo; **41** (5), 1087-92 (2002).

High dynamic range fiber optic relative humidity sensor. — Rajeev Jindal, Shiquan Tao, Jagdish P. Singh, and Parikshit S. Gaikwad; **41** (5), 1093-6 (2002).

Optical sensing by using photonic quantum ring lasers and resonance-enhanced photodetectors. — Byeong Hoon Park, Seung Duk Baek, Jun Yeon Kim, Joongwoo Bae, Haewook Han, and O'Dae Kwon; **41** (6), 1339-45 (2002).

Phase unwrapping algorithm based on phase fitting reliability in structured light projection. — Wan-Song Li and Xian-Yu Su; **41** (6), 1365-72 (2002).

Simultaneous strain and temperature monitoring of the composite cure with a Brillouin-scattering-based distributed sensor. — Xiaoyi Bao, Chao Huang, Xiaodong Zeng, Antoine Arcand, and Pearl Sullivan; **41** (7), 1496-501 (2002).

Commercial observation satellites: broadening the sources of geospatial data. — John C. Baker, Kevin M. O'Connell, and Jose A. Venzor, Jr. ; **41** (9), 2077-82 (2002).

Multisensor fusion over the World Trade Center disaster site. — Craig Rodarmel, Lawrence Scott, Deborah Simerlink, and Jeffrey Walker; **41** (9), 2120-8 (2002).

New phasing algorithm for large segmented telescope mirrors. — Weiyao Zou; **41** (9), 2338-44 (2002).

Optimal wavelength pair selection and accuracy analysis of dual fiber grating sensors for simultaneously measuring strain and temperature. — Ponniah Sivanesan, James S. Sirkis, Yorinobu Murata, and Steven G. Buckley; **41** (10), 2456-63 (2002).

Modeling of the hysteretic metal-insulator transition in a vanadium dioxide infrared detector. — Luiz Alberto Luz de Almeida, Gurdip Singh Deep, Antonio Marcus Nogueira Lima, and Helmut Neff; **41** (10), 2582-8 (2002).

Design of telecentric imaging systems for noncontact velocity sensors. — Christian Berger; **41** (10), 2599-606 (2002).

Artificial retina large scale integration with on-sensor projection function for high-speed motion detection. — Eiichi Funatsu, Soichiro Kuramochi, Yoji Nagafuchi, Hiroshi Kage, Narumi Sakashita, Fumihide Murao, and Kazuo Kyuma; **41** (11), 2709-18 (2002).

H_∞ control law for line-of-sight stabilization for mobile land vehicles. — J. A. R. Krishna Moorty, Rajeev Marathe, and V. R. Sule'; **41** (11), 2935-44 (2002).

Microbent optical fibers as evanescent wave sensors. — S. Thomas Lee, K. Geetha, V. P. N. Nampoori, C. P. G. Vallabhan, and P. Radhakrishnan; **41** (12), 3260-4 (2002).

Operation of lateral effect photosensitive position sensors using differential time delay mode. — I. Abdulhalim, S. Millward, G. Moores, L. Firth, and F. Placido; **41** (12), 3265-9 (2002).

Integrated optoelectric sensor for measurement of microdisplacement, roughness, and microprofile. — Zhao-fei Zhou, Tao Zhang, Wenjie Li, and Wei Huang; **41** (12), 3270-5 (2002).

Influence of motion sensor error on image restoration from vibrations and motion. — Sergey Raiter, Ofer Hadar, and Norman S. Kopeika; **41** (12), 3276-82 (2002).

Shearography

Simple algorithms of wavefront reconstruction for cyclic radial shearing interferometer. — Dahai Li, Huaixin Chen, and Zhenpei Chen; **41** (8), 1893-8 (2002).

Signal detection

Generation of continuous-wave millimeter-wave signals in a nonlinear lithium niobate optical waveguide. — Ki-Hwan Park and Wataru Chujo; **41** (10), 2589-91 (2002).

Signal processing

Legacy of optical information processing. — Francis T. S. Yu; **41** (1), 139-44 (2002).

Peak movement detection method of an equally spaced fringe for precise position measurement. — Jong Hoon Yi, Soo Hyun Kim, Yoon Keun Kwak, and Yun Woo Lee; **41** (2), 428-34 (2002).

Optical sensing by using photonic quantum ring lasers and resonance-enhanced photodetectors. — Byeong Hoon Park, Seung Duk Baek, Jun Yeon Kim, Joongwoo Bae, Haewook Han, and O'Dae Kwon; **41** (6), 1339-45 (2002).
Combined image compressor and denoiser based on tree-adapted wavelet shrinkage. — James S. Walker; **41** (7), 1520-7 (2002).
Mismatch-tolerant distributed photonic analog-to-digital conversion using spatial oversampling and spectral noise shaping. — Barry L. Shoop and Pankaj K. Das; **41** (7), 1674-87 (2002).

Signal-to-noise ratio

Measurement of the characteristics of a quadrant avalanche photodiode and its application to a laser tracking system. — Masahiro Toyoda, Kenichi Araki, and Yoshiaki Suzuki; **41** (1), 145-9 (2002).
Quantum-noise-limited sensitivity of an interferometer using a phase generated carrier demodulation scheme. — Tristan J. Tayag; **41** (2), 276-7 (2002).
Lux transfer: Complementary metal oxide semiconductors versus charge-coupled devices. — James Janesick; **41** (6), 1203-15 (2002).
Mismatch-tolerant distributed photonic analog-to-digital conversion using spatial oversampling and spectral noise shaping. — Barry L. Shoop and Pankaj K. Das; **41** (7), 1674-87 (2002).
Rigorous coupled-wave analysis calculus of submicrometer interference pattern and resolving edge position versus signal-to-noise ratio. — Alexander Tavrov, Michael Totzeck, Norbert Kerwien, and Hans J. Tiziani; **41** (8), 1886-92 (2002).
Noise-constrained hyperspectral data compression. — Mary H. Sharp; **41** (9), 2098-101 (2002).

Silica

Radiometric analysis of a fiber optic temperature sensor. — Jesus Castrellon, Gonzalo Paez, and Marija Strojnik; **41** (6), 1255-61 (2002).

Silicon

Optical waveguide components with high refractive index difference in silicon-oxynitride for application in integrated optoelectronics. — Bernd Schauwecker, Michael Arnold, Christian V. Radehaus, Georges Przyrembel, and Berndt Kuhlow; **41** (1), 237-43 (2002).
1×2 optical waveguide filters based on multimode interference for 1.3- and 1.55-μm operation. — Baojun Li, Soo-Jin Chua, Christopher W. Leitz, and Eugene A. Fitzgerald; **41** (3), 723-7 (2002).
Sol-gel fabrication and properties of optical channel waveguides and gratings made from composites of titania and organically modified silane. — Wenxiu Que and Chan Hin Kam; **41** (7), 1733-7 (2002).
Fabrication of polymeric microlens of hemispherical shape using micromolding. — Su-dong Moon, Shinill Kang, and Jong-Uk Bu; **41** (9), 2267-70 (2002).
Planar light-emitting electro-optical interfaces in standard silicon complementary metal oxide semiconductor integrated circuitry. — Lukas Willem Snyman, Herzl Aharoni, Monuko du Plessis, Jan F. K. Marais, Deon Van Niekerk, and Alice Biber; **41** (12), 3230-40 (2002).

Simulations

Design and simulation of a two-section Fabry-Pérot sampled grating distributed Bragg reflector laser for dense wavelength-division multiplexing applications. — Magdy Hussein Mourad, D. Marcenac, J. P. Vilcot, and D. Decoster; **41** (2), 479-83 (2002).
Automatic determination of mass functions in Dempster-Shafer theory using fuzzy c-means and spatial neighborhood information for image segmentation. — Yue Min Zhu, Layachi Bentabet, Olivier Dupuis, Valérie Kaftandjian, Daniel Babot, and Michèle Rombaut; **41** (4), 760-70 (2002).
Laser-diode end-pumped passively *Q*-switched intracavity doubling Nd:YVO_4/KTP laser with Cr^{4+}:YAG saturable absorber. — Jiaan Zheng, Shengzhi Zhao, and Lei Chen; **41** (8), 1970-5 (2002).

Single-mode fibers

Single-mode small-form-factor fiber optic connectors for enterprise computing systems. — Casimer M. DeCusatis; **41** (10), 2438-47 (2002).

Smart structures

Comparison of distributed fiber optic sensing methods for location and quantity information measurements. — Ilkka Alasaarela, Pentti Karioja, and Harri Kopola; **41** (1), 181-9 (2002).

Sol-gels

Sol-gel fabrication and properties of optical channel waveguides and gratings made from composites of titania and organically modified silane. — Wenxiu Que and Chan Hin Kam; **41** (7), 1733-7 (2002).
Fabrication and characterization of hybrid-glass-based axicons. — Terho Kololuoma, Kari Kataja, Sanna Juuso, Janne Aikio, and Juha T. Rantala; **41** (12), 3136-40 (2002).

Solid state lasers

Compact solid-state dye polymer laser for ozone lidar applications. — Alton L. Jones, Jr. , Russell J. DeYoung, and Hani E. Elsayed-Ali; **41** (11), 2951-8 (2002).

Sources

Joint source-channel fractal image coding with unequal error protection. — Youssef Charfi, Vladimir M. Stanković, Raouf Hamzaoui, Ameur Haouari, and Dietmar Saupe; **41** (12), 3168-76 (2002).

Space optics

Field-balanced adaptive optics error function for wide field-of-view space-based systems. — Brian K. McComas and Edward J. Friedman; **41** (3), 567-74 (2002).
Ultraviolet-optical charge-coupled devices for space instrumentation. — Mark Clampin; **41** (6), 1185-91 (2002).
Nonoxidized Al-overcoated Ir bilayers with high reflectance in the extreme ultraviolet above 50 nm. — Juan I. Larruquert, José A. Méndez, and José A. Aznárez; **41** (6), 1418-24 (2002).
Large-aperture holographically corrected membrane telescope. — Geoff P. Andersen, Randall J. Knize, Arthur L. Palisoc, and Costas Cassapakis; **41** (7), 1603-7 (2002).
Large sparse-aperture space optical systems. — Aden Baker Meinel and Marjorie Pettit Meinel; **41** (8), 1983-94 (2002).
Wavefront sensing for deformable space-based optics exploiting natural and synthetic guide stars. — Brian K. McComas and Edward J. Friedman; **41** (8), 2039-49 (2002).

Spatial filtering

Adaptive filtering for noise reduction in hue saturation intensity color space. — HyunWook Park, Lakshmanan Gopishankar, and Yongmin Kim; **41** (6), 1232-9 (2002).

Spatial frequencies

Two-dimensional selection of optical spatial frequencies by acousto-optic methods. — Vitaly B. Voloshinov, Tatyana M. Babkina, and Vladimir Y. Molchanov; **41** (6), 1273-80 (2002).
Aspheric optics: smoothing the ripples with semi-flexible tools. — Michael T. Tuell, James H. Burge, and Bill Anderson; **41** (7), 1473-4 (2002).
Twofold spatial resolution enhancement by two-photon exposure of photographic film. — Dmitriy V. Korobkin and Eli Yablonovitch; **41** (7), 1729-32 (2002).

Spatial light modulators

Comparisons of performance under brightness changes of target scenes between nonlinear joint transform correlators that use input images with pure-amplitude, pure-phase, and complex data. — Yasuhiro Iwamoto and Takumi Minemoto; **41** (1), 41-9 (2002).
Computer-generated complex filter for an all-optical and a digital-optical hybrid correlator. — Philip Birch, Rupert Young, Frédéric Claret-Tournier, David Budgett, and Christopher Chatwin; **41** (1), 105-11 (2002).
Origin and characteristics of ambiguous properties in measuring physical parameters of twisted nematic liquid crystal spatial light modulators. — Makoto Yamauchi; **41** (5), 1134-41 (2002).
Centroid detection based on optical correlation. — Shoude Chang and Chander P. Grover; **41** (10), 2479-86 (2002).
Dual purpose two-way optics for multimedia communication. — Nalliah Raman, Neil Collings, and Rafie Mavaddat; **41** (10), 2636-40 (2002).
Diffraction efficiency of nonsynchronously sampled diffraction gratings. — Jeffrey A. Davis, Jingo Adachi, and Don M. Cottrell; **41** (11), 2983-6 (2002).
Programmable wave plates using a twisted nematic liquid crystal display. — Josep Nicolás and Jeffrey A. Davis; **41** (12), 3004-5 (2002).

Speckle

Display of local activity using dynamical speckle patterns. — Ricardo Arizaga, Nelly Lucía Cap, Héctor Rabal, and Marcelo Trivi; **41** (2), 287-94 (2002).
Innovative phase unwrapping algorithm: hybrid approach. — M. J. Huang and Cian-Jhih Lai; **41** (6), 1373-86 (2002).
Improved digital speckle correlation method and its application in fracture analysis of metallic foil. — Huaiwen Wang and Yilan Kang; **41** (11), 2793-8 (2002).
Harmonic wavelet joint transform correlator: analysis, algorithm, and application to image denoising. — Khan M. Iftekharuddin; **41** (12), 3307-15 (2002).

Speckle interferometry

Application of wavelet filtering for vibration analysis using digital speckle pattern interferometry. — Chandra Shakher, Rajesh Kumar, Shashi Kumar Singh, and Saba Akhter Kazmi; **41** (1), 176-80 (2002).
Evaluation of the continuous wavelet transform method for the phase measurement of electronic speckle pattern interferometry fringes. — Alejandro Federico and Guillermo H. Kaufmann; **41** (12), 3209-16 (2002).

Spectrometers

Snapshot imaging spectropolarimeter. — Derek Sabatke, Ann Locke, Eustace L. Dereniak, Michael Descour, John Garcia, Tom Hamilton, and Robert W. McMillan; **41** (5), 1048-54 (2002).
Superconducting tunnel junctions as photon- counting imaging spectrometers from the optical to the x-ray band. — Peter Verhoeve, Nicola Rando, Anthony Peacock, Didier Martin, and Roland den Hartog; **41** (6), 1170-84 (2002).
Influence of aberrations of a Fourier transform infrared spectrometer optical system on measurement errors. — Leszek Wawrzyniuk and Romuald Jóźwicki; **41** (11), 2959-65 (2002).
Version 2 total ozone mapping spectrometer ultraviolet algorithm: problems and enhancements. — Nickolay Krotkov, Jay Herman, Pawan K. Bhartia, Colin Seftor, Antti Arola, Jussi Kaurola, Sari Kalliskota, Petteri Taalas, and Igor V. Geogdzhaev; **41** (12), 3028-39 (2002).
Comparison of Brewer ultraviolet irradiance measurements with total ozone mapping spectrometer satellite retrievals. — Vitali E. Fioletov, James B. Kerr, David I. Wardle, Nikolay Krotkov, and Jay R. Herman; **41** (12), 3051-61 (2002).
Comparisons between ground measurements of broadband ultraviolet irradiance (300 to 380 nm) and total ozone mapping spectrometer ultraviolet estimates at Moscow from 1979 to 2000. — Nataly Ye. Chubarova, Alla Yu. Yurova, Nickolay Krotkov, Jay Herman, and Pawan K. Bhartia; **41** (12), 3070-81 (2002).

Spectrometry

Snapshot imaging spectropolarimeter. — Derek Sabatke, Ann Locke, Eustace L. Dereniak, Michael Descour, John Garcia, Tom Hamilton, and Robert W. McMillan; **41** (5), 1048-54 (2002).

Spectrophotometers

Analysis of astronomical data from optical superconducting tunnel junctions. — J. H. J. de Bruijne, A. P. Reynolds, M. A. C. Perryman, F. Favata, and A. Peacock; **41** (6), 1158-69 (2002).

Spectroscopy

Containerless photothermal spectroscopy using photorefractive interferometric detection. — Robert S. Schley and Ken L. Telschow; **41** (7), 1688-95 (2002).
Hyperspectral imaging: a useful technology for transportation analysis. — Richard B. Gomez; **41** (9), 2137-43 (2002).
Multispectral color image capture using a liquid crystal tunable filter. — Jon Y. Hardeberg, Francis Schmitt, and Hans Brettel; **41** (10), 2532-48 (2002).

Standards

Evaluation of commercial thermal cameras in quality systems. — Krzysztof Chrzanowski; **41** (10), 2556-67 (2002).

Statistical optics

Performance limitations of a four-channel polarimeter in the presence of detection noise. — Victor L. Gamiz and John F. Belsher; **41** (5), 973-80 (2002).
New independent component analysis method using higher order statistics with application to remote sensing images. — Xiaohui Zhang and Chi Hau Chen; **41** (7), 1717-28 (2002).

Stereoscopy

Distortion analysis in stereoscopic images. — Jung-Young Son, Yuri Gruts, Joohwan Chun, Yong Jin Choi, Ji-Eun Bahn, and Vladimir I. Bobrinev; **41** (3), 680-5 (2002).
Novel coordinate mapping algorithm for three-dimensional profile noncontact measurement. — Kao-Hui Lin, Ming Chang, and Tyun-Jye Felipe Chen; **41** (7), 1615-20 (2002).
Joint rate-distortion optimization of discrete cosine transform coefficient quantization and disparity field estimation for stereo image coding. — Dong-Goo Kang and Rae-Hong Park; **41** (8), 2008-21 (2002).
Comparison of automated digital elevation model extraction results using along-track ASTER and across-track SPOT stereo images. — Thierry Toutin and Philip Cheng; **41** (9), 2102-6 (2002).

Strain analysis

Aspheric optics: smoothing the ripples with semi-flexible tools. — Michael T. Tuell, James H. Burge, and Bill Anderson; **41** (7), 1473-4 (2002).

Simultaneous strain and temperature monitoring of the composite cure with a Brillouin-scattering-based distributed sensor. — Xiaoyi Bao, Chao Huang, Xiaodong Zeng, Antoine Arcand, and Pearl Sullivan; **41** (7), 1496-501 (2002).
Reconstruction technique for stimulated Brillouin scattering distributed fiber-optic sensors. — Romeo Bernini, Aldo Minardo, and Luigi Zeni; **41** (9), 2186-94 (2002).
Optimal wavelength pair selection and accuracy analysis of dual fiber grating sensors for simultaneously measuring strain and temperature. — Ponniah Sivanesan, James S. Sirkis, Yorinobu Murata, and Steven G. Buckley; **41** (10), 2456-63 (2002).
Improved digital speckle correlation method and its application in fracture analysis of metallic foil. — Huaiwen Wang and Yilan Kang; **41** (11), 2793-8 (2002).

Stray light

Baffles design for an axial two-mirror telescope. — Ning Song, Zongmin Yin, and Fengyao Hu; **41** (9), 2353-6 (2002).
Contrast budget of head-mounted displays. — Gerard C. de Wit; **41** (10), 2419-26 (2002).

Stress analysis

Design of tightly jacketed double-coated optical fibers to minimize long-term hydrostatic-pressure-induced microbending losses. — Sham-Tsong Shiue and Ting-Ying Shen; **41** (6), 1313-6 (2002).
Long-term stability of optical surfaces. — Raymond N. Smartt, Philip E. Ciddor, Achim J. Leistner, and Jeffrey A. Seckold; **41** (10), 2688-91 (2002).
Improved digital speckle correlation method and its application in fracture analysis of metallic foil. — Huaiwen Wang and Yilan Kang; **41** (11), 2793-8 (2002).

Sufaces

Measurement of glass surface layers and their influence on thin-film optical properties. — Zhengtian Gu, Peihui Liang, and Weiqing Zhang; **41** (7), 1738-46 (2002).

Superconductivity

Superconducting tunnel junctions as photon- counting imaging spectrometers from the optical to the x-ray band. — Peter Verhoeve, Nicola Rando, Anthony Peacock, Didier Martin, and Roland den Hartog; **41** (6), 1170-84 (2002).

Surface plasmons

Nanometer indicating system based on surface plasmon resonance and its application in an interferometer. — Jian Wu, Dejiao Lin, and Chunyong Yin; **41** (3), 669-73 (2002).

Surfaces

Phase-shifting interferometry: measurements with high-reflectance surfaces. — Parameswaran Hariharan; **41** (4), 856-9 (2002).
Method for aligning any-order polynomial surfaces in three-dimensional space. — Nicolas Alvertos; **41** (4), 886-98 (2002).
Novel self-consistent method for determining optical coupling coefficients and grating losses of distributed Bragg reflector lasers. — Hoshin H. Yee; **41** (5), 1077-83 (2002).
Aspheric optics: smoothing the ripples with semi-flexible tools. — Michael T. Tuell, James H. Burge, and Bill Anderson; **41** (7), 1473-4 (2002).
Nanostructures with small- and large-scale periodic and random rough surfaces and lateral fluctuations in the permittivity and permeability-scattered near fields. — Ezekiel Bahar; **41** (8), 1918-25 (2002).
Optical topography measurement applying optimal filtering of local slope and surface height data. — Wolfgang Holzapfel, Manfried Sofsky, and Ulrich Neuschaefer-Rube; **41** (9), 2301-9 (2002).
Analysis and modeling of distributed feedback and distributed Bragg reflector lasers using regrowth-free index-coupled surface grating technology. — Hery Susanto Djie, Chrisada Sookdhis, and Philip Dowd; **41** (9), 2345-52 (2002).
Rapid prototyping of diffractive optical elements for high-power lasers using laser ablation lithography fabrication and coherence probe microscopy analysis. — Manuel Flury, Abderrazzaq Benatmane, Philippe Gérard, Paul C. Montgomery, Joël Fontaine, Thierry Engel, and Jean Pierre Schunck; **41** (10), 2407-18 (2002).
Long-term stability of optical surfaces. — Raymond N. Smartt, Philip E. Ciddor, Achim J. Leistner, and Jeffrey A. Seckold; **41** (10), 2688-91 (2002).
Two-dimensional optical measurement techniques based on optical birefringence effects. — Yongchang Zhu, Tatsuo Takada, and Yoshihiro Murooka; **41** (12), 3183-92 (2002).
Simple method for determining the fast axis of a wave plate. — Petre Cătălin Logofătu; **41** (12), 3316-8 (2002).

Switches

Coupling coefficient evaluation of a fiber directional coupler using an all-fiber Sagnac interferometer. — H. H. Cerecedo-Núñez, C. G. Treviño-Palacios, and E. A. Kuzin; **41** (3), 555-6 (2002).
Passively Q-switched self-frequency-doubling Nd^{3+}:$GdCa_4O(BO_3)_3$ laser with GaAs saturable absorber. — Shengzhi Zhao, Xingyu Zhang, Jiaan Zheng, Lei Chen, Zhenxiang Cheng, and Huanchu Cheng; **41** (3), 559-60 (2002).
Electro-optical switch and continuously tunable filter based on a Bragg grating in a planar waveguide with a liquid crystal overlayer. — Luigi Sirleto, Giuseppe Coppola, Giovanni Breglio, Giancarlo Abbate, Giancarlo C. Righini, and José Manuel Otón; **41** (11), 2890-8 (2002).

Switching

Polarization and spectral properties of ion-implanted and oxide-confined vertical-cavity surface-emitting lasers. — M. Yasin Akhtar Raja, Yang Cao, Guthrie H. Cooper, Abdullah S. Al-Dwayyan, and Charlie X. Wang; **41** (3), 704-10 (2002).
New structure for bit synchronization in a terabit-per-second optical interconnection network. — Wencai Jing, Yimo Zhang, and Ge Zhou; **41** (7), 1644-9 (2002).
Simple approach for wavelength tunable picosecond pulse generation by an external injection seeding scheme. — Min Zhang, Dongning Wang, Wei Jin, and M. Süleyman Demokan; **41** (7), 1747-51 (2002).
Switchable Bragg grating devices for telecommunications applications. — Serdar Yeralan, John Gunther, Dwight Ritums, Robert Cid, and Milan Popovich; **41** (8), 1774-9 (2002).
Laser-diode end-pumped passively Q-switched intracavity doubling Nd:YVO_4/KTP laser with Cr^{4+}:YAG saturable absorber. — Jiaan Zheng, Shengzhi Zhao, and Lei Chen; **41** (8), 1970-5 (2002).
Nd:YAP 1.34-μm/1.08-μm laser passively mode-locked and Q-switched by V^{3+}:YAG/BDN II saturable absorbers with efficient radiation delivery through a hollow glass waveguide coated with COP/Ag. — Helena Jelínková, Pavel Černý, Jan Šulc, Jan K. Jabczyński, Krzysztof Kopczyński, Zygmunt Mierczyk, Mitsunobu Miyagi, Yuji Matsuura, and Yi-Wei Shi; **41** (8), 1976-82 (2002).
Laser-diode end-pumped passively Q-switched Nd:YVO_4 laser with Cr^{4+}:YAG saturable absorber. — Jiaan Zheng, Shengzhi Zhao, and Lei Chen; **41** (9), 2271-5 (2002).
Optoelectronics of liquid crystals with nanoparticulate internal structure. — Nelson V. Tabiryan and Sarik R. Nersisyan; **41** (11), 2876-89 (2002).
Pump-controlled signal switching using a nonlinear dual-core fiber. — Yi-Bin Lu and P. L. Chu; **41** (12), 3000-1 (2002).

Synthetic aperture radar

Composite filters for inverse synthetic aperture radar classification of small ships. — Chao Yuan and David Casasent; **41** (1), 94-104 (2002).
Expectation-maximization approach to target model generation from multiple synthetic aperture radar images. — John A. Richards, Alan S. Willsky, and John W. Fisher, III ; **41** (1), 150-66 (2002).
Ship wake detection in synthetic aperture radar images using a combination of a wavelet correlator and Radon transform. — Jin Min Kuo and Kun Shan Chen; **41** (3), 686-96 (2002).
Optimal polarization for contrast enhancement in polarimetric synthetic aperture radar using a genetic algorithm. — Ruey Long Su, K. S. Chen, and Chia-Tang Chen; **41** (11), 2728-35 (2002).
Increasing the discrimination of synthetic aperture radar recognition models. — Bir Bhanu and Grinnell Jones, III; **41** (12), 3298-306 (2002).
Harmonic wavelet joint transform correlator: analysis, algorithm, and application to image denoising. — Khan M. Iftekharuddin; **41** (12), 3307-15 (2002).

Targets

Adaptive multisensor target detection using feature-based fusion. — Heesung Kwon, Sandor Z. Der, and Nasser M. Nasrabadi; **41** (1), 69-80 (2002).
Expectation-maximization approach to target model generation from multiple synthetic aperture radar images. — John A. Richards, Alan S. Willsky, and John W. Fisher, III ; **41** (1), 150-66 (2002).
Properties of high-resolution range profiles. — Mengdao Xing, Zheng Bao, and Bingnan Pei; **41** (2), 493-504 (2002).
Image-based target tracking through rapid sensor orientation change. — Thomas Tsao and Zhiqing Wen; **41** (3), 697-703 (2002).
Small-target predetection with an attention mechanism. — Yuehuan Wang, Tianxu Zhang, and Guoyou Wang; **41** (4), 872-85 (2002).
Spectral modeling and improvement of target detection in a visible cluttered environment. — Zeev Zalevsky and Arnon Goldman; **41** (6), 1358-64 (2002).
Sensitivity comparison of ladar receivers designed to detect glint targets. — Christopher D. Brewer, Bradley D. Duncan, and Edward A. Watson; **41** (7), 1577-85 (2002).
Increasing the discrimination of synthetic aperture radar recognition models. — Bir Bhanu and Grinnell Jones, III; **41** (12), 3298-306 (2002).
Harmonic wavelet joint transform correlator: analysis, algorithm, and application to image denoising. — Khan M. Iftekharuddin; **41** (12), 3307-15 (2002).

Telescopes

Adaptive optics schemes for future extremely large telescopes. — Alexander V. Goncharov, Mette Owner-Petersen, Torben Andersen, and Jacques M. Beckers; **41** (5), 1065-72 (2002).
Large-aperture holographically corrected membrane telescope. — Geoff P. Andersen, Randall J. Knize, Arthur L. Palisoc, and Costas Cassapakis; **41** (7), 1603-7 (2002).
Large membrane space optics: imagery and aberrations of diffractive and holographic achromatized optical elements of high diffraction order. — Aden Baker Meinel and Marjorie Pettit Meinel; **41** (8), 1995-2007 (2002).
Advances in spherical-mirror telescopic systems design: application to large-aperture solar coronagraphs. — Raymond N. Smartt and Eugene W. Cross, Jr. ; **41** (8), 2055-8 (2002).
New phasing algorithm for large segmented telescope mirrors. — Weiyao Zou; **41** (9), 2338-44 (2002).
Baffles design for an axial two-mirror telescope. — Ning Song, Zongmin Yin, and Fengyao Hu; **41** (9), 2353-6 (2002).

Television

480 × 8 hybrid HgCdTe infrared focal plane arrays for high-definition television format. — Masako Kobayashi, Hideo Wada, Toshihiro Okamura, Junichi Kudo, Kunihiro Tanikawa, Soichiro Hikida, Yoshihiro Miyamoto, Shinji Miyazaki, and Yukihiro Yoshida; **41** (8), 1876-85 (2002).

Temperature

Temperature monitoring of nuclear reactor cores with multiplexed fiber Bragg grating sensors. — Alberto Fernandez Fernandez, Andrei I. Gusarov, Benoit Brichard, Serge Bodart, Koen Lammens, Francis Berghmans, Marc Decréton, Patrice Mégret, Michel Blondel, and Alain Delchambre; **41** (6), 1246-54 (2002).
Radiometric analysis of a fiber optic temperature sensor. — Jesus Castrellon, Gonzalo Paez, and Marija Strojnik; **41** (6), 1255-61 (2002).
Generation of an amplitude modulated optical wave up to 275 GHz by laser wave mixing for optical component bandwidth measurement. — P. Dherbecourt, O. Latry, E. Joubert, and M. Ketata; **41** (7), 1469-70 (2002).
Simultaneous strain and temperature monitoring of the composite cure with a Brillouin-scattering-based distributed sensor. — Xiaoyi Bao, Chao Huang, Xiaodong Zeng, Antoine Arcand, and Pearl Sullivan; **41** (7), 1496-501 (2002).
Four-band fiber optic radiometry for true temperature measurements during an exothermal process. — Vered Scharf and Abraham Katzir; **41** (7), 1502-6 (2002).
Experimental study using infrared thermography on the convective heat transfer of a TGV brake disk in the actual environment. — Monica Siroux, Souad Harmand, and Bernard Desmet; **41** (7), 1558-64 (2002).
Retrieval of near-surface temperature profiles from passive and active optical measurements. — William P. Hooper, Gerald E. Nedoluha, and Lee U. Martin; **41** (7), 1586-602 (2002).
Compact mid-wavelength infrared zoom camera with 20:1 zoom range and automatic athermalization. — Hyun Sook Kim, Chang Woo Kim, and Seok Min Hong; **41** (7), 1661-7 (2002).
Reconstruction technique for stimulated Brillouin scattering distributed fiber-optic sensors. — Romeo Bernini, Aldo Minardo, and Luigi Zeni; **41** (9), 2186-94 (2002).
Influence of deposition parameters on optical properties of TiO_2 films. — K. Narasimha Rao; **41** (9), 2357-64 (2002).
Optimal wavelength pair selection and accuracy analysis of dual fiber grating sensors for simultaneously measuring strain and temperature. — Ponniah Sivanesan, James S. Sirkis, Yorinobu Murata, and Steven G. Buckley; **41** (10), 2456-63 (2002).
Evaluation of commercial thermal cameras in quality systems. — Krzysztof Chrzanowski; **41** (10), 2556-67 (2002).
Modeling of the hysteretic metal-insulator transition in a vanadium dioxide infrared detector. — Luiz Alberto Luz de Almeida, Gurdip Singh Deep, Antonio Marcus Nogueira Lima, and Helmut Neff; **41** (10), 2582-8 (2002).

Thermal effects

Photoacoustic studies on n-type InP. — Nibu A. George, C. P. G. Vallabhan, V. P. N. Nampoori, and P. Radhakrishnan; **41** (1), 251-4 (2002).

Quantitative analysis of the Shupe reduction in a fiber-optic Sagnac interferometer. — Xuhan Dai, Xiaolin Zhao, Bingchu Cai, Guoguang Yang, Kejiang Zhou, and Chen Liu; **41** (6), 1155-6 (2002).

Containerless photothermal spectroscopy using photorefractive interferometric detection. — Robert S. Schley and Ken L. Telschow; **41** (7), 1688-95 (2002).

Thermal imaging

New method to optimize atmospheric correction for hyperspectral thermal imaging. — Brian A. Gorin, Robert C. Blosser, and James Sweet; **41** (9), 2088-97 (2002).

Bad pixel identification by means of principal components analysis. — José Manuel López-Alonso and Javier Alda; **41** (9), 2152-7 (2002).

Evaluation of commercial thermal cameras in quality systems. — Krzysztof Chrzanowski; **41** (10), 2556-67 (2002).

Thermography

Experimental study using infrared thermography on the convective heat transfer of a TGV brake disk in the actual environment. — Monica Siroux, Souad Harmand, and Bernard Desmet; **41** (7), 1558-64 (2002).

Thin films

Design and analysis of a strip-coated parallel-slab beamsplitter for the equipartition of infrared input power. — Aed M. El-Saba and Rasheed M. A. Azzam; **41** (1), 200-4 (2002).

Sensitivity and hysteresis properties of a-WO_3, Ta_2O_5, and a-Si:H gate ion-sensitive field-effect transistors. — Jung-Lung Chiang, Jung-Chuan Chou, and Ying-Chung Chen; **41** (8), 2032-8 (2002).

Novel approach to super-resolution pits readout. — Jingsong Wei and Fuxi Gan; **41** (9), 2073-4 (2002).

Influence of deposition parameters on optical properties of TiO_2 films. — K. Narasimha Rao; **41** (9), 2357-64 (2002).

Three dimensions

Digital fringe projection system for large-volume 360-deg shape measurement. — Robert Sitnik, Małgorzata Kujawińska, and Jerzy Woźnicki; **41** (2), 443-9 (2002).

Shape and motion measurement of time-varying three-dimensional objects based on spatiotemporal fringe-pattern analysis. — Michał Emanuel Pawłowski, Małgorzata Kujawińska, and Marek Grzegorz Węgiel; **41** (2), 450-9 (2002).

Calibration of a three-dimensional reconstruction system using a structured light source. — Franck S. Marzani, Yvon Voisin, Lew F. C. Lew Yan Voon, and Alain Diou; **41** (2), 484-92 (2002).

Measurement of fine 6-degrees-of-freedom displacement of rigid bodies through splitting a laser beam: experimental investigation. — Won Shik Park and Hyung Suck Cho; **41** (4), 860-71 (2002).

Method for aligning any-order polynomial surfaces in three-dimensional space. — Nicolas Alvertos; **41** (4), 886-98 (2002).

Optical recognition of three-dimensional objects with scale invariance using a classical convergent correlator. — José J. Esteve-Taboada, Javier García, and Carlos Ferreira; **41** (6), 1324-30 (2002).

Novel coordinate mapping algorithm for three-dimensional profile noncontact measurement. — Kao-Hui Lin, Ming Chang, and Tyun-Jye Felipe Chen; **41** (7), 1615-20 (2002).

Three-dimensional body scanning system for apparel mass customization. — Bugao Xu, Y. Huang, W. Yu, and T. Chen; **41** (7), 1475-9 (2002).

Color grating projection moiré with time-integral fringe capturing for high-speed 3-D imaging. — Moon-Sik Jeong and Seung-Woo Kim; **41** (8), 1912-7 (2002).

Viewing-angle-enhanced integral 3-D imaging using double display devices with masks. — Sungyong Jung, Jae-Hyeung Park, Byoungho Lee, and Bahram Javidi; **41** (10), 2389-90 (2002).

Two-step integral imaging for orthoscopic three-dimensional imaging with improved viewing resolution. — Ju-Seog Jang and Bahram Javidi; **41** (10), 2568-71 (2002).

Study for wide-viewing integral photography using an aspheric Fresnel-lens array. — Sung-Wook Min, Sungyong Jung, Jae-Hyeung Park, and Byoungho Lee; **41** (10), 2572-6 (2002).

Tomography

Snapshot imaging spectropolarimeter. — Derek Sabatke, Ann Locke, Eustace L. Dereniak, Michael Descour, John Garcia, Tom Hamilton, and Robert W. McMillan; **41** (5), 1048-54 (2002).

Tracking

Measurement of the characteristics of a quadrant avalanche photodiode and its application to a laser tracking system. — Masahiro Toyoda, Kenichi Araki, and Yoshiaki Suzuki; **41** (1), 145-9 (2002).

Rain pattern tracking by means of COTREC and modal matching. — Fabio Dell'Acqua and Paolo Gamba; **41** (2), 278-86 (2002).

High-performance laser tracker using an articulating mirror for the calibration of coordinate measuring machine. — Hong Jiang, Sonko Osawa, Toshiyuki Takatsuji, Hironori Noguchi, and Tomizo Kurosawa; **41** (3), 632-7 (2002).

Image-based target tracking through rapid sensor orientation change. — Thomas Tsao and Zhiqing Wen; **41** (3), 697-703 (2002).

Novel denoising algorithm for obtaining a superresolved position estimation. — Zeev Zalevsky, Yoav Shrot, Uriel Levy, and David Mendelovic; **41** (6), 1350-7 (2002).

Gesture labeling based on gaze direction recognition for human-machine interaction. — Yong Wang, Jinghe Yuan, Shengjiang Chang, and Yanxin Zhang; **41** (8), 1840-4 (2002).

Quadrilateral-based region segmentation for tracking. — Nelson H. C. Yung, Hing Y. Chung, and Paul Y. S. Cheung; **41** (11), 2844-55 (2002).

H_∞ control law for line-of-sight stabilization for mobile land vehicles. — J. A. R. Krishna Moorty, Rajeev Marathe, and V. R. Sule'; **41** (11), 2935-44 (2002).

Transforms

New morphological detection algorithm based on the hit-miss transform. — Yang-Hoi Doh, Jong-Chan Kim, Jeong-Woo Kim, Soo-Joong Kim, and Mohammad S. Alam; **41** (1), 26-31 (2002).

Invariant recognition of polychromatic images of *Vibrio cholerae* O1. — Josué Alvarez-Borrego, Rosa Reyna Mouriño-Pérez, Gabriel Cristóbal-Pérez, and José Luis Pech-Pacheco; **41** (4), 827-33 (2002).

Fuzzy possibilistic neural network to vector quantizer in frequency domains. — Jzau-Sheng Lin; **41** (4), 839-47 (2002).

Joint rate-distortion optimization of discrete cosine transform coefficient quantization and disparity field estimation for stereo image coding. — Dong-Goo Kang and Rae-Hong Park; **41** (8), 2008-21 (2002).

Transistors

Sensitivity and hysteresis properties of a-WO_3, Ta_2O_5, and a-Si:H gate ion-sensitive field-effect transistors. — Jung-Lung Chiang, Jung-Chuan Chou, and Ying-Chung Chen; **41** (8), 2032-8 (2002).

Model for dc and rf characteristics of optically biased GaN metal semiconductor field effect transistor for electronic/optoelectronic microwave applications. — Adarsh Singh, Anil Kumar, Mridula Gupta, and R. S. Gupta; **41** (11), 2915-22 (2002).

Transmission

Using optical single sideband modulation technique to improve CATV system performance. — Hai-Han Lu and Shah-Jye Tzeng; **41** (8), 1765-6 (2002).

Improved mode model for infrared wave propagation in a toroidal dielectric waveguide and applications. — Zion Menachem, Nathan Croitoru, and Jacob Aboudi; **41** (9), 2169-80 (2002).

Rational systems exhibit moderate risk aversion with respect to "gambles" on variable-resolution compression. — Jose A. García, Rosa Rodriguez-Sánchez, Joaquín Fdez-Valdivia, and Xose R. Fdez-Vidal; **41** (9), 2216-37 (2002).

Dispersion compensation in externally modulated transmission system using reverse dispersion fiber. — Hai-Han Lu; **41** (9), 2296-300 (2002).

Tunable filters

Wide tunable filters using a recirculating delay line with multi-reflections. — S. Vargas, C. Vázquez, and J. M. S. Pena; **41** (5), 926-7 (2002).

Acousto-optic tunable filter based visible- to near-infrared spectropolarimetric imager. — Neelam Gupta, Rachid Dahmani, and Steve Choy; **41** (5), 1033-8 (2002).

Two-dimensional selection of optical spatial frequencies by acousto-optic methods. — Vitaly B. Voloshinov, Tatyana M. Babkina, and Vladimir Y. Molchanov; **41** (6), 1273-80 (2002).

Tunable gain-flattening filter using microbending long-period fiber gratings. — Ik-Bu Sohn, Nam-Kwon Lee, Hyung-Woo Kwon, and Jae-Won Song; **41** (7), 1465-6 (2002).

Tunable lasers

Novel piezoelectric actuators for tuning an optical fiber Bragg grating. — Sidney G. Allison, Robert L. Fox, Mark E. Froggatt, and Brooks A. Childers; **41** (10), 2448-55 (2002).

Tunable and frequency-stabilized CO_2 waveguide laser. — Yangwu Ma and Di Liang; **41** (12), 3319-23 (2002).

Turbulence

Atmospheric characterization with Shack-Hartmann wavefront sensors for non-Kolmogorov turbulence. — Changhui Rao, Wenhan Jiang, and Ning Ling; **41** (2), 534-41 (2002).

Turbulence induced beam spreading of higher order mode optical waves. — Cynthia Y. Young, Yadira V. Gilchrest, and Brian R. Macon; **41** (5), 1097-103 (2002).

Ultraviolet

Ultraviolet-optical charge-coupled devices for space instrumentation. — Mark Clampin; **41** (6), 1185-91 (2002).

Micro-Raman scattering and microphotoluminescence of GaN thin films grown on sapphire by metal-organic chemical vapor deposition. — Zhe Chuan Feng; **41** (8), 2022-31 (2002).

Ultraviolet and visible radiation in the atmosphere-ocean system: a tutorial review of modeling capabilities. — Knut Stamnes; **41** (12), 3008-18 (2002).

Problems in assessment of the ultraviolet penetration into natural waters from space-based measurements. — Alexander P. Vasilkov, Jay Herman, Nickolay A. Krotkov, Mati Kahru, B. Greg Mitchell, and Christina Hsu; **41** (12), 3019-27 (2002).

Version 2 total ozone mapping spectrometer ultraviolet algorithm: problems and enhancements. — Nickolay Krotkov, Jay Herman, Pawan K. Bhartia, Colin Seftor, Antti Arola, Jussi Kaurola, Sari Kalliskota, Petteri Taalas, and Igor V. Geogdzhaev; **41** (12), 3028-39 (2002).

Global validation of a forecast model for irradiance of solar, erythemally effective ultraviolet radiation. — Alois W. Schmalwieser, Günther Schauberger, Michal Janouch, Manuel Nunez, Tapani Koskela, Daniel Berger, Gabriel Karamanian, Pavel Prosek, and Kamil Laska; **41** (12), 3040-50 (2002).

Comparison of Brewer ultraviolet irradiance measurements with total ozone mapping spectrometer satellite retrievals. — Vitali E. Fioletov, James B. Kerr, David I. Wardle, Nikolay Krotkov, and Jay R. Herman; **41** (12), 3051-61 (2002).

Increasing trend of biologically active solar ultraviolet-B irradiance in mid-latitude Japan in the 1990s. — Masako Sasaki, Shu Takeshita, Takehiko Oyanagi, Yukiharu Miyake, and Toshibumi Sakata; **41** (12), 3062-9 (2002).

Comparisons between ground measurements of broadband ultraviolet irradiance (300 to 380 nm) and total ozone mapping spectrometer ultraviolet estimates at Moscow from 1979 to 2000. — Nataly Ye. Chubarova, Alla Yu. Yurova, Nickolay Krotkov, Jay Herman, and Pawan K. Bhartia; **41** (12), 3070-81 (2002).

Investigation on a low ozone episode at the end of November 2000 and its effect on ultraviolet radiation. — Anna Maria Siani, Giuseppe Rocco Casale, and Alessandro Galliani; **41** (12), 3082-9 (2002).

Ultraviolet radiation in the Alps: the altitude effect. — Daniel A. Schmucki and Rolf Philipona; **41** (12), 3090-5 (2002).

United States Department of Agriculture reference ultraviolet spectroradiometer: current performance and operational experience at Table Mountain, Colorado. — Lee Harrison, Jerry Berndt, Piotr Kiedron, and Patrick Disterhoft; **41** (12), 3096-103 (2002).

Applications of ultraviolet absolute radiometry in satellite and surface-based remote sensing of atmospheric ozone. — Donald F. Heath, Ziauddin Ahmad, and Zongyang Wei; **41** (12), 3104-10 (2002).

Velocimetry

Design of telecentric imaging systems for noncontact velocity sensors. — Christian Berger; **41** (10), 2599-606 (2002).

Very large scale integration

Hardware implementation of soft color image morphological operations. — Maria I. Vardavoulia, Ioannis Andreadis, and Phillipos Tsalides; **41** (7), 1536-45 (2002).

Vibration

Differential sensing of vibration for high-quality restoration of motion-blurred images. — Boris Likhterov and Norman S. Kopeika; **41** (11), 2970-4 (2002).

Influence of motion sensor error on image restoration from vibrations and motion. — Sergey Raiter, Ofer Hadar, and Norman S. Kopeika; **41** (12), 3276-82 (2002).

Vibration analysis

Application of wavelet filtering for vibration analysis using digital speckle pattern interferometry. — Chandra Shakher, Rajesh Kumar, Shashi Kumar Singh, and Saba Akhter Kazmi; **41** (1), 176-80 (2002).

Video

Eminent scene change detection algorithm and new indexing method for video retrieval on MPEG sequences. — Eung-Kwan Kang, Sung-Joo Kim, Surng-Gabb Jahng, and Jong-Soo Choi; **41** (1), 255-63 (2002).

Towards improved prediction accuracy in JPEG-LS. — Jianmin Jiang and Christos Grecos; **41** (2), 335-41 (2002).
Video indexing using a high-performance and low-computation color-based opportunistic technique. — Mohamed Ahmed and Ahmed Karmouch; **41** (2), 505-17 (2002).
Comparison of the predictions of a spatiotemporal model with the detection of distortion in small moving images. — Kjell Brunnström and Bo N. Schenkman; **41** (3), 711-22 (2002).
Combined image compressor and denoiser based on tree-adapted wavelet shrinkage. — James S. Walker; **41** (7), 1520-7 (2002).

Virtual reality
From cloud-of-point coordinates to three-dimensional virtual environment: the data conversion system. — Robert Sitnik and Małgorzata Kujawińska; **41** (2), 416-27 (2002).

Visibility
Micro-Raman scattering and microphotoluminescence of GaN thin films grown on sapphire by metal-organic chemical vapor deposition. — Zhe Chuan Feng; **41** (8), 2022-31 (2002).

Vision
Calibration of a three-dimensional reconstruction system using a structured light source. — Franck S. Marzani, Yvon Voisin, Lew F. C. Lew Yan Voon, and Alain Diou; **41** (2), 484-92 (2002).
Comparison of the predictions of a spatiotemporal model with the detection of distortion in small moving images. — Kjell Brunnström and Bo N. Schenkman; **41** (3), 711-22 (2002).

Wavefront sensors
Experimental results for expanding the dynamic range of a Shack-Hartmann sensor using astigmatic microlenses. — Norbert Lindlein and Johannes Pfund; **41** (2), 529-33 (2002).
Adaptive optics schemes for future extremely large telescopes. — Alexander V. Goncharov, Mette Owner-Petersen, Torben Andersen, and Jacques M. Beckers; **41** (5), 1065-72 (2002).
Theoretical performance of phase retrieval on a subdivided aperture. — Marcos A. van Dam and Richard G. Lane; **41** (6), 1387-95 (2002).
Wavefront sensing for deformable space-based optics exploiting natural and synthetic guide stars. — Brian K. McComas and Edward J. Friedman; **41** (8), 2039-49 (2002).

Wavefronts
Atmospheric characterization with Shack-Hartmann wavefront sensors for non-Kolmogorov turbulence. — Changhui Rao, Wenhan Jiang, and Ning Ling; **41** (2), 534-41 (2002).
Automatic wavefront measurement technique using a computer display and a charge-coupled device camera. — Héctor Canabal and José Alonso; **41** (4), 822-6 (2002).
Wavefront fitting of interferograms with Zernike polynomials. — Bo Qi, Hongbin Chen, and Nengli Dong; **41** (7), 1565-9 (2002).
Simple algorithms of wavefront reconstruction for cyclic radial shearing interferometer. — Dahai Li, Huaixin Chen, and Zhenpei Chen; **41** (8), 1893-8 (2002).

Waveguide lasers
Tunable and frequency-stabilized CO_2 waveguide laser. — Yangwu Ma and Di Liang; **41** (12), 3319-23 (2002).

Waveguides
Optical waveguide components with high refractive index difference in silicon-oxynitride for application in integrated optoelectronics. — Bernd Schauwecker, Michael Arnold, Christian V. Radehaus, Georges Przyrembel, and Berndt Kuhlow; **41** (1), 237-43 (2002).
Beam shape analysis of waveguide delivered infrared lasers. — Israel Gannot, M. Ben-David, A. Inberg, Nathan Croitoru, and R. W. Waynant; **41** (1), 244-50 (2002).
1×2 optical waveguide filters based on multimode interference for 1.3- and 1.55-μm operation. — Baojun Li, Soo-Jin Chua, Christopher W. Leitz, and Eugene A. Fitzgerald; **41** (3), 723-7 (2002).
Wide tunable filters using a recirculating delay line with multi-reflections. — S. Vargas, C. Vázquez, and J. M. S. Pena; **41** (5), 926-7 (2002).
Waveguide distributed Bragg reflector laser arrays in erbium doped glass made by dry Ag film ion exchange. — Pratheepan Madasamy, G. Nunzi Conti, P. Poyhonen, Y. Hu, M. M. Morrell, D. F. Geraghty, S. Honkanen, and N. Peyghambarian; **41** (5), 1084-6 (2002).
Wavelength demultiplexer using a multi-reflection-mirror waveguide. — Hideaki Okayama and Taiji Tsuruoka; **41** (6), 1446-51 (2002).
Equivalent complex refractive indices for ray-tracing evaluation of dielectric-coated hollow waveguides. — Katsumasa Iwai, Yukio Abe, Yuji Matsuura, and Mitsunobu Miyagi; **41** (7), 1471-2 (2002).
Low-loss polymeric materials for passive waveguide components in fiber optical telecommunication. — Ming Zhou; **41** (7), 1631-43 (2002).
Sol-gel fabrication and properties of optical channel waveguides and gratings made from composites of titania and organically modified silane. — Wenxiu Que and Chan Hin Kam; **41** (7), 1733-7 (2002).
Photonic devices in periodic waveguide structures: generalized analysis of multiple discontinuities. — José Rodríguez García, Orlando Hidalgo Alonso, S. Fernández, Isabel Ibáñez Martín, and Gerardo Doménech García; **41** (8), 1947-56 (2002).
Improved mode model for infrared wave propagation in a toroidal dielectric waveguide and applications. — Zion Menachem, Nathan Croitoru, and Jacob Aboudi; **41** (9), 2169-80 (2002).
Generation of continuous-wave millimeter-wave signals in a nonlinear lithium niobate optical waveguide. — Ki-Hwan Park and Wataru Chujo; **41** (10), 2589-91 (2002).
Document scanner using polymer waveguides with a microlens array. — Ryuta Iijima, Manabu Fujimoto, Yuji Maruo, Mamoru Nakatsuka, Tetsuya Inui, Shingo Abe, and Yutaka Unuma; **41** (11), 2743-8 (2002).
Effective refractive index change of *X*-cut *Z*-propagation Ti:$LiNbO_3$ waveguides by laser ablation. — Chii-Chang Chen, Vincent Armbruster, Henri Porte, Alain Carenco, and Jean-Pierre Goedgebuer; **41** (11), 2930-4 (2002).

Wavelet transforms
New wavelet transforms for noise-insensitive edge detection. — Feijun Song and Suganda Jutamulia; **41** (1), 50-4 (2002).
Wavelet-transform-based stereo residual image compression. — Jung-Jin Kim, Ji-Sang Yoo, and Eun-Soo Kim; **41** (4), 834-8 (2002).
Predictive search algorithm for vector quantization of images. — Chung-Ming Kuo, Chaur-Heh Hsieh, and Shiuh-Ku Weng; **41** (5), 1104-14 (2002).
Approaches to color- and texture-based image classification. — Vidya Manian and Ramón Vásquez; **41** (7), 1480-90 (2002).
Wavelet-based image compression using classified interpolative vector quantization. — M. Bi, S. H. Ong, and Y. H. Ang; **41** (7), 1528-35 (2002).
Robust image transmission over ATM networks based on scalable wavelet coding. — Wen-Jyi Hwang, Chung-Kun Wu, and Ching-Fung Chine; **41** (9), 2208-15 (2002).
Context-based image coding using fuzzy logic. — Dušan Gleich, Peter Planinšič, and Žarko Čučej; **41** (11), 2814-23 (2002).
Discriminative fabric defect detection using adaptive wavelets. — Xue Zhi Yang, Grantham K. H. Pang, and Nelson H. C. Yung; **41** (12), 3116-26 (2002).
Evaluation of the continuous wavelet transform method for the phase measurement of electronic speckle pattern interferometry fringes. — Alejandro Federico and Guillermo H. Kaufmann; **41** (12), 3209-16 (2002).
Harmonic wavelet joint transform correlator: analysis, algorithm, and application to image denoising. — Khan M. Iftekharuddin; **41** (12), 3307-15 (2002).

Wavelets
Application of wavelet filtering for vibration analysis using digital speckle pattern interferometry. — Chandra Shakher, Rajesh Kumar, Shashi Kumar Singh, and Saba Akhter Kazmi; **41** (1), 176-80 (2002).
Analytical study on junction detection. — Jiann-Shu Lee, Jzau-Sheng Lin, Ching-Tsorng Tsai, and Ding-Horng Chen; **41** (2), 342-50 (2002).
Ship wake detection in synthetic aperture radar images using a combination of a wavelet correlator and Radon transform. — Jin Min Kuo and Kun Shan Chen; **41** (3), 686-96 (2002).
New method of grain-boundary extraction by directional optimal filtering: application to estimating creep in metals. — Stéphane Journaux, Pierre Gouton, and Guy Thauvin; **41** (7), 1507-19 (2002).
Rational systems exhibit moderate risk aversion with respect to "gambles" on variable-resolution compression. — Jose A. García, Rosa Rodriguez-Sánchez, Joaquín Fdez-Valdivia, and Xose R. Fdez-Vidal; **41** (9), 2216-37 (2002).

Windows
Characteristic strength and Weibull modulus of selected infrared-transmitting materials. — Claude A. Klein, Richard P. Miller, and Richard L. Gentilman; **41** (12), 3151-60 (2002).

X rays
Femtosecond laser-driven x-ray tube. — André Egbert, Boris N. Chichkov, Carsten Fallnich, Stefan Zimmermann, and Alfred Reinhold; **41** (10), 2658-67 (2002).

Zone plates
Diffraction limit for a circular mask with a periodic rectangular apertures array. — Hone-Ene Hwang, Gwo-Huei Yang, and Jung-Chuan Chou; **41** (10), 2620-6 (2002).

Zoom lenses
Fully automatic algorithm for region of interest location in camera calibration. — Xinyu Kou, Zhong Wang, Mingzhou Chen, and Shenghua Ye; **41** (6), 1220-6 (2002).
Compact mid-wavelength infrared zoom camera with 20:1 zoom range and automatic athermalization. — Hyun Sook Kim, Chang Woo Kim, and Seok Min Hong; **41** (7), 1661-7 (2002).